



MASTER SDW-T

MASTER SDW-T 50W/825 PG12-1 1SL

Range of high-efficiency, discharge lamps with warm color to be used in open luminaires

Product data

• General Characteristics

System Description	High Voltage [200-250V]
Cap-Base	PG12-1
Bulb	T31 [T 31mm]
Bulb Material	Soft Glass
Bulb Finish	Clear
Operating Position	any [Any or Universal (U)]
Life to 5% failures	8000 hr
Life to 20% failures	12000 hr
Life to 50% failures	15000 hr
Useful Life	10000 hr

• Light Technical Characteristics

Color Code	825 [CCT of 2500K]
Color Rendering Index	80 (min), 83 (nom) Ra8
Color Designation (text)	Golden White
Color Temperature	2500 K
Color Temperature Technical	2500 K
Luminous Flux Lamp EM	2300 Lm
Luminous Efficacy Lamp EM	44 Lm/W
Lumen Maintenance 2000h	95 %
Lumen Maintenance 5000h	90 %
Luminance Average EM	400 cd/cm ²
Chromaticity Coordinate X	471 -
Chromaticity Coordinate Y	409 -

• Electrical Characteristics

Lamp Wattage	50 W
Lamp Wattage EM	53.0 W
Lamp Voltage	92 V
Lamp Current EM	0.76 A
Dimmable	No

• Environmental Characteristics

Mercury (Hg) Content	7.5 mg
----------------------	--------

• Luminaire Design Requirements

Cap-Base Temperature	120 (max) C
Bulb Temperature	350 (max) C

• Product Dimensions

Overall Length C	149 (max) mm
Diameter D	32 (max) mm
Light Center Length L	91 mm
Arc Length O	16 mm

• Product Data

Order code	928153909227
Full product code	928153909227
Full product name	MASTER SDW-T 50W/825 PG12-1 1SL
Order product name	MASTER SDW-T 50W/825 PG12-1 1SL/12
Pieces per pack	1

PHILIPS

MASTER SDW-T



Packing configuration 12
Packs per outerbox 12
Bar code on pack - EAN1 8711500734037
Bar code on outerbox - EAN3 8711500183149

Logistic code(s) - 928153909227
12NC
ILCOS code STH-50-H/E-PG12
Net weight per piece 0.048 kg

Warnings and Safety

- Use only with dedicated Philips control gear

Dimensional drawing




PG12-1

MASTER SDW-T 50W/825 PG12-1 1SL

Product	C (Max)	D (Max)	L (Norm)	O (Norm)
SDW-T 50W/825 PG12-1	149	32	91	15.4

Photometric data





© 2013 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2013, June 27
data subject to change