



MASTER TL-D 90 De Luxe

MASTER TL-D 90 De Luxe 36W/950 1SL

This TL-D lamp makes colors appear rich, deep and enhanced in a natural way. Thus very suitable for applications where a high color recognition is needed: first aid and treatment rooms in hospitals, printing rooms, jewelry, dentists, hairdressing, museums and shops

Product data

• General Characteristics

Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Bulb	T8 [26 mm]
Life to 10% failures EM	12000 hr
Life to 10% fail Preheat EL,3h	17000 hr
Life to 10% fail Nonpreh EL,3h	10000 hr
Life to 50% failures EM	15000 hr
Life to 50% fail Preheat EL,3h	20000 hr
Life to 50% fail Nonpreh EL,3h	12000 hr
LSF EM 2000h Rated, 3h cycle	99 %
LSF EM 4000h Rated, 3h cycle	99 %
LSF EM 6000h Rated, 3h cycle	99 %
LSF EM 8000h Rated, 3h cycle	99 %
LSF EM 12000h Rated,3h cycle	89 %
LSF EM 16000h Rated,3h cycle	33 %
LSF EM 20000h Rated,3h cycle	2 %

• Light Technical Characteristics

Color Code	950 [CCT of 5000K]
Color Rendering Index	92 Ra8
Color Designation (text)	Daylight

Color Temperature	5300 K
Luminous Flux EM 25°C, Rated	2800 Lm
Luminous Flux EM 25°C, Nominal	2800 Lm
Lum Efficacy Rated EM 25°C	77.8 Lm/W
Luminance Average EM	1.00 cd/cm ²
LLMF EM 2000h Rated	96 %
LLMF EM 4000h Rated	95 %
LLMF EM 6000h Rated	94 %
LLMF EM 8000h Rated	93 %
LLMF EM 12000h Rated	92 %
LLMF EM 16000h Rated	91 %
LLMF EM 20000h Rated	90 %
Design Temperature	25 C
Chromaticity Coordinate X	340 -
Chromaticity Coordinate Y	352 -

• Electrical Characteristics

Lamp Wattage	36 W
Lamp Wattage EM 25°C, Nominal	36 W
Lamp Wattage EM 25°C, Rated	36.0 W



asimpleswitch.com

PHILIPS

MASTER TL-D 90 De Luxe

Lamp Voltage EM 25°C 103 V
 Lamp Current EM 25°C 0.440 A
 Dimmable Yes

• Environmental Characteristics

Energy Efficiency Label (EEL) A
 Mercury (Hg) Content 3.0 mg
 Energy consumption kWh/1000h 43 kWh

• Product Dimensions



Base Face to Base Face A 1199.4 (max) mm
 Insertion Length B 1204.1 (min), 1206.5 (max) mm
 Overall Length C 1213.6 (max) mm

Diameter D 28 (max) mm

• Product Data

Order code 928044595081
 Full product code 928044595081
 Full product name MASTER TL-D 90 De Luxe 36W/950 1SL
 Order product name MASTER TL-D 90 De Luxe 36W/950 1SL/10
 Pieces per pack 1
 Packing configuration 10
 Packs per outerbox 10
 Bar code on pack - EAN1 8711500888600
 Bar code on outerbox - EAN3 8711500888617
 Logistic code(s) - 12NC 928044595081
 ILCOS code FD-36/53/1A-E-G13
 Net weight per piece 137.500 gr

Dimensional drawing




G13


MASTER TL-D 90 De Luxe 36W/950 1SL

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-D De Luxe 36W/950	1199.4	1204.1	1206.5	1213.6	28

Photometric data



Lightcolor TL-D de Luxe /950



Lightcolor TL-D de Luxe /950



© 2013 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2013, June 27
data subject to change