



























## NOVELTIES

<p><b>HT2C700 - Nylon zip ties, black, 2,5 x 100 mm, 100 pcs.</b></p> <p>Size - 2.5 x 100 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C701 - Nylon zip ties, black, 2,5 x 140 mm, 100 pcs.</b></p> <p>Size - 2.5 x 140 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C702 - Nylon zip ties, black, 2,5 x 200 mm, 100 pcs.</b></p> <p>Size - 2.5 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C703 - Nylon zip ties, black, 3,6 x 140 mm, 25 pcs.</b></p> <p>Size - 3,6 x 140 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C704 - Nylon zip ties, black, 3,6 x 140 mm, 100 pcs.</b></p> <p>Size - 3,6 x 140 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C705 - Nylon zip ties, black, 3,6 x 200 mm, 25 pcs.</b></p> <p>Size - 3,6 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C706 - Nylon zip ties, black, 3,6 x 200 mm, 100 pcs.</b></p> <p>Size - 3,6 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	

<p><b>HT2C707 - Nylon zip ties, black, 3,6 x 300 mm, 25 pcs.</b></p> <p>Size - 3,6 x 300 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C708 - Nylon zip ties, black, 3,6 x 300 mm, 100 pcs.</b></p> <p>Size - 3,6 x 300 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C709 - Nylon zip ties, black, 4,8 x 200 mm, 25 pcs.</b></p> <p>Size - 4,8 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C710 - Nylon zip ties, black, 4,8 x 200 mm, 100 pcs.</b></p> <p>Size - 4,8 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C711 - Nylon zip ties, black, 4,8 x 300 mm, 25 pcs.</b></p> <p>Size - 4,8 x 300 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C712 - Nylon zip ties, black, 4,8 x 300 mm, 100 pcs.</b></p> <p>Size - 4,8 x 300 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C713 - Nylon zip ties, black, 4,8 x 370 mm, 25 pcs.</b></p> <p>Size - 4,8 x 370 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C714 - Nylon zip ties, black, 4,8 x 370 mm, 100 pcs.</b></p> <p>Size - 4,8 x 370 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	

<p><b>HT2C715 - Nylon zip ties, black, 7,6 x 500 mm, 25 pcs.</b></p> <p>Size - 7,6 x 500 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C716 - Nylon zip ties, black, 9 x 600 mm, 25 pcs.</b></p> <p>Size - 9 x 600 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C717 - Nylon zip ties, white, 2,5 x 100 mm, 100 pcs.</b></p> <p>Size - 2.5 x 100 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C718 - Nylon zip ties, white, 2,5 x 140 mm, 100 pcs.</b></p> <p>Size - 2.5 x 140 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C719 - Nylon zip ties, white, 2,5 x 200 mm, 100 pcs.</b></p> <p>Size - 2.5 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C720 - Nylon zip ties, white, 3,6 x 140 mm, 25 pcs.</b></p> <p>Size - 3,6 x 140 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C721 - Nylon zip ties, white, 3,6 x 140 mm, 100 pcs.</b></p> <p>Size - 3,6 x 140 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C722 - Nylon zip ties, white, 3,6 x 200 mm, 25 pcs.</b></p> <p>Size - 3,6 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	

<p><b>HT2C723 - Nylon zip ties, white, 3,6 x 200 mm, 100 pcs.</b></p> <p>Size - 3,6 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C724 - Nylon zip ties, white, 3,6 x 300 mm, 25 pcs.</b></p> <p>Size - 3,6 x 300 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C725 - Nylon zip ties, white, 3,6 x 300 mm, 100 pcs.</b></p> <p>Size - 3.6 x 300 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C726 - Nylon zip ties, white, 4,8 x 200 mm, 25 pcs.</b></p> <p>Size - 4,8 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C727 - Nylon zip ties, white, 4,8 x 200 mm, 100 pcs.</b></p> <p>Size - 4,8 x 200 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C728 - Nylon zip ties, white, 4,8 x 300 mm, 25 pcs.</b></p> <p>Size - 4,8 x 300 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<p><b>HT2C729 - Nylon zip ties, white, 4,8 x 300 mm, 100 pcs.</b></p> <p>Size - 4,8 x 300 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<p><b>HT2C730 - Nylon zip ties, white, 4,8 x 370 mm, 25 pcs.</b></p> <p>Size - 4,8 x 370 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	

<b>HT2C731 - Nylon zip ties, white, 4,8 x 370 mm, 100 pcs.</b>	
<p>Size - 4,8 x 370 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 100 pcs.</p>	
<b>HT2C732 - Nylon zip ties, white, 9 x 600 mm, 25 pcs.</b>	
<p>Size - 9 x 600 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	
<b>HT2C733 - Nylon zip ties, white, 7,6 x 500 mm, 25 pcs.</b>	
<p>Size - 7,6 x 500 mm; UV resistance - yes; fire resistance - flammable resistant; breaking force - 8 kg; installation temperature - from -10°C to 85°C; operating temperature - from -40°C to 85°C; material - nylon PA66; quantity in package - 25 pcs.</p>	