

PRODUCT FAMILY DATASHEET

LED VALUE CLASSIC A

LED lamps, classic bulb shape



AREAS OF APPLICATION

- Domestic applications
- General illumination
- Outdoor use in outdoor luminaires only (minimum IP65)

PRODUCT BENEFITS

- Very low energy consumption
- Shockproof and vibration-proof thanks to LED technology
- No UV radiation in the light beam
- Instant 100 % light, no warm-up time
- Can be easily fitted instead of ordinary light bulbs
- Lower thermal output (compared with the standard reference product)

PRODUCT FEATURES

- LED lamps for line voltage
- Not dimmable
- Mercury-free lamps




TECHNICAL DATA

Product description	Electrical data				Photometrical data				
	Nominal wattage	Nominal voltage	Max. lamp no. on circuit break. 10 A (B)	Max. lamp no. on circuit break. 16 A (B)	Rated luminous flux	Color temperature	Lumen main.fact.at end of nom.life time	Light color (designation)	Color temperature
LED VALUE CLAS A 100 CL 11 W/2700K E27 ¹⁾	11.00 W	220...240 V	58	94	1521 lm	2700 K	0.70	Warm White	2700 K
LED VALUE CLAS A 100 CL 11 W/4000K E27 ¹⁾	11.00 W	220...240 V	25	40	1521 lm	4000 K	0.70	Cool White	4000 K

Product description	Light technical data		Dimensions & weight		Temperatures & operating conditions	Lifespan		Additional product data	
	Luminous flux	Color rendering index Ra	Warm-up time (60 %)	Overall length	Diameter	Maximum temperature at tc test point	Nominal lamp life time	Number of switching cycles	Base (standard designation)
LED VALUE CLAS A 100 CL 11 W/2700K E27 ¹⁾	1521 lm	≥80	< 0.50 s	105.0 mm	60.0 mm	67 °C	10000 h	100000	E27
LED VALUE CLAS A 100 CL 11 W/4000K E27 ¹⁾	1521 lm	≥80	< 0.50 s	105.0 mm	60.0 mm	67 °C	10000 h	100000	E27

Product description	Mercury-free	Capabilities	Certificates & standards	
		Dimmable	Energy efficiency class	Energy consumption
LED VALUE CLAS A 100 CL 11 W/2700K E27 ¹⁾	Yes	No	A++	11 kWh/1000h
LED VALUE CLAS A 100 CL 11 W/4000K E27 ¹⁾	Yes	No	A++	11 kWh/1000h

¹⁾ All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value



LED VALUE CLAS A 100 CL 11 W/2700K
 E27, LED VALUE CLAS A 100 CL 11
 W/4000K E27

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075288614	Shipping carton box 10	325 mm x 136 mm x 126 mm	583.00 g	5.57 dm ³
4058075288638	Shipping carton box 10	325 mm x 136 mm x 126 mm	563.00 g	5.57 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.