

■ Data-Enclosures Wallmounting 10"



DV610006-A



DV610006-A

■ SCHRACK-INFO


10"-SoHo (Small Office Home Office) wallmounting network enclosures. Mostly used in small offices and similar environments like private flats or houses. Also used for space saving installation of sub enclosures in small to big sized network cabling systems.

■ TECHNICAL DATA

- Welded, powder-coated sheet steel chassis
- Color: RAL 7035 (lightgrey)
- Degree of protection: IP 30
- Full-glass-door: Safety hardened glas 5mm including lock and 2 keys.
 - Door hinged right.
 - Door opening: ca. 180°
- 19" vertical rails (2 pieces) in front of enclosure, galvanized, continuously depth-adjustable.
- Cable entry possible via roof, floor and rear panel. Delivered with demountable or break-out blanking plates.
- Cooling:
 - Passive cooling by ventilation slots and by sharing heat with environment via chassis.
- Earthing:
 - M8-Earthing point in the rear of the cabinet.
 - FastOn-Earthing-connections to all dismountable parts pre-installed.
- Included assembly materials:
 - 8 x Cage nuts, screws and washers M6.
 - 4x dowel 10x50 and 4x screws M6x50 for fixing to the wall.
- Wide range of available accessories (patchpanels, fixed shelves, PDUs, etc.).
- Enclosure is delivered fully-assembled.

■ Data-Enclosures Wallmounting 10"

■ DIMENSIONS




	A / mm	B / mm	C / mm	D / mm	E / mm	R1 / mm	R2 / mm	1)	2)	3)	4)
DV610004-A	248	169	255	310	260	212	212	20	IP30	5,5	5,4
DV610006-A	337	258	255	310	260	301	212	20	IP30	6,9	6,9
DV610009-A	470	391	255	310	260	434	212	20	IP30	8,3	8,2

- 1) Maximum load / kg
- 2) Degree of protection
- 3) Weight Brutto / kg
- 4) Weight Netto / kg

Wall-mounted data enclosures 10"

■ Data-Enclosures Wallmounting 10"

■ DRAWING OF THE VERTICAL 10"-PROFILE-RAILS



DESCRIPTION	AVAILABLE	ORDER NO.
Data-Enclosures Wallmounting D=260mm		
Network Enclosure Wallmounting DV, W=310 x H=248 x D=260mm, 10", 4U, RAL7035		DV610004-A
Network Enclosure Wallmounting DV, W=310 x H=337 x D=260mm, 10", 6U, RAL7035		DV610006-A
Network Enclosure Wallmounting DV, W=310 x H=470 x D=260mm, 10", 9U, RAL7035		DV610009-A

■ Accessories



IU071000-A



IU070122



HSER0120GS



HSERG106GV

DESCRIPTION	AVAILABLE	ORDER NO.
Shelf		
10" Shelf Fix, D=150mm, Low Profile, RAL7035		IU071000-A
10" DIN-rail panel, 3U, RAL7035		DAB34812
Power Distribution Units - PDUs		
10" PDU, 3xSchuko, Profile ALU 1U, 2m-connector cable, RAL7035		IU070122
10" PDU, 3x UTE, Profile ALU 1U, 2m-connector cable, RAL7035		IU070123
Networking Patchpanels		
Patchpanel 10" empty for 12 modules (SFA)(SFB), 1U, RAL7035		HSER0120GS
DE-EMBEDDED LINE Patchpanel 10" 10xRJ45 shielded, Cat.6, 1U, RAL7035		HSERG106GV
Accessories		
19" Mounting set M6, 50 pcs. each: screw, nut, washer		DSSRA050
Back-to-back cable ties, 7.5m, W=16mm, Perforation every 25cm, red		HSEKBK25HR
Back-to-back cable ties, 7.5m, W=16mm, Perforation every 25cm, black		HSEKBK25HS
Cable Ties 100 x 2.5mm, nature/white, 1 PU= 25 pcs.		HSERZKB025