







1.26

MODELO M IP65



APLICACIONES INDICADAS / SUITABLE APPLICATIONS / APPLICATIONS APPROPRIÉES



IT - DE



IP65

CE

EN 60598-1




TUBO FLUORESCENTE / LAMP / LAMPE


T8

Ref.	Potencia Watts Puissance	Equipo Equipment Ballast	L	D	C	Embalaje Packaging Emballage
	(W)		(mm)	(mm)	(mm)	
M0125	1 x 18	■	624	100	60	1
M0126	1 x 36	■	1.233	100	60	1
M0127	1 x 58	■	1.534	100	60	1
M0128	2 x 18	■	624	100	123	1
M0129	2 x 36	■	1.233	100	123	1
M0130	2 x 58	■	1.534	100	123	1

■ **Electrónica / Electronic / Électronique**



1x





2x

1.26

MODELO M IP65

TUBO FLUORESCENTE / LAMP / LAMPE

T5



Ref.	Potencia Watts Puissance	Equipo Equipment Ballast	L	D	Embalaje Packaging Emballage
	(W)		(mm)	(mm)	
M0507	1 x 14	■	589	100	1
M0505	1 x 24	■	589	100	1
M0508	1 x 21	■	889	100	1
M0509	1 x 39	■	889	100	1
M0504	1 x 28	■	1.189	100	1
M0502	1 x 54	■	1.189	100	1
M0503	1 x 35	■	1.489	100	1
M0510	1 x 49	■	1.489	100	1
M0501	1 x 80	■	1.489	100	1
M0511	2 x 14	■	589	100	1
M0514	2 x 24	■	589	100	1
M0512	2 x 21	■	889	100	1
M0515	2 x 39	■	889	100	1
M0513	2 x 28	■	1.189	100	1
M0517	2 x 54	■	1.189	100	1
M0506	2 x 35	■	1.489	100	1
M0516	2 x 49	■	1.489	100	1


■ Electrónica / Electronic / Électronique

IP65

CE


REFLECTORES MODELO M / MODELO M REFLECTOR / REFLECTEUR MODELO M

SIMÉTRICO / SYMMETRICAL / SYMÉTRIQUE




Chapa precalada Lacquered steel Acier laqué	Aluminio brillante Glossy aluminium Aluminium brillant	Potencia Watts Puissance
Ref.	Ref.	(W)
MA100	MA1A0	1 / 2 x 18
MA200	MA2A0	1 / 2 x 36
MA300	MA3A0	1 / 2 x 58
ME100	ME1A0	1 / 2 x 14/24
ME200	ME2A0	1 / 2 x 21/39
ME300	ME3A0	1 / 2 x 28/54
ME400	ME4A0	1 / 2 x 35/49

ASIMÉTRICO E / ASYMMETRICAL E / ASYMÉTRIQUE E



Chapa precalada Lacquered steel Acier laqué	Aluminio brillante Glossy aluminium Aluminium brillant	Potencia Watts Puissance
Ref.	Ref.	(W)
MC100	MC1A0	1 / 2 x 18
MC200	MC2A0	1 / 2 x 36
MC300	MC3A0	1 / 2 x 58
MG100	MG1A0	1 / 2 x 14/24
MG200	MG2A0	1 / 2 x 21/39
MG300	MG3A0	1 / 2 x 28/54
MG400	MG4A0	1 / 2 x 35/49

ASIMÉTRICO I / ASYMMETRICAL I / ASYMÉTRIQUE I



Chapa precalada Lacquered steel Acier laqué	Aluminio brillante Glossy aluminium Aluminium brillant	Potencia Watts Puissance
Ref.	Ref.	(W)
MD100	MD1A0	1 / 2 x 18
MD200	MD2A0	1 / 2 x 36
MD300	MD3A0	1 / 2 x 58
MH100	MH1A0	1 / 2 x 14/24
MH200	MH2A0	1 / 2 x 21/39
MH300	MH3A0	1 / 2 x 28/54
MH400	MH4A0	1 / 2 x 35/49

1.26

MODELO M IP42




TUBO FLUORESCENTE / LAMP / LAMPE


T8

Ref.	Potencia Watts Puissance	Equipo Equipment Ballast	L	D	Embalaje Packaging Emballage
	(W)		(mm)	(mm)	
M0025	1 x 18	■	624	100	1
M0026	1 x 36	■	1.233	100	1
M0027	1 x 58	■	1.534	100	1
M0028	2 x 18	■	624	100	1
M0029	2 x 36	■	1.233	100	1
M0030	2 x 58	■	1.534	100	1

■ Electrónica / Electronic / Électronique



1x





2x

IP42

CE

TUBO FLUORESCENTE / LAMP / LAMPE

T5




Ref.	Potencia Watts <i>Puissance</i>	Equipo Equipment <i>Ballast</i>	L	D	Embalaje Packaging <i>Emballage</i>
	(W)		(mm)	(mm)	
M0604	1 x 14	■	589	100	1
M0606	1 x 24	■	589	100	1
M0605	1 x 21	■	889	100	1
M0607	1 x 39	■	889	100	1
M0603	1 x 28	■	1.189	100	1
M0608	1x 54	■	1.189	100	1
M0602	1 x 35	■	1.489	100	1
M0601	1 x 49	■	1.489	100	1
M0609	1 x 80	■	1.489	100	1
M0610	2 x 14	■	589	100	1
M0614	2 x 24	■	589	100	1
M0611	2 x 21	■	889	100	1
M0615	2 x 39	■	889	100	1
M0612	2 x 28	■	1.189	100	1
M0617	2 x 54	■	1.189	100	1
M0613	2 x 35	■	1.489	100	1
M0616	2 x 49	■	1.489	100	1

■ Electrónica / Electronic / *Électronique*


1.26

MODELO M

ACCESORIOS MODELO M / MODELO M ACCESORIES / ACCESSOIRES MODELO M

Carril Track Rail	Perfil Profile Profile	Carril Track Rail	Carril Track Rail	Tapa final End cap Embout	Empalme Track joint Pièce de liaison
		3070 (mm) 2 X 58	3700 (mm) 3 X 36		
		Ref.	Ref.	Ref.	Ref.
CHAPA ACERO / LACQUERED STEEL / ACIER LAQUÉ 25 X 67,2 (mm)		M0059	M0060	M0034	M0064

Ref. M0063
Sujeción a carril
Fastener for track
Fixation au RAIL



Ref.

M0191

Fijación carril a perfil techo desmontable
Track fastener to removable ceiling profile
Fixation de carril au profil du plafond démontable































































M0031

Adaptador aro estanco Ø38 mm
Watertight ring Ø38 mm
Bague porte-douille étanche Ø38 mm

**Tubo policarbonato / Polycarbonate
tube / Tube de polycarbonate**

	(W)	18	36	58
Ø26 Ref.	TP018	TP036	TP058	
Ø38 Ref.	TP020	TP040	TP065	

	Cuerpo luminaria tubo policarbonato Polycarbonate luminaire body Corps du luminaire tube polycarbonate		Cuerpo extrusion Aluminum body Corps aluminium		Rango de temperaturas Temperatures range Tranche de temperatures
	Cuerpo luminaria metacrilato Methacrylate luminaire body Corps du luminaire méthacrylate		Cuerpo Acero Prelacado Pre-lacquered steel body Corps en acier prélaqué		Ensayo hilo Glow wire test Essais fil incandescent
	Cuerpo luminaria vidrio borosilicato Glass borosilicate luminaire body Corps du luminaire verre borosilicate		Cuerpo Aluminio Prelacado Pre-lacquered aluminum body Corps en aluminium prélaqué		Alto factor High Factor Hautes temperatures
	Cuerpo luminaria ABS ABS luminaire body Corps du luminaire ABS		Cuerpo ABS ABS body Corp ABS		Conector rápido Quick Connector Connecteur rapide
	Cuerpo luminaria poliestireno Polystyrene luminaire body Corps du luminaire polystyrène		Difusor Policarbonato Polycarbonate Diffuser Diffuseur Polycarbonate		Entrada cablesrosca M25 (2e) M25 Cable entry (2e) Entrée de câbles a vis M25 (2e)
	Cuerpo aluminio Extrusion Aluminum Body Corps extrusion aluminium		Difusor Policarbonato Opal Opal Polycarbonate Diffuser Diffuseur Polycarbonate Opal		Regulación de flujo Dimmable equipment Ballast gradable
	Cuerpo hierro Iron body Corps fer		Difusor Poliestireno Polystyrene Diffuser Diffuseur Polystyrène		Módulo LED LED Module Modules LED
	Tapas Aluminio pintado Painted Aluminum end caps Embouts aluminium peint		Difusor PC/ACRIL PC/ACRIL Diffuser Diffuseur PC/ACRIL		Tubo LED LED Tube Tube LED
	Tapa acero INOX Stainless Steel 304 end caps Embouts INOX 304		Lamas ABS ABS louvers Lames ABS		Tubo fluorescencia Fluorescent Tube Tube Fluorescent
	Tapa acero INOX Stainless Steel 316 end caps		Lamas ABS - PC ABS - PC Louvers Lames ABS - PC		Tubo LED o Tubo fluorescente LED Tube or fluorescent tube Tube LED ou Tube fluorescent
	Tapas ABS ABS Plastic end caps Embouts PLASTIQUE ABS		Abrazaderas acero cincado Galvanized Steel Clamps Fixations acier zingué		Fuente de luz Light source Source de lumière
	Tapas Policarbonato PC Plastic end caps Embouts PLASTIQUE PC		Brazaderas acero inox Stainless Steel Clamps Fixations INOX		Fuente de luz Light source Source de lumière
	Tapas Plástico Metalizado Metalized Plastic end caps Embouts PLASTIQUE CHROMÉ		Abrazaderas cierre rápido Quick opening stainless steel Fixations INOX ouverture à grenouillère		Fuente de luz Light source Source de lumière
	Tapas Zamak Niquelado Nickel-plated ZAMAK end caps Embouts ZAMAK NICKELÉ		Abrazaderas PC antivandálica Vandalism PC Clamps Fixations INOX ouverture à grenouillère		Zona ATEX EX Area ATEX Zone
	Tapas acero niquelado Nickel-plated steel end caps Embouts Acier Nickelé		Abrazaderas ABS ABS Clamps Fixations PMMA antivandalisme		Sistema de emergencia Emergency Sistem Système d'urgence
	Aluminio Anodizado Anodized aluminum Aluminium anodisé		Aro ABS ABS Ring Fixations ABS		Grupo de riesgo fotobiológico Photobiological risk group Group de risque photobiologique
	Reflector Aluminio brillo Reflector Aluminum Gloss Réflecteur Aluminium brillant		Abrazaderas techo o pared Ceiling or wall Clamps Fixations murs et parois		Índice MacAdam MacAdam Ellipse Taux MacAdam
	Reflector chapa lacada blanca White lacquered steel Reflector Réflecteur tôle lacquée blanc		Prensaestopa Cable Gland Presse étoupes		Índice de deslumbramiento unificado Unify glare rating Taux d'éblouissement
	Reflector acero lacado blanco White Lacquered Steel Reflector Réflecteur acier lacqué blanc		Empotrable para lámpara Embedded for lamps Encastrable pour lamp		Índice cromático Chromatic Index Taux chromatique
	Reflector acero galvanizado Galvanized Steel Reflector Réflecteur acier galvanisé		Brida suspensión perforación 18mm Clamps suspension borehole 18 mm Fixation avec suspension perforation 18 mm		Vida útil Useful life Durée de vie