

# xcubik

5 YEARS WARRANTY



**EN**

Family of fixed or adjustable luminaires, equipped with mid power LEDs, for recessed mounting, normal or trimless. Housing of die-cast aluminum, electrostatically painted. Reflectors of silver faceted polycarbonate. Transparent polycarbonate diffusers, optics UGR<10. Decorative element of black polycarbonate. Constant current LED driver delivered with the light fitting.

**Range of applications**

General or accent lighting in commercial areas, museums and other exhibition spaces, residential and recreational areas. Domestic lighting.

**RO**

Familie de corpuri de iluminat fixe sau orientabile, echipate cu LED-uri de medie putere, pentru montaj încadrat, normal sau fără ramă vizibilă.

Carcasa din aluminiu turnat, vopsită în câmp electrostatic. Refleptoare din policarbonat argintat și fațetat. Dispersoare din policarbonat transparent, optică UGR<10. Element decorativ din policarbonat negru.

Alimentator în curent constant livrat împreună cu corpul de iluminat.

**Aplicații**

Iluminatul general sau de accent în spații comerciale, muzee și alte spații de expunere, zone rezidențiale și zone de agrement. Iluminatul domestic.

**IT**

Famiglia di apparecchi fissi o orientabili, dotati di LED a media potenza, per montaggio ad incasso e incasso filo soffitto.

Corpo in alluminio pressofuso, verniciato a polveri. Riflettori in policarbonato argentato e sfaccettato. Diffusori in policarbonato trasparente, ottica UGR<10. Elemento decorativo in policarbonato nero.

Alimentatore in corrente costante fornito con l'apparecchio.



**Campi di applicazione**

Illuminazione generale o d'accento in musei, spazi espositivi, aree residenziali e ricreative. Illuminazione domestica.

**RECESSED MINIPROJECTOR**

**CB03**


FINISHING AVAILABLE



**RECESSED PROJECTOR**

**CB08**

FINISHING AVAILABLE




Code	Finishing	LED type	Power	Input voltage	Driver	LED Flux	System Flux	CCT	CRI	Optics	Ø	Weight
CB03WW MWH/BK	MWH/BK	SMD 3030 OSRAM	6W	220-240V AC	Included	680 lm	425 lm	3000K	90	24°	Ø50 mm	0.33 kg
● CB03NW MWH/BK	MWH/BK	SMD 3030 OSRAM	6W	220-240V AC	Included	730 lm	454 lm	4000K	90	24°	Ø50 mm	0.33 kg
CB08WW MWH/BK	MWH/BK	SMD 3030 BRIDGELUX	11W	220-240V AC	Included	1320 lm	812 lm	3000K	90	24°	Ø70 mm	0.59 kg
● CB08NW MWH/BK	MWH/BK	SMD 3030 BRIDGELUX	11W	220-240V AC	Included	1410 lm	866 lm	4000K	90	24°	Ø70 mm	0.59 kg




● ORDERED UPON REQUEST / DISPONIBIL DOAR LA COMANDĂ / DISPONIBILE SOLO SU ORDINAZIONE

**RECESSED**

**CB01**

FINISHING AVAILABLE







Code	Finishing	LED type	Power	Input voltage	Driver	LED Flux	System Flux	CCT	CRI	Optics		Weight
<b>CB01WW MWH/BK</b>	MWH/BK	SMD 3030 OSRAM	6W	220-240V AC	Included	680 lm	425 lm	3000K	90	24°		70x70 mm, 0,23 kg
<b>CB01NW MWH/BK</b>	MWH/BK	SMD 3030 OSRAM	6W	220-240V AC	Included	730 lm	454 lm	4000K	90	24°		70x70 mm, 0,23 kg
<b>● ORDERED UPON REQUEST / DISPONIBIL DOAR LA COMANDĂ / DISPONIBILE SOLO SU ORDINAZIONE</b>												

**RECESSED**

**CB06**

FINISHING AVAILABLE




Code	Finishing	LED type	Power	Input voltage	Driver	LED Flux	System Flux	CCT	CRI	Optics		Weight
<b>CB06WW MWH/BK</b>	MWH/BK	SMD 3030 BRIDGELUX	11W	220-240V AC	Included	1320 lm	812 lm	3000K	90	24°		100x100 mm, 0,48 kg
<b>CB06NW MWH/BK</b>	MWH/BK	SMD 3030 BRIDGELUX	11W	220-240V AC	Included	1410 lm	866 lm	4000K	90	24°		100x100 mm, 0,48 kg
<b>● ORDERED UPON REQUEST / DISPONIBIL DOAR LA COMANDĂ / DISPONIBILE SOLO SU ORDINAZIONE</b>												

**RECESSED TRIMLESS**

**CB02**


FINISHING AVAILABLE



**RECESSED TRIMLESS**

**CB07**

FINISHING AVAILABLE



Code	Finishing	LED type	Power	Input voltage	Driver	LED Flux	System Flux	CCT	CRI	Optics		Weight
CB02WW MWH/BK	MWH/BK	SMD 3030 OSRAM	6W	220-240V AC	Included	680 lm	425 lm	3000K	90	24°	75x75 mm	0,48 kg
● CB02NW MWH/BK	MWH/BK	SMD 3030 OSRAM	6W	220-240V AC	Included	730 lm	454 lm	4000K	90	24°	75x75 mm	0,48 kg
CB07WW MWH/BK	MWH/BK	SMD 3030 BRIDGELUX	11W	220-240V AC	Included	1320 lm	812 lm	3000K	90	24°	100x100 mm	0,86 kg
● CB07NW MWH/BK	MWH/BK	SMD 3030 BRIDGELUX	11W	220-240V AC	Included	1410 lm	866 lm	4000K	90	24°	100x100 mm	0,86 kg

● ORDERED UPON REQUEST / DISPONIBIL DOAR LA COMANDĂ / DISPONIBILE SOLO SU ORDINAZIONE

