


Barrier Strip

RW 50 E3

EAN Code: 4013339333356
 Smallest packaging unit: 10 x 3 m
 quantity unit: m M

the photorealistic images are to be considered as reference images



Article Description

Barrier strip, 47x3000 mm, t=0,8 mm, stainless steel, material code: 1.4301, AISI 304, incl. accessories

Incl. accessories

3 meter = 1 piece		- lowest delivery unit	- preferred delivery unit
Model No.	Description	quantity	
1-FLM 6X12 E3	Mushroom-head bolt M6, similar DIN 603, length 12 mm, stainless steel, material code: 1.4301, AISI 304	4 pcs.	
30 meter = 1 bundle		✓ lowest delivery unit	✓ preferred delivery unit
Model No.	Description	quantity	
FLM 6X12 E3	Mushroom-head bolt M6, similar DIN 603, length 12 mm, stainless steel, material code: 1.4301, AISI 304	40 pcs.	
3000 meter = 1 rack		- lowest delivery unit	- preferred delivery unit
Model No.	Description	quantity	
FLM 6X12 E3	Mushroom-head bolt M6, similar DIN 603, length 12 mm, stainless steel, material code: 1.4301, AISI 304	4.000 pcs.	

Technical Datasheet

Cable Tray System

RW 50 E3

the photorealistic images are to be considered as reference images

Additional Price Information

Article group	N13
quantity unit	m

Weight

Weight per quantity unit	489 g / m
Weight in kg per 100	49 kg / 100m

Physical Article Dimensions

Height	47.00 mm
Width	24.00 mm
Depth/length	3000 mm

Packing Dimension

30 meters = 1 bundle		✔ VP1-smallest packaging unit (PU) ✔ VP1-preferred PU			
Lenght	3000 mm	Width	240 mm	Height	50.00 mm
Gross weight	15 kg	Volume	0,036 m³		
Min. quantity	30.00 m	Max. Quantity	30.00 m		

3000 meters = 1 rack					
Lenght	3000 mm	Width	850 mm	Height	770 mm
Gross weight	1525 kg	Volume	1,964 m³		
Min. Quantity	3.000.00 m	Max. Quantity	3.000.00 m		

Tender Text

Barrier strip, with edge protection, bottom edging perforated for screw fastening and continuously profiled for mounting in bottom or retaining lugs, for separating cables and lines with different voltages and functions, equipotential bonding takes place automatically when clipped or screwed in, including proportional fastening accessories in stainless steel.

For use in function maintenance, please observe additional instructions!
VDE certified!

Used for : wire mesh trays
cable trays/ladders
wide span trays/ladders
barrier profile holder

Dimensions (approx. dimensions)

Height H x outer packaging : 47 x 24 mm

Material thickness t : 0.8 mm

Delivery length L : 3000 mm

Material : stainless steel, material no. 1.4301, AISI 304

NIEDAX Model No. : RW 50 E3

EP material_____ EP wage_____

Unit price/meter

Technical Datasheet

Cable Tray System

RW 50 E3

the photorealistic images are to be considered as reference images

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

Related items

Connector

Model No.	Description
RTV 50 E2	Splice plate for barrier strip, 46,5x80 mm, stainless steel, material code: 1.4310