


Mini-Cable Trunking

with bottom perforation, with cover

LLK 16.016 R

EAN Code: 4013339507559
Smallest packaging unit: 42 x 2 m
quantity unit: m M

the photorealistic images are to be considered as reference images



Article Description

Mini-cable protection duct with cover, 16x16x2000 mm, steel, pre-galvanised according to DIN EN 10346, powder-coated, RAL9010

Additional Price Information

Article group	N16
quantity unit	m

Weight

Weight per quantity unit	326 g / m
Weight in kg per 100	33 kg / 100m

Technical Datasheet

Cable protection duct

LLK 16.016 R

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	16.00 mm
Width	15.50 mm
Depth/length	2000 mm

Packing Dimension

84 meters = 1		✓ VP1-smallest packaging unit (PU) ✓ VP1-preferred PU			
Lenght	2020 mm	Width	120.00 mm	Height	105.00 mm
Gross weight	28 kg	Volume	0,025 m³		
Min. quantity	84.00 m	Max. Quantity	84.00 m		

3528 meters = 1 rack					
Lenght	2000 mm	Width	1162 mm	Height	1120 mm
Gross weight	1271 kg	Volume	2,603 m³		
Min. Quantity	3.528.00 m	Max. Quantity	3.528.00 m		

Tender Text

Mini-cable protection duct, with snap-on cover and single-row fastening holes in the duct bottom, visible surfaces coated in RAL colour electrostatically powder-coated in accordance to the manufacturer's catalogue, the equipotential bonding of the covers takes place automatically when snapped on, accessories for equipotential bonding, one splice plate LST.../LSTA... per joint, must be ordered separately.

VDE certified!

Dimensions (approx. dimensions)

Height H x width W : 16 x 16 mm

single row bottom perforation : 4.2 x 12 mm

Bottom hole distance grid dimension : 250 mm

Delivery length L : 2000 mm

Usable cross section : 213 mm²

Colour : pure white

RAL : 9010

Material : steel, pre-galvanised acc. to DIN EN 10346

NIEDAX model no. : LLK 16.016 R

EP material_____ EP wage_____

Unit price/meter

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

Technical Datasheet

Cable protection duct

LLK 16.016 R

the photorealistic images are to be considered as reference images

Related items

Connector

Model No.	Description
LST 16.016	Splice plate with flat plug, for height 16 mm, width 16 mm, brass
LSTA 16.016	Splice plate with flat plug, for height 16 mm, width 16 mm, brass