

Vertical Cable Ladder Cover



Complete set, unassembled

STVW 600 F

EAN Code: 4013339072040  
 Smallest packaging unit:3 m  
 quantity unit:m M



the photorealistic images are to be considered as reference images



Article Description

Vertical cable ladder cover, 203x609x3000 mm, wall mounting, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories

Incl. accessories

| 3 meter = 1 piece |                                                                                                 | ✓ lowest delivery unit | ✓ preferred delivery unit |
|-------------------|-------------------------------------------------------------------------------------------------|------------------------|---------------------------|
| Model No.         | Description                                                                                     | quantity               |                           |
| FLM 8X16 F        | Mushroom-head bolt M8, similar DIN 603, length 16 mm, steel, hot dip galvanised DIN EN ISO 1461 | 6 pcs.                 |                           |

Additional Price Information

|               |     |
|---------------|-----|
| Article group | N13 |
| quantity unit | m   |

# Technical Datasheet

## Vertical Cable Ladder System

STVW 600 F

the photorealistic images are to be considered as reference images

### Weight

|                          |               |
|--------------------------|---------------|
| Weight per quantity unit | 15 kg/ m      |
| Weight in kg per 100     | 1464 kg/ 100m |

### Physical Article Dimensions

|              |           |
|--------------|-----------|
| Height       | 202.80 mm |
| Width        | 609 mm    |
| Depth/length | 3000 mm   |

### Packing Dimension

|                           |         |                                     |          |                    |        |
|---------------------------|---------|-------------------------------------|----------|--------------------|--------|
| <b>3 meters = 1 piece</b> |         | ✓ VP1-smallest packaging unit ( PU) |          | ✓ VP1-preferred PU |        |
| Lenght                    | 3000 mm | Width                               | 609 mm   | Height             | 203 mm |
| Gross weight              | 44 kg   | Volume                              | 0,371 m³ |                    |        |
| Min. quantity             | 3.00 m  | Max. Quantity                       | 3.00 m   |                    |        |

### Tender Text

Vertical cable ladder cover, complete set, unassembled, for wall-mounted Vertical cable ladders, including hot-dip galvanised proportional fixing accessories. There is sufficient space under the cladding so that U-clamps for up to 3 cables can be easily mounted on the Vertical cable ladder. For transport reasons, the delivery is made as a kit! The side parts are mounted to the Vertical cable ladder on site with the accessories. After completion of the installation, the cover is snapped on with the cover retaining springs. Due to external influences, e.g. wind loads, outdoor use is only possible with additional securing (self-tapping screws, steel strap, etc.).

Set consists of:

2 side panels STVSW 200

6 lid retaining springs RDHFS 9

1 lid RDS ...

Used for :

vertical cable ladders STL 60. ... with U-clamp B .../3

STM 60. ... with U-clamp BU .../3

Dimensions (approx. dimensions)

Height H outside : 203 mm

Width W outside : 609 mm

Delivery length L : 3000 mm

Material : Steel, hot-dip galvanised according to DIN EN ISO 1461

NIEDAX Model no. : STVW 600 F

EP Material\_\_\_\_\_ EP Wage\_\_\_\_\_

Unit price/metre

### Safety & Environment

|            |             |
|------------|-------------|
| REACH Date | 25.06.2025  |
| REACH Info | Conformable |
| RoHS Info  | Conformable |

# Technical Datasheet

## Vertical Cable Ladder System

STVW 600 F

the photorealistic images are to be considered as reference images

| Origin & International Trade |          |
|------------------------------|----------|
| Country of origin            | DE       |
| Customs tarif number         | 73089059 |