# **Technical Datasheet Vertical Cable Ladder System**



### Vertical Cable Ladder Cover

Complete set, unassembled

#### STVWA 200 S

EAN Code: 4013339055357 Smallest packaging unit:3 m quantity unit:m M








the photorealistic images are to be considered as reference images







#### **Article Description**

Vertical cable ladder cover, 203x309x3000 mm, wall mounting, steel, pre-galvanised according to DIN EN 10346, incl. accessories

#### Incl. accessories

3 meter = 1 piece		✓ lowest delivery unit	✓ preferred delivery unit	
Model No.	Description			quantity
STVDP 30.43 S	Fastening set, steel, pre-galvanised according to DIN EN 10346		6 pcs.	

#### **Additional Price Information**

Article group	N13
quantity unit	m

Aktualisiert am 23/8/2025 Page 1/3

## Technical Datasheet Vertical Cable Ladder System

#### STVWA 200 S

the photorealistic images are to be considered as reference images

W		

Weight per quantity unit	8,772 kg/ m
Weight in kg per 100	877 kg/100m

#### **Physical Article Dimensions**

Height	202.80 mm
Width	317.80 mm
Depth/length	3000 mm

#### Packing Dimension

3 meters = 1 piece		√ VP1-smallest	√ VP1-smallest packaging unit ( PU) √ VP1-preferred PU			
Lenght	3000 mm	Width	318 mm	Height	203 mm	
Gross weight	26 kg	Volume	$0,193 \text{ m}^3$			
Min. quantity	3.00 m	Max. Quantity	3.00 m			

#### **Tender Text**

Vertical cable ladder cover, complete set, unassembled, for wall-mounted vertical cable ladders, including galvanised mounting accessories. There is sufficient space under the cover so that U-clamps for up to 3 cables can be easily mounted on the vertical cable ladder. For transport reasons, the delivery is made as a kit! The side panels are mounted to the riser track on site using the accessories; after completion of the installation, the cover is snapped on using the cover retaining clips. Due to external influences, e.g. wind loads, outdoor use is only possible with additional securing (self-tapping screws, steel strap, etc.). Set consists of: 2 side panels STVSW 200, 6 lid retaining springs RDHFS 9, 1 cover RDS ... 6 accessory sets STVDP 30.43 S Used for : vertical cable ladders STUC.../... with U-clamp BU .../3 STIC 86/... with U-clamp BU .../3 Dimensions (approx. dimensions) Height H outside: 203 mm Width B outside : 309 mm Delivery length L : 3000 mm Material: Steel, pre-galvanised acc. to DIN EN 10346 NIEDAX Model no. : STVWA 200 S \_\_\_\_ EP Wage\_ EP Material Unit price/meter

#### Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Aktualisiert am 23/8/2025 Page 2 / 3

# **Technical Datasheet Vertical Cable Ladder System**

### STVWA 200 S

the photorealistic images are to be considered as reference images

Origin & International Trade	
Country of origin	DE
Customs tarif number	73089059

Aktualisiert am 23/8/2025 Page 3 / 3