



Conduit- and Cable Distance Clamp

with fixing slot

851 F

EAN Code: 4013339014323
Smallest packaging unit: 50 pcs.

the photorealistic images are to be considered as reference images



Article Description

Conduit- c. distance clamp, pipe-Ø16 mm, cab. clamping range -Ø15-19 mm, steel, hot dip galvanised DIN EN ISO 1461, with mounting slot

Technical Datasheet

Conduit and cable distance clamps

851 F

the photorealistic images are to be considered as reference images

Additional Price Information

Article group	N06
quantity unit	pcs.

Weight

Weight per quantity unit	25 g / pcs.
Weight in kg per 100	2,46 kg / 100pcs.

Physical Article Dimensions

Height	29.50 mm
Width	50.00 mm
Depth/length	14.00 mm

Packing Dimension

50 pieces = 1		✓ VP1-smallest packaging unit (PU) ✓ VP1-preferred PU			
Lenght	138.00 mm	Width	128.00 mm	Height	71.00 mm
Gross weight	1,27 kg	Volume	0,001 m³		
Min. quantity	50.00 pcs.	Max. Quantity	50.00 pcs.		

500 pieces = 1 covering box					
Lenght	375 mm	Width	282 mm	Height	133.00 mm
Gross weight	13 kg	Volume	0,014 m³		
Min. Quantity	500.00 pcs.	Max. Quantity	500.00 pcs.		

24000 pieces = 1 pallet					
Lenght	1200 mm	Width	800 mm	Height	1000 mm
Gross weight	634 kg	Volume	0,960 m³		
Min. Quantity	24.000.00 pcs.	Max. Quantity	24.000.00 pcs.		

Tender Text

Conduit- and cable distance clamp, with long fixing hole, for screwing on with push-through anchor DAM 6X... or screw anchor NSA 6X.../FKK-T30.
 Used for: cables and electrical conduits according to DIN EN 61386-21
 Dimensions (approx. dimensions)
 Width W x length L : 14 x 50 mm
 Fastening slot : 6.4 x 10 mm
 for cable clamping range-Ø : 15 - 19 mm
 for pipe Ø : 16 mm
 Material : steel, hot-dip galvanised acc. to DIN EN ISO 1461
 Material of screws : stainless steel, Material No. 1.4301, AISI 304
 Niedax Model No. : 851 F
 EP Material_____ EP Wage_____
 Unit price/piece

Technical Datasheet

Conduit and cable distance clamps

851 F

the photorealistic images are to be considered as reference images

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73269098