


Conduit- and Cable Distance Clamp

with fixing slot



854

EAN Code: 4013339014002

Smallest packaging unit: 25 pcs.



the photorealistic images are to be considered as reference images



Article Description

Conduit- c. distance clamp, pipe-Ø32 mm, cab. clamping range -Ø29-38 mm, steel, pre-galvanised according to DIN EN 10346, with thread M6

Technical Datasheet

Conduit and cable distance clamps

854

the photorealistic images are to be considered as reference images

Additional Price Information

Article group	N06
quantity unit	pcs.

Weight

Weight per quantity unit	51 g / pcs.
Weight in kg per 100	5,04 kg / 100pcs.

Physical Article Dimensions

Height	45.00 mm
Width	69.00 mm
Depth/length	16.00 mm

Packing Dimension

25 pieces = 1		✓ VP1-smallest packaging unit (PU) ✓ VP1-preferred PU			
Lenght	138.00 mm	Width	128.00 mm	Height	71.00 mm
Gross weight	1,3 kg	Volume	0,001 m³		
Min. quantity	25.00 pcs.	Max. Quantity	25.00 pcs.		

250 pieces = 1 covering box					
Lenght	375 mm	Width	282 mm	Height	133.00 mm
Gross weight	13 kg	Volume	0,014 m³		
Min. Quantity	250.00 pcs.	Max. Quantity	250.00 pcs.		

12000 pieces = 1 pallet					
Lenght	1200 mm	Width	800 mm	Height	1000 mm
Gross weight	648 kg	Volume	0,960 m³		
Min. Quantity	12.000.00 pcs.	Max. Quantity	12.000.00 pcs.		

Tender Text

Conduit- and cable distance clamp, with long fixing hole, for screwing on with push-through anchor DAM 6X... or screw anchor NSA 6X.../FKK-T30.
 Used for: cables and electrical conduits according to DIN EN 61386-21
 Dimensions (approx. dimensions)
 Width W x length L : 16 x 69 mm
 Fastening slot : 6.4 x 10 mm
 for cable clamping range-Ø : 19 - 38 mm
 for pipe Ø : 32 mm
 Material : steel, pre-galvanised acc. to DIN EN 10346
 Material of screws : steel, electro galvanised acc. to DIN EN ISO 4042
 Niedax Model No. : 854
 EP Material_____ EP Wage_____
 Unit price/piece

Technical Datasheet

Conduit and cable distance clamps

854

the photorealistic images are to be considered as reference images

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73269098