

Conduit- and Cable Distance Clamp



with fixing slot

854 F

EAN Code: 4013339014354

Smallest packaging unit: 25 pcs.

the photorealistic images are to be considered as reference images



Article Description

Conduit- c. distance clamp, pipe-Ø32 mm, cab. clamping range -Ø29-38 mm, steel, hot dip galvanised DIN EN ISO 1461, with mounting slot

Technical Datasheet

Conduit and cable distance clamps

854 F

the photorealistic images are to be considered as reference images

Additional Price Information

Article group	N06
quantity unit	pcs.

Weight

Weight per quantity unit	53 g / pcs.
Weight in kg per 100	5,29 kg / 100pcs.

Physical Article Dimensions

Height	45.00 mm
Width	69.00 mm
Depth/length	16.00 mm

Packing Dimension

25 pieces = 1		✓ VP1-smallest packaging unit (PU)		✓ VP1-preferred PU	
Lenght	138.00 mm	Width	128.00 mm	Height	71.00 mm
Gross weight	1,36 kg	Volume	0,001 m³		
Min. quantity	25.00 pcs.	Max. Quantity	25.00 pcs.		

250 pieces = 1 covering box					
Lenght	375 mm	Width	282 mm	Height	133.00 mm
Gross weight	14 kg	Volume	0,014 m³		
Min. Quantity	250.00 pcs.	Max. Quantity	250.00 pcs.		

12000 pieces = 1 pallet					
Lenght	1200 mm	Width	800 mm	Height	1000 mm
Gross weight	679 kg	Volume	0,960 m³		
Min. Quantity	12.000.00 pcs.	Max. Quantity	12.000.00 pcs.		

Tender Text

Conduit- and cable distance clamp, with long fixing hole, for screwing on with push-through anchor DAM 6X... or screw anchor NSA 6X.../FKK-T30.
 Used for: cables and electrical conduits according to DIN EN 61386-21
 Dimensions (approx. dimensions)
 Width W x length L : 16 x 69 mm
 Fastening slot : 6.4 x 10 mm
 for cable clamping range-Ø : 29 - 38 mm
 for pipe Ø : 32 mm
 Material : steel, hot-dip galvanised acc. to DIN EN ISO 1461
 Material of screws : stainless steel, Material No. 1.4301, AISI 304
 Niedax Model No. : 854 F
 EP Material_____ EP Wage_____
 Unit price/piece

Technical Datasheet

Conduit and cable distance clamps

854 F

the photorealistic images are to be considered as reference images

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73269098