



Conduit- and Cable Distance Clamp

with fixing slot

855

EAN Code: 4013339014101
Smallest packaging unit: 20 pcs.

the photorealistic images are to be considered as reference images



Article Description

Conduit- c. distance clamp, pipe-Ø40 mm, cab. clamping range -Ø38-47 mm, steel, pre-galvanised according to DIN EN 10346, with mounting slot

Technical Datasheet

Conduit and cable distance clamps

855

the photorealistic images are to be considered as reference images

Additional Price Information

Article group	N06
quantity unit	pcs.

Weight

Weight per quantity unit	60 g / pcs.
Weight in kg per 100	5,93 kg / 100pcs.

Physical Article Dimensions

Height	54.50 mm
Width	79.70 mm
Depth/length	16.00 mm

Packing Dimension

20 pieces = 1		✓ VP1-smallest packaging unit (PU) ✓ VP1-preferred PU			
Lenght	192.00 mm	Width	138.00 mm	Height	71.00 mm
Gross weight	1,27 kg	Volume	0,002 m³		
Min. quantity	20.00 pcs.	Max. Quantity	20.00 pcs.		

200 pieces = 1 covering box					
Lenght	370 mm	Width	282 mm	Height	196.00 mm
Gross weight	13 kg	Volume	0,020 m³		
Min. Quantity	200.00 pcs.	Max. Quantity	200.00 pcs.		

6400 pieces = 1 pallet					
Lenght	1200 mm	Width	800 mm	Height	1000 mm
Gross weight	432 kg	Volume	0,960 m³		
Min. Quantity	6.400.00 pcs.	Max. Quantity	6.400.00 pcs.		

Tender Text

Conduit- and cable distance clamp, with long fixing hole, for screwing on with push-through anchor DAM 6X... or screw anchor NSA 6X.../FKK-T30.
 Used for: cables and electrical conduits according to DIN EN 61386-21
 Dimensions (approx. dimensions)
 Width W x length L : 16 x 79,7 mm
 Fastening slot : 6.4 x 10 mm
 for cable clamping range-Ø : 38 - 47 mm
 for pipe Ø : 40 mm
 Material : steel, pre-galvanised acc. to DIN EN 10346
 Material of screws : steel, electro galvanised acc. to DIN EN ISO 4042
 Niedax Model No. : 855
 EP Material_____ EP Wage_____
 Unit price/piece

Technical Datasheet

Conduit and cable distance clamps

855

the photorealistic images are to be considered as reference images

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73269098