

Energy Column



floor/ceiling column, single

ESED 133/2750 C

EAN Code: 4013339505166

Smallest packaging unit:1 pc.

the photorealistic images are to be considered as reference images



Article Description

Energy column, floor/ceiling column single, 2750x133x61 mm, steel, pre-galvanised according to DIN EN 10346, powder-coated

Additional Price Information

Article group	N17
quantity unit	pcs.

Weight

Weight per quantity unit	11 kg / pcs.
Weight in kg per 100	1096 kg / 100pcs.

# Technical Datasheet

## Device trunking system

ESED 133/2750 C

the photorealistic images are to be considered as reference images

### Physical Article Dimensions

Height	2908 mm
Width	165.00 mm
Depth/length	92.80 mm

### Packing Dimension

<b>1 piece = 1 piece</b>		✓ VP1-smallest packaging unit ( PU)			
Lenght	93.00 mm	Width	165.00 mm	Height	2908 mm
Gross weight	11 kg	Volume	0,045 m³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

### Tender Text

Energy column, simple floor/ceiling column, for free-standing installation between floor and ceiling, visible surfaces electrostatically powder-coated in RAL colour acc. to the manufacturer's catalogue, cable feed through the floor or from the ceiling via punched cable entry opening in the fastening plate, Clamped or screwed mounting possible, cover opening of the cable run 78 mm for device mounting by means of snap-in accessory socket or pendant accessory socket, for installation programmes with 80 mm cover frame and 60 mm fastening track, device installation without perforated covers. VDE certified up to 3 m pure device trunking length (without clamping device)!

Set consists of:

- 1 single-section column with bottom - fastening plate
- 1 steel cover GDS 78, length 2750 mm
- 1 ceiling - fastening plate (for screw fastening)
- 1 plastic cap (for clamp fastening)
- 3 cellular rubber pads (for clamp fastening)
- 2 rosettes made of black plastic, flame-retardant
- 3 cable clips GKF 78
- 2 equipotential bonding clips GPK 63

Dimensions (approx. Dimensions) W x D : 133 x 61 mm

Overall height H : 2750 mm

for variable ceiling heights from : 2770 - 3070 mm

Usable cross-section : 3974 mm²

Colour:\_\_\_\_\_ RAL:\_\_\_\_\_

Material : Steel, pre-galvanised acc. to DIN EN 10346

NIEDAX Model No. : ESED 133/2750 C

EP Material\_\_\_\_\_ EP Wage\_\_\_\_\_

Unit price/piece

### Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

### Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

# Technical Datasheet

## Device trunking system

ESED 133/2750 C

the photorealistic images are to be considered as reference images

### Related items

#### Barrier strip

Model No.	Description
ESTPH 133	Barrier strip fixing plate, steel, pre-galvanised according to DIN EN 10346
TPS 50	Barrier strip, height 11 mm, depth 50 mm, length 1996 mm, steel, pre-galvanised according to DIN EN 10346