Technical Datasheet Device trunking system



Energy Column

ESDB 133/720 C

EAN Code: 4013339505142 Smallest packaging unit:1 pc.











the photorealistic images are to be considered as reference images







Article Description

Energy column for raised floors, 720x133x122 mm, steel, pre-galvanised according to DIN EN 10346, powder-coated

Additional Price Information

Article group	N17
quantity unit	pcs.

Weight

Weight per quantity unit	4,958 kg/ pcs.
Weight in kg per 100	496 kg / 100pcs.

Physical Article Dimensions

Height	720 mm	
Width	165.00 mm	
Depth/length	153.50 mm	

Aktualisiert am 22/8/2025 Page 1/3

Technical Datasheet **Device trunking system**

ESDB 133/720 C

the photorealistic images are to be considered as reference images

Packing Dimension

1 piece = 1 carton		√ VP1-smallest	√ VP1-smallest packaging unit (PU) √ VP1-preferred PU			
Lenght	730 mm	Width	200.00 mm	Height	150.00 mm	
Gross weight	5,84 kg	Volume	0,022 m³			
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.			

Tender Text

Energy column, for double floors, for mounting on floors, with two cable pulls facing away from each other, visible surfaces electrostatically powder-coated in RAL colour acc. to manufacturer's catalogue, feed-in of cables by means of punched cable feed-through opening in the fastening plate through the floor and for connection of the cable pulls, Cover openings of the cable pulls 78 mm each for device mounting by means of snap-in device box or suspended device mounting box, for installation ranges with 80 mm cover frame and 60 mm fastening track, device installation without perforated panels, with adapter plate ESAP 133 (to be ordered separately) can also be used on flush-floor trunking or junction boxes of common underfloor systems. VDE certified up to 1.2 m trunking length! Set consists of: 1 two-gang column with bottom fastening plate

- 2 steel covers, GDS 78, length 705 mm
- 1 cover made of black plastic, flame-retardant
- 1 rosette made of black plastic, flame-retardant
- 2 cable holding clamps GKF 78
- 4 equipotential bonding clamps GPK 63

Dimensions (approx.) Dimensions) W x D: 133 x 122 mm

Total height H : 720 mm

Usable cross-section : 13771 mm²

Colour: ____ RAL:__

Material: Steel, pre-galvanised acc. to DIN EN 10346

NIEDAX Model No. : ESDB 133/720 C

_____ EP Wage EP Material

Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tarif number	73089059

Aktualisiert am 22/8/2025 Page 2/3

Technical Datasheet Device trunking system

ESDB 133/720 C

the photorealistic images are to be considered as reference images

Related items

Barrier strip

Model No.	Description
ESTPH 133	Barrier strip fixing plate, steel, pre-galvanised according to DIN EN 10346
TPS 50	Barrier strip, height 11 mm, depth 50 mm, length 1996 mm, steel, pre- galvanised according to DIN EN 10346

Aktualisiert am 22/8/2025 Page 3 / 3