



C-Profile Rail Joint Connector

with fixing holes as well as with special mushroom head bolts with small head diameter

SSV 4141 F

EAN Code: 4013339898541
 Smallest packaging unit: 10 pcs.

the photorealistic images are to be considered as reference images



Article Description

Joint connector for profile 2996 (41x41) with 2 x FLM 12x25 F, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories

Incl. accessories

2 FLM 12X25 F

Weight

Weight per quantity unit	537 g / pcs.
Weight in kg per 100	54 kg / 100pcs.

Technical Datasheet

Niedax rails

SSV 4141 F

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	30.00 mm
Width	35.00 mm
Depth/length	200.00 mm

Additional Price Information

Article group	N13
quantity unit	pcs.

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	200.00 mm	Width	35.00 mm	Height	30.00 mm
Gross weight	0,54 kg	Volume	0,000 m³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

10 pieces = 1 carton		✓ VP2-preferred PU			
Lenght	210 mm	Width	150.00 mm	Height	100.00 mm
Gross weight	5,56 kg	Volume	0,003 m³		
Min. Quantity	10.00 pcs.	Max. Quantity	10.00 pcs.		

460 pieces = 1					
Lenght	750 mm	Width	750 mm	Height	730 mm
Gross weight	296 kg	Volume	0,411 m³		
Min. Quantity	460.00 pcs.	Max. Quantity	460.00 pcs.		

Tender Text

Joint connector, with fixing holes as well as with special flat round head screws in the accessories with small head diameter, for internal aligned connection of the anchor channels/profile channels, including hot-dip galvanised proportionate fixing accessories.

Used for : Anchor rail/profile rail 2996Z (41 x 41 mm)

Dimensions (approx. dimensions)

U-profile : 30 x 35 x 30 mm

Length : 200 mm

Material : steel, hot-dip galvanised according to DIN EN ISO 1461

NIEDAX Model no. : SSV 4141 F

EP Material_____ EP Wage_____

Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Technical Datasheet
Niedax rails

SSV 4141 F

the photorealistic images are to be considered as reference images

Origin & International Trade	
Country of origin	73089059
Customs tariff number	