



Elbow 45°

with unperforated side profiles, but with connector perforations, with integrated splice plates

RBAS 100.400 S

EAN Code: 4013339129621
Smallest packaging unit: 1 pc.

the photorealistic images are to be considered as reference images



Article Description

Elbow 45° for cable tray, 100x400 mm, with unperforated side profiles, steel, pre-galvanised according to DIN EN 10346, incl. accessories

Incl. accessories

1 piece = 1 piece		✓ lowest delivery unit	– preferred delivery unit
Model No.	Description	quantity	
FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass	8 pcs.	

Additional Price Information

Article group	N13
quantity unit	pcs.

Technical Datasheet

Cable Tray System

RBAS 100.400 S

the photorealistic images are to be considered as reference images

Weight

Weight per quantity unit	2,912 kg / pcs.
Weight in kg per 100	291 kg / 100pcs.

Physical Article Dimensions

Height	102.00 mm
Width	476.80 mm
Depth/length	456 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)		
Lenght	457 mm	Width	477 mm	Height 102.00 mm
Gross weight	2,91 kg	Volume	0,022 m³	
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.	

Tender Text

Elbow 45°, heavy version, with unperforated side profiles but with connector perforation for the connection as well as with integrated splice plates, for producing a 45° horizontally angled cable tray run, for walkable cable trays, including proportional fixing accessories.

for walkable cable trays : 100 mm edge height

Dimensions (approx. dimensions)

H x W (inside) : 100 x 400 mm

Material thickness t : 2 mm

Material : Steel, pre-galvanised according to DIN EN 10346

NIEDAX Model No. : RBAS 100.400 S

EP Material_____ EP Wage_____

Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

Technical Datasheet

Cable Tray System

RBAS 100.400 S

the photorealistic images are to be considered as reference images

Related items

Cover

Model No.	Description
RBADVRS 400-2.0 S	Cover for elbow 45° for cable tray, antislip, width 405 mm, steel, pre-galvanised according to DIN EN 10346, with twist-lock
RBADVS 400	Cover for elbow 45° for cable tray, width 405 mm, with turning bolt, steel, pre-galvanised according to DIN EN 10346
RBADVSRs 400	Cover for elbow 45° for cable tray, antislip, width 405 mm, steel, pre-galvanised according to DIN EN 10346, with twist-lock
RBADVSRSL 400 S	Cover for elbow 45° for KR, width 405 mm, t=4.0 mm, with turning bolt, steel, pre-galvanised acc. DIN EN 10346
RDRS 2	Turning bolt simply with locking nut acc. to DIN EN ISO 10511, steel, pre-galvanised according to DIN EN 10346, incl. accessories