


Elbow 90°

with unperforated side profiles, but with connector perforations, with integrated splice plates

RESS 100.200 S

EAN Code: 4013339129669
Smallest packaging unit: 1 pc.

the photorealistic images are to be considered as reference images



Article Description

Elbow 90° for KR, heavy, 100x200 mm, unperforated side profiles, steel, pre-galvanised according to DIN EN 10346, incl. accessories

Incl. accessories

1 piece = 1 piece		✓ lowest delivery unit	– preferred delivery unit
Model No.	Description	quantity	
FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass	8 pcs.	

Additional Price Information

Article group	N13
quantity unit	pcs.

Technical Datasheet

Cable Tray System

RESS 100.200 S

the photorealistic images are to be considered as reference images

Weight

Weight per quantity unit	3,624 kg / pcs.
Weight in kg per 100	362 kg / 100pcs.

Physical Article Dimensions

Height	102.00 mm
Width	394 mm
Depth/length	394 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	394 mm	Width	394 mm	Height	102.00 mm
Gross weight	3,62 kg	Volume	0,016 m³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

Tender Text

Elbow 90°, heavy design, with unperforated side profiles but with connector perforation for the connection as well as with integrated splice plates, to create a 90° horizontally angled cable tray course, for walkable cable trays, including proportional fastening accessories.

for walkable cable trays : 100 mm edge height

Dimensions (approx. dimensions)

H x W (inside) : 100 x 200 mm

Material thickness t : 2 mm

Inner bar radius R : 138 mm

Material : Steel, pre-galvanised acc. to DIN EN 10346

NIEDAX Model No. : RESS 100.200 S

EP Material_____ EP Wage_____

Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

Technical Datasheet

Cable Tray System

RESS 100.200 S

the photorealistic images are to be considered as reference images

Related items

Cover

Model No.	Description
RDRS 2	Turning bolt simply with locking nut acc. to DIN EN ISO 10511, steel, pre-galvanised according to DIN EN 10346, incl. accessories
RESDVRS 200-2.0 S	Cover for elbow 90°, for KR, antislip, width 205 mm, t=3,25 mm, steel, pre-galvanised according to DIN EN 10346, with twist-lock
RESDVS 200	Cover for elbow 90° for KR, width 205 mm, t=2,0 mm, with turning lock, steel, pre-galvanised according to DIN EN 10346
RESDVSRs 200	Cover for elbow 90° for KR, width 205 mm, t=6,0 mm, with turning lock, ???
RESDVSRSL 200	Cover for elbow 90° for KR, width 204 mm, t=4.0 mm, with turning bolt, steel, pre-galvanised acc. DIN EN 10346 w/ aluminium chequer plate