


Elbow 90°

with unperforated side profiles, but with connector perforations, with integrated splice plates

RESS 110.200

EAN Code: 4013339862726
Smallest packaging unit: 1 pc.

the photorealistic images are to be considered as reference images



Article Description

Elbow 90° for KR, heavy, 110x200 mm, unperforated side profiles, steel, pre-galvanised according to DIN EN 10346, incl. accessories

Incl. accessories

1 piece = 1 piece

✓ lowest delivery unit

– preferred delivery unit

Model No.	Description	quantity
FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass	8 pcs.

Additional Price Information

Article group	N13
quantity unit	pcs.

Technical Datasheet

Cable Tray System

RESS 110.200

the photorealistic images are to be considered as reference images

Weight

Weight per quantity unit	3,806 kg / pcs.
Weight in kg per 100	381 kg / 100pcs.

Physical Article Dimensions

Height	112.00 mm
Width	394 mm
Depth/length	394 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)		
Lenght	394 mm	Width	394 mm	Height 112.00 mm
Gross weight	3,81 kg	Volume	0,017 m³	
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.	

Tender Text

Elbow 90°, heavy design, with unperforated side profiles but with connector perforation for the connection as well as with integrated splice plate, to create a 90° horizontally angled cable tray course, for walkable cable trays, including proportional fastening accessories.
for walkable cable trays : 110 mm edge height
Dimensions (approx. dimensions)
H x W (inside) : 110 x 200 mm
Material thickness t : 2 mm
Inner bar radius R : 138 mm
Material : Steel, pre-galvanised acc. to DIN EN 10346
NIEDAX Model No. : RESS 110.200
EP Material_____ EP Wage_____
Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Federal State of Origin	RP
Customs tariff number	73089059

Technical Datasheet

Cable Tray System

RESS 110.200

the photorealistic images are to be considered as reference images

Related items

Cover

Model No.	Description
RDRS 2	Turning bolt simply with locking nut acc. to DIN EN ISO 10511, steel, pre-galvanised according to DIN EN 10346, incl. accessories
RESDVRS 200-2.0 S	Cover for elbow 90°, for KR, antislip, width 205 mm, t=3,25 mm, steel, pre-galvanised according to DIN EN 10346, with twist-lock
RESDVS 200	Cover for elbow 90° for KR, width 205 mm, t=2,0 mm, with turning lock, steel, pre-galvanised according to DIN EN 10346
RESDVRSRS 200	Cover for elbow 90° for KR, width 205 mm, t=6,0 mm, with turning lock, ???
RESDVSRSL 200	Cover for elbow 90° for KR, width 204 mm, t=4.0 mm, with turning bolt, steel, pre-galvanised acc. DIN EN 10346 w/ aluminium chequer plate