Technical Datasheet Cable Tray System



Elbow 90°

with unperforated side profiles, but with connector perforations, with integrated splice plates

RESS 110.500

EAN Code: 4013339862771 Smallest packaging unit:1 pc.










the photorealistic images are to be considered as reference images







Article Description

Elbow 90° for KR, heavy, 110x500 mm, unperforated side profiles, steel, pre-galvanised according to DIN EN 10346, incl. accessories

Incl. accessories

| 1 piece = 1 | piece | ✓ lowest delivery unit | preferred delivery un | t |
|-------------|--|------------------------|---|---|
| Model No. | Description | | quantity | |
| FLM 6X12 | Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass | | 8 pcs. | |

Additional Price Information

| Article group | N13 |
|---------------|------|
| quantity unit | pcs. |

Aktualisiert am 22/8/2025 Page 1/3

Technical Datasheet Cable Tray System

RESS 110.500

the photorealistic images are to be considered as reference images

Weight

| Weight per quantity unit | 9,450 kg/ pcs. |
|--------------------------|------------------|
| Weight in kg per 100 | 945 kg / 100pcs. |

Physical Article Dimensions

| Height | 112.00 mm |
|--------------|-----------|
| Width | 694 mm |
| Depth/length | 694 mm |

Packing Dimension

| 1 piece = 1 piec | е | √ VP1-smallest | packaging unit (| (PU) | |
|------------------|-----------|----------------|------------------|--------|-----------|
| Lenght | 694 mm | Width | 694 mm | Height | 112.00 mm |
| Gross weight | 9,45 kg | Volume | 0,054 m³ | | |
| Min. quantity | 1.00 pcs. | Max. Quantity | 1.00 pcs. | | |

Tender Text

Elbow 90°, heavy design, with unperforated side profiles but with connector perforation for the connection as well as with integrated splice plate, to create a 90° horizontally angled cable tray course, for walkable cable trays, including proportional fastening accessories.

for walkable cable trays: 110 mm edge height

Dimensions (approx. dimensions)

H x W (inside): 110 x 500 mm

Material thickness t: 2 mm

Inner bar radius R: 138 mm

Material: Steel, pre-galvanised acc. to DIN EN 10346

NIEDAX Model No.: RESS 110.500

EP Material ______ EP Wage ______

Safety & Environment

Unit price/piece

| REACH Date | 25.06.2025 |
|------------|-------------|
| REACH Info | Conformable |
| RoHS Info | Conformable |

Origin & International Trade

| Country of origin | DE |
|-------------------------|----------|
| Federal State of Origin | RP |
| Customs tarif number | 73089059 |

Aktualisiert am 22/8/2025 Page 2 / 3

Technical Datasheet Cable Tray System

RESS 110.500

the photorealistic images are to be considered as reference images

Related items

Cover

| Model No. | Description |
|-------------------|---|
| RDRS 2 | Turning bolt simply with locking nut acc. to DIN EN ISO 10511, steel, pregalvanised according to DIN EN 10346, incl. accessories |
| RESDVRS 500-2.0 S | Cover for elbow 90°, for KR, antislip, width 105 mm, t=3,25 mm, steel, pregalvanised according to DIN EN 10346, with twist-lock |
| RESDVS 500 | Cover for elbow 90° for KR, width 505 mm, t=2,0 mm, with turning lock, steel, pre-galvanised according to DIN EN 10346 |
| RESDVSRS 500 | Cover for elbow 90° for KR, width 505 mm, t=6,0 mm, with turning lock, ??? |
| RESDVSRSL 500 | Cover for elbow 90° for KR, width 504 mm, t=4.0 mm, with turning bolt, steel, pre-galvanised acc. DIN EN 10346 w/ aluminium chequer plate |

Aktualisiert am 22/8/2025 Page 3 / 3