


Clamping Claw

SPPM 30 F

EAN Code: 4013339930937
Smallest packaging unit: 10 pairs

the photorealistic images are to be considered as reference images



Article Description

Clamping claw with screw and flange nut M12 F 1661-8, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories

Incl. accessories

1 SK 12X75 DIN 931

Additional Price Information

Article group	N13
quantity unit	pairs

Weight

Weight per quantity unit	894 g / pairs
Weight in kg per 100	89 kg / 100pairs

Technical Datasheet

Fastenings accessories


SPPM 30 F

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	83.00 mm
Width	67.00 mm
Depth/length	48.00 mm

Load Specifications



Packing Dimension

1 pair = 1 pair

Lenght	48.00 mm	Width	67.00 mm	Height	83.00 mm
Gross weight	0,89 kg	Volume	0,000 m³		
Min. quantity	1.00 pairs	Max. Quantity	1.00 pairs		

10 pairs = 1 carton

✓ VP2-smallest Packaging Unit (PU) ✓ VP2-preferred PU

Lenght	260 mm	Width	185.00 mm	Height	120.00 mm
Gross weight	9,22 kg	Volume	0,006 m³		
Min. Quantity	10.00 pairs	Max. Quantity	10.00 pairs		

900 pairs = 1 pallet

Lenght	1200 mm	Width	800 mm	Height	1000 mm
Gross weight	845 kg	Volume	0,960 m³		
Min. Quantity	900.00 pairs	Max. Quantity	900.00 pairs		

Tender Text

Clamping claw, complete with hexagon head bolt SK 12X75 DIN 931 and flange nut M 12, for fastening suspensions to double T-support profiles.
 for overhead hangers : HI 80/... as well as system associated head plates
 Flange width T-beam : 80 - 120 mm for direct overhead hanger as well as system associated head plate suspension
 for flange thickness t : 0 - 25 mm
 Screw tightening torque : 84 Nm
 Material : Steel, hot-dip galvanised acc. to DIN EN ISO 1461
 NIEDAX Model No. : SPPM 30 F
 EP Material_____ EP Wages_____
 Unit price/pair

Technical Datasheet

Fastenings accessories

SPPM 30 F

the photorealistic images are to be considered as reference images

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73259910