



Extension T-Piece

with unperforated side profiles, but with connector perforations, with integrated splice plates

RTAS 100.300 S

EAN Code: 4013339129546
 Smallest packaging unit:1 pc.

the photorealistic images are to be considered as reference images



Article Description

Extension T-piece for KR 100x300 mm, with unperforated side profiles, steel, pre-galvanised according to DIN EN 10346, incl. accessories

Incl. accessories

1 piece = 1 piece	✓ lowest delivery unit	– preferred delivery unit
Model No.	Description	quantity
FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass	8 pcs.

Additional Price Information

Article group	N13
quantity unit	pcs.

Technical Datasheet

Cable Tray System

RTAS 100.300 S

the photorealistic images are to be considered as reference images

Weight

Weight per quantity unit	2,140 kg / pcs.
Weight in kg per 100	214 kg / 100pcs.

Physical Article Dimensions

Height	102.00 mm
Width	219.50 mm
Depth/length	685 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	685 mm	Width	220 mm	Height	102.00 mm
Gross weight	2,14 kg	Volume	0,015 m³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

Tender Text

Extension T-piece, heavy version, with unperforated side profiles but with connector perforation for the connection as well as with integrated Splice plate for the T-shaped connection, for cost-effective production of 90° T-outlets and crossings, width-dependent in the main direction, for walkable cable trays, including proportional fixing accessories.

for walkable cable trays : 100 mm edge height

Dimensions (approx. dimensions)

H x W (inside) : 100 x 300 mm

Material thickness t : 2 mm

Inside spar radius R : 138 mm

Material : Steel, pre-galvanised according to DIN EN 10346

NIEDAX Model No. : RTAS 100.300 S

EP Material_____ EP Wage_____

Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

Technical Datasheet

Cable Tray System

RTAS 100.300 S

the photorealistic images are to be considered as reference images

Related items

Cover

Model No.	Description
RDRS 2	Turning bolt simply with locking nut acc. to DIN EN ISO 10511, steel, pre-galvanised according to DIN EN 10346, incl. accessories
RTADVRS 300-2.0 S	Cover for extension T-piece for KR, antislip, width 305 mm, steel, pre-galvanised according to DIN EN 10346, with twist-lock
RTADVS 300	Cover for extension T-piece for KR, width 305 mm, with turning bolt, steel, pre-galvanised according to DIN EN 10346
RTADVSRs 300	Cover for extension T-piece for KR, width 305 mm, with turning bolt, steel, pre-galvanised according to DIN EN 10346
RTADVSRSL 300	Cover for extension T-piece for KR, B=305 mm, t=4.0mm, w. turning bolt, steel, pre-galvanised acc. DIN EN 10346, w/ aluminium plate, anti-slip