


Extension T-Piece

with unperforated side profiles, but with connector perforations, with integrated splice plates

RTAS 110.300

EAN Code: 4013339862849
Smallest packaging unit: 1 pc.

the photorealistic images are to be considered as reference images



Article Description

Extension T-piece for KR 110x300 mm, with unperforated side profiles, steel, pre-galvanised according to DIN EN 10346, incl. accessories

Incl. accessories

1 piece = 1 piece		✓ lowest delivery unit	– preferred delivery unit
Model No.	Description	quantity	
FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass	8 pcs.	

Additional Price Information

Article group	N13
quantity unit	pcs.

Technical Datasheet

Cable Tray System

RTAS 110.300

the photorealistic images are to be considered as reference images

Weight

Weight per quantity unit	2,243 kg / pcs.
Weight in kg per 100	224 kg / 100pcs.

Physical Article Dimensions

Height	112.00 mm
Width	219.50 mm
Depth/length	685 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	685 mm	Width	220 mm	Height	112.00 mm
Gross weight	2,24 kg	Volume	0,017 m³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

Tender Text

Extension T-piece, heavy version, with unperforated side profiles but with connector perforation for the connection as well as with integrated splice plate for the T-shaped connection, for cost-effective creation of 90° T-junctions and crossings, width-dependent in the main direction, for walkable cable trays, including proportional fastening accessories.
for walkable cable trays : 110 mm edge height
Dimensions (approx. dimensions)
H x W (inside) : 110 x 300 mm
Material thickness t : 2 mm
Inside spar radius R : 138 mm
Material : Steel, pre-galvanised acc. to DIN EN 10346
NIEDAX Model No. : RTAS 110.300
EP Material_____ EP Lohn_____
Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

Technical Datasheet

Cable Tray System

RTAS 110.300

the photorealistic images are to be considered as reference images

Related items

Cover

Model No.	Description
RDRS 2	Turning bolt simply with locking nut acc. to DIN EN ISO 10511, steel, pre-galvanised according to DIN EN 10346, incl. accessories
RTADVRS 300-2.0 S	Cover for extension T-piece for KR, antislip, width 305 mm, steel, pre-galvanised according to DIN EN 10346, with twist-lock
RTADVS 300	Cover for extension T-piece for KR, width 305 mm, with turning bolt, steel, pre-galvanised according to DIN EN 10346
RTADVSRs 300	Cover for extension T-piece for KR, width 305 mm, with turning bolt, steel, pre-galvanised according to DIN EN 10346
RTADVSRSL 300	Cover for extension T-piece for KR, B=305 mm, t=4.0mm, w. turning bolt, steel, pre-galvanised acc. DIN EN 10346, w/ aluminium plate, anti-slip