



T-Piece

with unperforated side profiles, but with connector perforations, with integrated splice plates

RTSS 110.400

EAN Code: 4013339862962
Smallest packaging unit:1 pc.

the photorealistic images are to be considered as reference images



Article Description

T-piece for KR, heavy, 110x400 mm, with unperforated side profiles, steel, pre-galvanised according to DIN EN 10346, incl. accessories

Incl. accessories

1 piece = 1 piece		✓ lowest delivery unit	- preferred delivery unit
Model No.	Description	quantity	
FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass	12 pcs.	

Additional Price Information

Article group	N13
quantity unit	pcs.

Technical Datasheet

Cable Tray System

RTSS 110.400

the photorealistic images are to be considered as reference images

Weight

Weight per quantity unit	8,094 kg/ pcs.
Weight in kg per 100	809 kg/ 100pcs.

Physical Article Dimensions

Height	112.00 mm
Width	594 mm
Depth/length	785 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	785 mm	Width	595 mm	Height	112.00 mm
Gross weight	8,09 kg	Volume	0,052 m³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

Tender Text

T-piece, heavy version, with unperforated side profiles but with connector perforation for the connection as well as with integrated splice plates, for creating horizontal 90° T-junctions, for walkable cable trays, including proportional fastening accessories.

for walkable cable trays : 110 mm edge height

Dimensions (approx. dimensions)

H x W (inside) : 110 x 400 mm

Material thickness t : 2 mm

Inner bar radius R : 138 mm

Length in main direction : 385 mm + W

Length in outlet direction : 194 mm + W

Material : Steel, pre-galvanised to DIN EN 10346

NIEDAX Model No. : RTSS 110.400

EP Material_____ EP Wage_____

Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

Technical Datasheet

Cable Tray System

RTSS 110.400

the photorealistic images are to be considered as reference images

Related items

Cover

Model No.	Description
RDRS 2	Turning bolt simply with locking nut acc. to DIN EN ISO 10511, steel, pre-galvanised according to DIN EN 10346, incl. accessories
RTSDVRS 400-2.0 S	Cover for T-piece for cable tray, antislip, width 405 mm, steel, pre-galvanised according to DIN EN 10346, with turning bolt
RTSDVS 400	Cover for T-piece for cable tray, width 405 mm, with turning bolt, steel, pre-galvanised according to DIN EN 10346
RTSDVSRs 400	Cover for T-piece for cable tray, width 405 mm, with turning bolt, steel, pre-galvanised according to DIN EN 10346
RTSDVSRSL 400	Cover for T-piece for KR, width 405 mm, t=4.0 mm, with turning bolt, steel, pre-galvanised acc. DIN EN 10346 w/ aluminium chequer plate