



Wire Mesh Tray Fastening Plate

GRBP 6 E3

EAN Code: 4013339936960
 Smallest packaging unit:50 pcs.

the photorealistic images are to be considered as reference images



Article Description

Wire mesh tray fastening plate, stainless steel, material code: 1.4301, AISI 304

Additional Price Information

Article group	N13
quantity unit	pcs.

Weight

Weight per quantity unit	11 g / pcs.
Weight in kg per 100	1,06 kg / 100pcs.

Physical Article Dimensions

Height	4.50 mm
Width	22.00 mm
Depth/length	56.00 mm

Technical Datasheet

Wire Mesh Tray System

GRBP 6 E3

the photorealistic images are to be considered as reference images

Packing Dimension

50 pieces = 1		✓ VP1-smallest packaging unit (PU) ✓ VP1-preferred PU			
Lenght	106.00 mm	Width	91.00 mm	Height	72.00 mm
Gross weight	0,56 kg	Volume	0,001 m³		
Min. quantity	50.00 pcs.	Max. Quantity	50.00 pcs.		

500 pieces = 1 covering box					
Lenght	376 mm	Width	186.00 mm	Height	110.00 mm
Gross weight	5,79 kg	Volume	0,008 m³		
Min. Quantity	500.00 pcs.	Max. Quantity	500.00 pcs.		

10500 pieces = 1					
Lenght	750 mm	Width	750 mm	Height	730 mm
Gross weight	162 kg	Volume	0,411 m³		
Min. Quantity	10.500.00 pcs.	Max. Quantity	10.500.00 pcs.		

Tender Text

Wire mesh tray mounting plate, for wall/bottom and bracket fastening of wire mesh trays, for wall fastening for wire mesh trays with a width ≤ 100 mm and at least two lateral longitudinal wires, for bottom/bracket fastening in transverse direction for wire mesh trays with a width ≥ 100 mm and at least two longitudinal wires in the bottom with a central distance of 50 mm and for bottom/bracket fastening in longitudinal direction with at least two longitudinal wires in the bottom with a central distance of 20 mm. Fastening accessories must be ordered separately depending on the application.

VDE certified!

Use wall fastening : GR 60.100

GRS 60.100

MTC 105.100

MTS 105.100

MTCG 50.100

Use bottom/bracket fastening in transverse direction :

all Niedax wire mesh trays and MTC100 - ..., MTS... .100 - ... and MTCG 50.100 with the exception of GR 40.040, GRC 60.060 and GRCI 50.050 - 300

Use bottom/bracket fastening in longitudinal direction :

GR 60.060

GRS 60.060

Use of ceiling fastening : MTCG 50.100

Use of ceiling suspension : Connection MTCT 100 with ceiling luminaire

Use of ceiling, wall, floor fastening : MCH 8.20

Dimensions (approx. dimensions) : 56 x 22 mm

Fastening holes : 7 x 15 mm

Material : stainless steel, material no. 1.4301, AISI 304

NIEDAX Model No. : GRBP 6 E3

EP Material_____ EP Wage_____

Unit price/piece

Technical Datasheet

Wire Mesh Tray System

GRBP 6 E3

the photorealistic images are to be considered as reference images

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73089059