





GRP-Cable Tray, heavy

pressed, unperforated, with moulded socket, with transverse reinforcing ribs (16 mm)

BKS 155.200

EAN Code: 4013339962303
Smallest packaging unit: 2.5 m
quantity unit: m M

the photorealistic images are to be considered as reference images



Article Description

GRP-cable tray, heavy, unperforated, 155x200x2500 mm, glass fiber reinforced polyester, pressed, RAL 7032, pebble grey

Additional Price Information

Article group	N15
quantity unit	m

Weight

Weight per quantity unit	5,901 kg / m
Weight in kg per 100	590 kg / 100m

Technical Datasheet

Cable Tray System

BKS 155.200

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	155.00 mm
Width	262 mm
Depth/length	2550 mm

Packing Dimension

2,5 meters = 1 piece		✓ VP1-smallest packaging unit (PU)		✓ VP1-preferred PU	
Lenght	2550 mm	Width	262 mm	Height	155.00 mm
Gross weight	15 kg	Volume	0,104 m³		
Min. quantity	2.50 m	Max. Quantity	2.50 m		

Tender Text

GRP cable tray, heavy, pressed, unperforated, with moulded socket, with transverse reinforcing ribs (16 mm), with swivelling concrete anchors arranged in pairs, for laying in the ground and in concrete, quick processing due to socket connection, thus a screw connection of the GRP cable trays is not necessary, halogen-free.

When installing the GRP cable tray, a mounting distance of approx. 8 mm must be taken into account.

Attention: concrete anchors arranged in pairs, can be swung out.

Dimensions (approx.)

Height H x Width W : 155 x 200 mm

Material thickness t : 4 mm

Bottom beading : 67 x 16 mm

Bottom beading grid dimension : 250 mm

Pair of concrete anchors grid dimension : 470 mm

Delivery length : 2500 mm

Usable cross section : 22560 mm²

Material : UP-GF (glass fibre reinforced polyester)

Colour : pebble grey

RAL : 7032 (similar)

NIEDAX Model No. : BKS 155.200

EP material_____ EP wage_____

Unit price/meter

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	FR
Customs tariff number	39259020

Technical Datasheet

Cable Tray System

BKS 155.200

the photorealistic images are to be considered as reference images

Related items

Barrier strip

Model No.	Description
BKT 140	GRP-barrier strip, 107x2500 mm, glass fiber reinforced polyester, pressed, RAL 7032, pebble grey
BKT 140/M	GRP-barrier strip, 107x2500 mm, pre-assembled, glass fiber reinforced polyester, pressed, RAL 7032, stone grey
FKM 6X20 E4	Cup screw with slot, nut, washer, DIN 7093-1, M6, length =20 mm, Edelstahl, Werkstoff-Nr.: 1.4401, 1.4404, inkl. Mutter u. Scheibe