



GRP-Cable Tray, heavy

pressed, unperforated, with moulded socket, with transverse reinforcing ribs (16 mm)

BKS 191.400

EAN Code: 4013339962327
Smallest packaging unit: 2.5 m
quantity unit: m M

the photorealistic images are to be considered as reference images



Article Description

GRP Cable tray, heavy duty, unperforated, 191x400x2500 mm, Polyester glasfaserverstärkt, gepresst, RAL 7032, kieselgrau

Additional Price Information

Article group	N15
quantity unit	m

Weight

Weight per quantity unit	7,987 kg / m
Weight in kg per 100	799 kg / 100m

Technical Datasheet

Cable Tray System

BKS 191.400

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	191.00 mm
Width	462 mm
Depth/length	2550 mm

Packing Dimension

2,5 meters = 1 piece		✓ VP1-smallest packaging unit (PU)		✓ VP1-preferred PU	
Lenght	2550 mm	Width	462 mm	Height	191.00 mm
Gross weight	20 kg	Volume	0,225 m³		
Min. quantity	2.50 m	Max. Quantity	2.50 m		

Tender Text

GRP cable tray, heavy, pressed, unperforated, with moulded socket, with transverse reinforcing ribs (16 mm), with swivelling concrete anchors arranged in pairs, for laying in the ground and in concrete, quick processing due to socket connection, thus a screw connection of the GRP cable trays is not necessary, halogen-free.

When installing the GRP cable tray, a mounting distance of approx. 8 mm must be taken into account.

Attention: concrete anchors arranged in pairs, can be swung out.

Dimensions (approx.)

Height H x Width W : 191 x 400 mm

Material thickness t : 4 mm

Bottom beading : 67 x 16 mm

Bottom beading grid dimension : 250 mm

Pair of concrete anchors grid dimension : 470 mm

Delivery length : 2500 mm

Usable cross section : 62648 mm²

Material : UP-GF (glass fibre reinforced polyester)

Colour : pebble grey

RAL : 7032 (similar)

NIEDAX Model No. : BKS 191.400

EP material_____ EP wage_____

Unit price/meter

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	FR
Customs tariff number	39259020

Technical Datasheet

Cable Tray System

BKS 191.400

the photorealistic images are to be considered as reference images

Related items

Barrier strip

Model No.	Description
BKT 176	GRP-barrier strip, 143x2500 mm, glass fiber reinforced polyester, pressed, RAL 7032, pebble grey
BKT 176/M	GRP-barrier strip, 143x2500 mm, pre-assembled, glass fiber reinforced polyester, pressed, RAL 7032, stone grey
FKM 6X20 E4	Cup screw with slot, nut, washer, DIN 7093-1, M6, length =20 mm, Edelstahl, Werkstoff-Nr.: 1.4401, 1.4404, inkl. Mutter u. Scheibe