


Cable Tray, heavy

perforated, without connector

RSBS 110.200 OV

EAN Code: 4013339861729  
Smallest packaging unit:2 x 3 m  
quantity unit:m M

the photorealistic images are to be considered as reference images



Article Description

Cable tray, heavy, 110x200x3000 mm, perforated, steel, pre-galvanised according to DIN EN 10346, without connector

Additional Price Information

|               |     |
|---------------|-----|
| Article group | N13 |
| quantity unit | m   |

Weight

|                          |               |
|--------------------------|---------------|
| Weight per quantity unit | 6,482 kg / m  |
| Weight in kg per 100     | 648 kg / 100m |

# Technical Datasheet

## Cable Tray System

### RSBS 110.200 OV

the photorealistic images are to be considered as reference images

#### Physical Article Dimensions

|              |           |
|--------------|-----------|
| Height       | 110.00 mm |
| Width        | 200.00 mm |
| Depth/length | 3000 mm   |

#### Packing Dimension

|                            |         |                                     |          |                    |           |
|----------------------------|---------|-------------------------------------|----------|--------------------|-----------|
| <b>6 meters = 1 bundle</b> |         | ✓ VP1-smallest packaging unit ( PU) |          | ✓ VP1-preferred PU |           |
| Lenght                     | 3000 mm | Width                               | 205 mm   | Height             | 115.00 mm |
| Gross weight               | 39 kg   | Volume                              | 0,071 m³ |                    |           |
| Min. quantity              | 6.00 m  | Max. Quantity                       | 6.00 m   |                    |           |

|                            |          |               |          |        |         |
|----------------------------|----------|---------------|----------|--------|---------|
| <b>192 meters = 1 rack</b> |          |               |          |        |         |
| Lenght                     | 3000 mm  | Width         | 1162 mm  | Height | 1120 mm |
| Gross weight               | 1343 kg  | Volume        | 3,904 m³ |        |         |
| Min. Quantity              | 192.00 m | Max. Quantity | 192.00 m |        |         |

#### Tender Text

Cable tray, heavy, according to DIN EN 61537, with offset continuous floor perforation for continuous fastening and connection of the system components as well as unperforated side walls, without connectors but with connector perforation at both ends for connection, for the walkable cable tray system Please order two universal splice plates RSUV 110-1.5 / RSUVKS 110-1.5 S per joint separately.

Dimensions (approx. dimensions)

H x W : 110 x 200 mm

Material thickness t : 2 mm

Bottom perforation : 7 x 33 mm

Delivery length L : 3000 mm

Usable cross-section : 21800 mm²

Material : Steel, pre-galvanised to DIN EN 10346

NIEDAX Model No. : RSBS 110.200 OV

EP Material\_\_\_\_\_ EP Wage\_\_\_\_\_

Unit price/meter

#### Safety & Environment

|            |             |
|------------|-------------|
| REACH Date | 25.06.2025  |
| REACH Info | Conformable |
| RoHS Info  | Conformable |

#### Origin & International Trade

|                       |          |
|-----------------------|----------|
| Country of origin     | DE       |
| Customs tariff number | 73089059 |

# Technical Datasheet

## Cable Tray System

RSBS 110.200 OV

the photorealistic images are to be considered as reference images

### Related items

#### Cover

| Model No.      | Description                                                                                            |
|----------------|--------------------------------------------------------------------------------------------------------|
| RDHFS 9 VZL    | Cover clamp, steel, electro galvanised according to DIN EN ISO 2081, blue passivate                    |
| RDRS 200-2.0 S | Cover for cable tray, antislip, 205x3000 mm, steel, pre-galvanised according to DIN EN 10346           |
| RDRS 9X2       | Turning bolt, reinforced design, steel, pre-galvanised according to DIN EN 10346                       |
| RDS 200        | Cover for cable tray, 205x3000 mm, steel, pre-galvanised according to DIN EN 10346                     |
| RDSRS 200      | Cover for cable tray, antislip, 205x3000 mm, t=6,0 mm, steel, pre-galvanised according to DIN EN 10346 |
| RDSRSL 200     | Cover for cable tray, antislip, 205x3000 mm, t=4,0 mm, steel, pre-galvanised according to DIN EN 10346 |
| RDVS 200       | Cover for cable tray, 205x3000 mm, with turning bolt, steel, pre-galvanised according to DIN EN 10346  |
| RDVSRs 200     | Cover for cable tray, antislip, 205x3000 mm, t=6,0 mm, steel, pre-galvanised according to DIN EN 10346 |
| RDVSRSL 200    | Cover for cable tray, antislip, 205x3000 mm, t=4,0 mm, steel, pre-galvanised according to DIN EN 10346 |

#### Barrier strip

| Model No.            | Description                                                                                              |
|----------------------|----------------------------------------------------------------------------------------------------------|
| RTSKQ 110-1.5 S      | Barrier strip, 108x2998 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories           |
| RTSKQ 110-2.0 S      | Barrier strip, 108x2998 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories           |
| RTSQF 110-1.5/1000 S | Barrier strip, flexible, 108x1000 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories |
| RW 110-1.5 S         | Barrier strip, 108x2998 mm, t=1,5 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories |
| RW 110-2.0 S         | Barrier strip, 108x2998 mm, t=2,0 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories |