

Barrier Profile Holder






with strain relief

LZTP 200

EAN Code: 4013339833108

Smallest packaging unit: 20 pcs.

the photorealistic images are to be considered as reference images



Article Description

Barrier profile holder with strain relief, channel depth 199 mm, steel, pre-galvanised according to DIN EN 10346

Technical Datasheet

Cable protection duct

LZTP 200

the photorealistic images are to be considered as reference images

Additional Price Information

Article group	N16
quantity unit	pcs.

Weight

Weight per quantity unit	111 g / pcs.
Weight in kg per 100	11 kg / 100pcs.

Physical Article Dimensions

Height	199.00 mm
Width	4.87 mm
Depth/length	83.00 mm

Packing Dimension

20 pieces = 1 carton		✓ VP1-smallest packaging unit (PU)		✓ VP1-preferred PU	
Lenght	210 mm	Width	150.00 mm	Height	100.00 mm
Gross weight	2,41 kg	Volume	0,003 m³		
Min. quantity	20.00 pcs.	Max. Quantity	20.00 pcs.		
1300 pieces = 1					
Lenght	750 mm	Width	750 mm	Height	730 mm
Gross weight	197 kg	Volume	0,411 m³		
Min. Quantity	1.300.00 pcs.	Max. Quantity	1.300.00 pcs.		

Tender Text

Barrier profile holder, with strain relief, for vertical installation of a barrier strip and for partitioning the interior of cable protection/industrial ducts, can be used in the bottom of cable protection/industrial ducts, equipotential bonding is automatically carried out during insertion.

VDE certified!

Used for :

cable protection ducts LLK... / LUK... with 200 mm width

industrial ducts LUE... / LI... with 200 mm width

Dimensions (approx. dimension)

Depth D : 199 mm

Material : steel, pre-galvanised acc. to DIN EN 10346

NIEDAX Model No. : LZTP 200

EP Material_____ EP Wage_____

Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Technical Datasheet

Cable protection duct

LZTP 200

the photorealistic images are to be considered as reference images

Origin & International Trade	
Country of origin	DE
Customs tarif number	73089059