


Wire Mesh Tray Standard Holder

GRSH 30 F

EAN Code: 4013339895199  
Smallest packaging unit: 10 pcs.

the photorealistic images are to be considered as reference images



Article Description

Wire mesh tray standard holder, height 170 mm, length 86,5 mm, steel, hot dip galvanised DIN EN ISO 1461

Incl. accessories

1 FLM 8X16 F

Additional Price Information

|               |      |
|---------------|------|
| Article group | N13  |
| quantity unit | pcs. |

Weight

|                          |                 |
|--------------------------|-----------------|
| Weight per quantity unit | 296 g / pcs.    |
| Weight in kg per 100     | 30 kg / 100pcs. |

# Technical Datasheet

## Wire Mesh Tray System

GRSH 30 F

the photorealistic images are to be considered as reference images

### Physical Article Dimensions

|              |           |
|--------------|-----------|
| Height       | 163.50 mm |
| Width        | 30.00 mm  |
| Depth/length | 86.50 mm  |

### Packing Dimension

|                             |            |                                     |            |                    |           |
|-----------------------------|------------|-------------------------------------|------------|--------------------|-----------|
| <b>10 pieces = 1 carton</b> |            | ✓ VP1-smallest packaging unit ( PU) |            | ✓ VP1-preferred PU |           |
| Lenght                      | 210 mm     | Width                               | 150.00 mm  | Height             | 100.00 mm |
| Gross weight                | 3,14 kg    | Volume                              | 0,003 m³   |                    |           |
| Min. quantity               | 10.00 pcs. | Max. Quantity                       | 10.00 pcs. |                    |           |

|                       |             |               |             |        |        |
|-----------------------|-------------|---------------|-------------|--------|--------|
| <b>650 pieces = 1</b> |             |               |             |        |        |
| Lenght                | 750 mm      | Width         | 750 mm      | Height | 730 mm |
| Gross weight          | 244 kg      | Volume        | 0,411 m³    |        |        |
| Min. Quantity         | 650.00 pcs. | Max. Quantity | 650.00 pcs. |        |        |

### Tender Text

Wire mesh tray standard support, for wire mesh trays with at least two longitudinal bottom wires with a central distance of 50 mm, for central or offset ceiling suspension for wire mesh trays  $\leq 200$  mm width, for ceiling suspension on both sides (inside and outside the wire mesh tray cross-section) for wire mesh trays  $\geq 300$  mm width, installation in longitudinal direction only possible for wire mesh trays with a cross wire distance of 75 mm, screwless fastening in the bottom of the wire mesh trays, please order a GRSM 6 F hook bolt to prevent the wire mesh trays from tipping over separately When large loads are introduced into ceiling suspended wire mesh trays with a width of 200 mm or more, they must be supported to prevent deflection!

Used for : Wall mounting  $\leq 100$  mm wire mesh tray width

GR... .100

GRS 60.100

central and offset arrangement  $\leq 200$  mm

wire mesh tray width with GRTS 30/3 F or GRHS 30/... F

GR... .100 - ...

GRS 60.100 - ...

GRC 60.200

GRCI 50.200

MTC... .100 - ...

Exception Mini wire mesh tray Arrangement on both sides outside the mesh tray cross-section  $\geq 300$  mm mesh tray width with GRTS 30/3 F or GRHS 30/... F

GR... .300 - ...

GRS 60.300 - ...

GRC 60.300 - ...

MTC... .300 - ...

Arrangement on both sides within the mesh cable tray cross-section  $\geq 300$  mm mesh cable tray width with GRTS 30/3 F or GRHS 30/... F

GR... .300 - ...

GRS 60.300 - ...

GRC 60.300 - ...

GRCI 50.300

MTC... .300 - ...

# Technical Datasheet

## Wire Mesh Tray System

### GRSH 30 F

the photorealistic images are to be considered as reference images

#### Tender Text

central arrangement in longitudinal direction with a cross wire distance of 75 mm  
≤ 300 mm mesh cable tray width with GRTS 30/3 F or GRHS 30/... F  
GRCI 50.100 - 300  
Exception Mini wire mesh trays.  
Dimensions (approx. dimensions)  
Height H x Length L : 164 x 86.5 mm  
Fastening holes Wire mesh tray : 7 x 25 mm  
Fastening holes : 9 x 18 mm  
Material : Steel, hot-dip galvanised acc. to DIN EN ISO 1461  
NIEDAX Model-No. : GRSH 30 F  
EP Material\_\_\_\_\_ EP Wage\_\_\_\_\_  
Unit price/piece

#### Safety & Environment

|            |             |
|------------|-------------|
| REACH Date | 25.06.2025  |
| REACH Info | Conformable |
| RoHS Info  | Conformable |

#### Origin & International Trade

|                       |          |
|-----------------------|----------|
| Country of origin     | DE       |
| Customs tariff number | 73089059 |