



Wire Mesh Tray

U-shaped, spot-welded from steel wires, with welded connector

MTC 54.050 F NXCITO_{Line}

EAN Code: 4013339712069
Smallest packaging unit:3 m
quantity unit:m M

the photorealistic images are to be considered as reference images



Article Description

Wire mesh tray, U-shaped, w. welded connector, 54x50x3000 mm, CITO, steel, hot dip galvanised DIN EN ISO 1461

Additional Price Information

Article group	N13
quantity unit	m

Weight

Weight per quantity unit	690 g/ m
Weight in kg per 100	69 kg/ 100m

Technical Datasheet

Wire Mesh Tray System


MTC 54.050 F nx **CITO**Line

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	58.90 mm
Width	65.60 mm
Depth/length	3024 mm

Load Specifications



Packing Dimension

3 meters = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	3024 mm	Width	66.00 mm	Height	59.00 mm
Gross weight	2,07 kg	Volume	0,012 m³		
Min. quantity	3.00 m	Max. Quantity	3.00 m		

6 meters = 1 bundle					
Lenght	3024 mm	Width	71.00 mm	Height	64.00 mm
Gross weight	4,14 kg	Volume	0,014 m³		
Min. Quantity	6.00 m	Max. Quantity	6.00 m		

1056 meters = 1 rack					
Lenght	3024 mm	Width	1162 mm	Height	1120 mm
Gross weight	826 kg	Volume	3,935 m³		
Min. Quantity	1.056.00 m	Max. Quantity	1.056.00 m		

Tender Text

Wire mesh tray according to DIN EN 61537, U-shaped, made of steel wires, spot-welded, for quick fixing with welded splice plates in the sides and bottom.
 VDE certified!
 Dimensions (approx. dimensions)
 Nominal dimension Height H (inside) x width W (inside) : 54 x 50 mm

Technical Datasheet

Wire Mesh Tray System

MTC 54.050 F nx **CITO**Line

the photorealistic images are to be considered as reference images

Tender Text

Longitudinal wire Ø : 3.9 mm
Transverse wire Ø : 3.9 mm
Transverse wire spacing : 100 mm
Delivery length L : 3000 mm
Usable cross-section : 2555 mm²
Material : Steel, hot-dip galvanised according to DIN EN ISO 1461
NIEDAX Model no. : MTC 54.050 F
EP Material_____ EP Wage_____
Unit price/metre

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	CH
Customs tariff number	73089098

Related items

Cover

Model No.	Description
GRDHL 30 F	Cover retaining lug for cover wire mesh tray, steel, hot dip galvanised DIN EN ISO 1461
GTD 50 F	Cover for wire mesh tray, 50x3000 mm, steel, HDGAF, acc. DIN EN ISO 1461
MTCC 50/7.5° F	Cover for MTC wire mesh tray, 62,5x3000 mm, 7,5° tilt angle, steel, hot dip galvanised DIN EN ISO 1461