Technical Datasheet Cable Tray System



Angle adjustable Fitting

with unperforated side profiles, but with connector perforations

RBAVS 110.400

EAN Code: 4013339924103 Smallest packaging unit:1 pc.











the photorealistic images are to be considered as reference images







Article Description

Angle adjustable fitting, 110x402 mm, with unperforated side profiles, steel, pre-galvanised according to DIN EN 10346, incl. accessories

Incl. accessories

1 piece = 1 piece		✓ lowest delivery unit	preferred delivery unit	
Model No.	Description			quantity
FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass		8 pcs.	

Additional Price Information

Article group	N13
quantity unit	pcs.

Aktualisiert am 23/8/2025 Page 1/3

Technical Datasheet Cable Tray System

RBAVS 110.400

the photorealistic images are to be considered as reference images

Weight

Weight per quantity unit	4,079 kg/ pcs.
Weight in kg per 100	408 kg/100pcs.

Physical Article Dimensions

Height	114.00 mm
Width	404 mm
Depth/length	822 mm

Packing Dimension

1 piece = 1 piece		√ VP1-smallest	√ VP1-smallest packaging unit (PU)		
Lenght	823 mm	Width	404 mm	Height	114.00 mm
Gross weight	4,08 kg	Volume	0,038 m³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

Tender Text

Angle-adjustable fitting, heavy version, with unperforated side profiles, but with connector perforation and integrated splice plates for connection, for flexibly adjustable horizontal directional guidance in an angle range of 0-90°, dimensionally stable due to a continuous overlapping cable tray base, for walkable cable trays, including proportional fixing accessories. for walkable cable trays: 110 mm edge height Dimensions (approx. dimensions)

H x W (inside): 110 x 402 mm

Material thickness t: 2 mm

Material: Steel, pre-galvanised according to DIN EN 10346

NIEDAX Model No.: RBAVS 110.400

EP Material ______ EP Wage _______
Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Federal State of Origin	RP
Customs tarif number	73089059

Aktualisiert am 23/8/2025 Page 2 / 3

Technical Datasheet Cable Tray System

RBAVS 110.400

the photorealistic images are to be considered as reference images

Related items

Cover

Model No.	Description
RBAVDS 400	Cover for angle-adjustable fitting 0-90° for cable tray, width 405 mm, steel, pregalvanised according to DIN EN 10346
RBAVDSRS 400	Cover for angle-adjustable fitting 0-90° for cable tray, width 405 mm, steel, pregalvanised according to DIN EN 10346
RDHFS 9 VZL	Cover clamp, steel, electro galvanised according to DIN EN ISO 2081, blue passivate

Aktualisiert am 23/8/2025 Page 3 / 3