


**Apparatus Mounting Unit**

**AEE 78-10 C**

EAN Code: 4013339452262  
 Smallest packaging unit:1 pc.

the photorealistic images are to be considered as reference images



**Article Description**

Apparatus mounting unit, height 118 mm, depth 66 mm, steel, pre-galvanised according to DIN EN 10346

**Incl. accessories**

2 Zugentlastungen

**Additional Price Information**

Article group	N17
quantity unit	pcs.

**Weight**

Weight per quantity unit	1,605 kg/ pcs.
Weight in kg per 100	160 kg/ 100pcs.

# Technical Datasheet

## Small installation distributors

AEE 78-10 C

the photorealistic images are to be considered as reference images

### Physical Article Dimensions

Height	86.00 mm
Width	95.00 mm
Depth/length	308 mm

### Packing Dimension

<b>1 piece = 1 carton</b>		✓ VP1-smallest packaging unit ( PU)		✓ VP1-preferred PU	
Lenght	350 mm	Width	180.00 mm	Height	110.00 mm
Gross weight	1,93 kg	Volume	0,007 m³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

<b>16 pieces = 1</b>					
Lenght	750 mm	Width	750 mm	Height	730 mm
Gross weight	71 kg	Volume	0,411 m³		
Min. Quantity	16.00 pcs.	Max. Quantity	16.00 pcs.		

### Tender Text

Automatic installation unit with steel base, cover and transparent cover, visible surfaces of bottom part and automatic cover electrostatically powder-coated in RAL colour acc. to manufacturer's catalogue, for snapping into the cover mounting contour of the equipment trunking bases.

Set consists of:

1 x steel cover:

with flat plug 6.3 mm for equipotential bonding, with insulating cover made of PVC foil, t=0.3 mm

1 x steel bottom part:

with a mounting rail TS 35 whose connection dimensions correspond to DIN EN 60715 with one neutral and one protective ladder terminal, solid ladder with screw fastening, connection options for inlets each 2 x 16 mm² and outlets each 5 x 10 mm², with two equipotential bonding ladder length 150 mm, with one cable retaining clip made of stainless steel material no. 1.4310 for screwing to the trunking bottom part, with two distance clamps for strain relief, with two fastening parts for 78 mm cover opening made of PVC-hard in deep black RAL 9005 (similar)

1 x transparent cover 1 x assembly instructions as well as accessories for closure and fastening.

for trunking bottom parts : GKU ..., DKU ..., PGU ..., PLU ..., GAU ..., DAU ..., ESDB 133/..., ESED 133/... and ESDD 133/...

Equipment : ≤ 10 automats

Dimensions (approx. dimensions) H x D : 118 x 66 mm Dimensions (approx. dimensions) T incl. Transparent cover : 87 mm

for cover opening : 78 mm

Delivery length : 308 mm

Automatic machine cover/bottom part

Colour : \_\_\_\_\_ RAL : \_\_\_\_\_

Bottom part material : Steel, pre-galvanised acc. to DIN EN 10346

Cover material : Steel, pre-galvanised acc. to DIN EN 10346

Transparent cover material : Makrolon, crystal clear, t=2 mm

NIEDAX Model no. : AEE 78-10 C

EP Material \_\_\_\_\_ EP Wage \_\_\_\_\_

Technical Datasheet

Small installation distributors

AEE 78-10 C

the photorealistic images are to be considered as reference images

Tender Text

Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tarif number	73269098