


component support with CrossLink® interface (32311)



Description

Article

Part No.: 32311

EQUES® CrossBoard

component support with CrossLink® interface

without electrical connection, 1 fixed mounting rail

18 x 160

System

CrossBoard®

Product group 05

Subgroup 17

pack size 6

EAN 4021267323110

catalog page 2019 : 1.3

eCl@ss 6.1 27370304
eCl@ss 7.1 27370304
ETIM 4.0 EC001531
ETIM 5.0 EC001531

Approvals

Standards

IEC 61439-1:2011
GB/T 7251.1

CCC approval: no certification required

Product data

Details IEC

Standards

IEC 61439-1:2011
GB/T 7251.1

Electrical data IEC

rated voltage (IEC) AC: 690
V

rated isolation voltage U_i AC: 800
V

rated surge voltage U_{imp} : 6 kV

short-circuit withstandbility: not applicable, since the product does not contain or carry any live parts or is not stressed in the case of a short-circuit

power dissipation of the article:

The power dissipation at a typical load of 80% of the rated current results to 0 W.
(The power dissipation for operation with rated current would be 0 W.)


Mechanical data

W x H x D: 18 x 160 x 35
weight: 3.3 kg/100

Material properties

Body: temperature stability 125°C,
self-extinguishing in acc. to UL 94,
creepage resistance CTI 600,
halogen-free

Accessories



31390

set of connectors

connector to create multipole adapters (100 pieces)

for 50 connections