


## Fișă tehnică | Număr articol: 2020-2257

1-conductor/1-pin double deck receptacle terminal block; Ground conductor /through terminal block; PE/L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2020-2257](http://www.wago.com/2020-2257)



RoHS  
Compliant ✓

BOMcheck.net

Culoare: ■

### Date

#### Electrical data

#### Ratings per IEC/EN 60664-1

Ratings per	IEC/EN 60947-7-1
Nominal voltage (III/3)	500 V
Rated surge voltage (III/3)	6 kV
Rated current	13,5 A
Legend (ratings)	(III / 3) ≙ Overvoltage category III / Pollution degree 3

#### Approvals per UL 1059

Rated voltage UL (Use Group B)	300 V
Rated current UL (Use Group B)	15 A
Rated voltage UL (Use Group C)	300 V

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Rated current UL (Use Group C)	15 A
Rated voltage UL (Use Group D)	300 V
Rated current UL (Use Group D)	15 A
Approvals per	UL 1059

### Approvals per CSA

Rated voltage CSA (Use Group B)	300 V
Rated current CSA (Use Group B)	10 A
Rated voltage CSA (Use Group C)	300 V
Rated current CSA (Use Group C)	10 A

### Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross-section	1 mm <sup>2</sup>
Solid conductor	0.14 ... 1.5 mm <sup>2</sup> / 24 ... 16 AWG
Solid conductor; push-in termination	0.5 ... 1.5 mm <sup>2</sup> / 20 ... 16 AWG
Fine-stranded conductor	0.14 ... 1.5 mm <sup>2</sup> / 24 ... 16 AWG
Fine-stranded conductor; with insulated ferrule	0.5 ... 0.75 mm <sup>2</sup> / 20 ... 18 AWG
Fine-stranded conductor; with ferrule; push-in termination	0.5 ... 0.75 mm <sup>2</sup> / 20 ... 18 AWG
Strip length	9 ... 11 mm / 0.35 ... 0.43 inch
Total number of connection points	2
Total number of potentials	2
Number of levels	2
Wiring type	Front-entry wiring
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.

### Geometrical Data

Width	3.5 mm / 0.138 inch
Height from upper-edge of DIN-rail	61.4 mm / 2.417 inch
Depth	80.1 mm / 3.154 inch

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Mechanical data

Design	horizontal
Mounting type	DIN-35 rail
Potential marking	PE/L
Marking level	Side marking

## Material Data




Color	gray
Insulation material	Polyamide 66 (PA 66)
Fire load	0,187 MJ
Weight	10,8g

## Commercial data

Product Group	18 (X-COM-System)
Packaging type	BOX
Country of origin	CN
GTIN	4050821049647
Customs tariff number	85366990990

## Aprobări / certificate





### Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7617
	CSA DEKRA Certification B.V.	C22.2 No. 158	2516073
	KEMA/KEUR DEKRA Certification B.V.	EN 60947	71- 100670


### Ship Approvals

Nume

Supus modificărilor.

Emblemă	Aprobare	Text de aprobare suplimentar	certificat
	<b>ABS</b> American Bureau of Shipping	EN 60947	20- HG1941090- PDA
	<b>BV</b> Bureau Veritas S.A.	EN 60947	38586/A0 BV
	<b>DNV GL</b> Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
	<b>LR</b> Lloyds Register	EN 60947	91/20112 (E9)

#### UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>UL</b> UL International Germany GmbH	UL 1059	E45172

#### Counterpart















#### Produse compatibile

#### End plate















Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	<b>Nr. articol: 2020-2291</b> End and intermediate plate; 1 mm thick; gray	<a href="http://www.wago.com/2020-2291">www.wago.com/2020-2291</a>
	<b>Nr. articol: 2020-2292</b> End and intermediate plate; 1 mm thick; orange	<a href="http://www.wago.com/2020-2292">www.wago.com/2020-2292</a>
<b>Jumper</b>		
	<b>Nr. articol: 2000-402</b> Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-402">www.wago.com/2000-402</a>
	<b>Nr. articol: 2000-402/000-005</b> Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-402/000-005">www.wago.com/2000-402/000-005</a>
	<b>Nr. articol: 2000-402/000-006</b> Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-402/000-006">www.wago.com/2000-402/000-006</a>
	<b>Nr. articol: 2000-402/000-018</b> Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; yellow-green	<a href="http://www.wago.com/2000-402/000-018">www.wago.com/2000-402/000-018</a>
	<b>Nr. articol: 2000-403</b> Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-403">www.wago.com/2000-403</a>
	<b>Nr. articol: 2000-403/000-005</b> Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-403/000-005">www.wago.com/2000-403/000-005</a>
	<b>Nr. articol: 2000-403/000-006</b> Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-403/000-006">www.wago.com/2000-403/000-006</a>
	<b>Nr. articol: 2000-404</b> Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-404">www.wago.com/2000-404</a>
	<b>Nr. articol: 2000-404/000-005</b> Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-404/000-005">www.wago.com/2000-404/000-005</a>
	<b>Nr. articol: 2000-404/000-006</b> Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-404/000-006">www.wago.com/2000-404/000-006</a>
	<b>Nr. articol: 2000-405</b> Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-405">www.wago.com/2000-405</a>
	<b>Nr. articol: 2000-405/000-005</b> Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-405/000-005">www.wago.com/2000-405/000-005</a>

Supus modificărilor.

	<b>Nr. articol: 2000-405/000-006</b> Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-405/000-006">www.wago.com/2000-405/000-006</a>
	<b>Nr. articol: 2000-405/011-000</b> Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	<a href="http://www.wago.com/2000-405/011-000">www.wago.com/2000-405/011-000</a>
	<b>Nr. articol: 2000-406</b> Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-406">www.wago.com/2000-406</a>
	<b>Nr. articol: 2000-406/000-005</b> Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-406/000-005">www.wago.com/2000-406/000-005</a>
	<b>Nr. articol: 2000-406/000-006</b> Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-406/000-006">www.wago.com/2000-406/000-006</a>
	<b>Nr. articol: 2000-406/020-000</b> Delta jumper; insulated; 1-2-3-4-5-6; IN = IN terminal block; light gray	<a href="http://www.wago.com/2000-406/020-000">www.wago.com/2000-406/020-000</a>
	<b>Nr. articol: 2000-407</b> Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-407">www.wago.com/2000-407</a>
	<b>Nr. articol: 2000-407/000-005</b> Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-407/000-005">www.wago.com/2000-407/000-005</a>
	<b>Nr. articol: 2000-407/000-006</b> Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-407/000-006">www.wago.com/2000-407/000-006</a>
	<b>Nr. articol: 2000-408</b> Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-408">www.wago.com/2000-408</a>
	<b>Nr. articol: 2000-408/000-005</b> Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-408/000-005">www.wago.com/2000-408/000-005</a>
	<b>Nr. articol: 2000-408/000-006</b> Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-408/000-006">www.wago.com/2000-408/000-006</a>
	<b>Nr. articol: 2000-409</b> Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-409">www.wago.com/2000-409</a>
	<b>Nr. articol: 2000-409/000-005</b> Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-409/000-005">www.wago.com/2000-409/000-005</a>
	<b>Nr. articol: 2000-409/000-006</b> Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-409/000-006">www.wago.com/2000-409/000-006</a>

Supus modificărilor.



**Nr. articol: 2000-410**  
Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; light gray

[www.wago.com/2000-410](http://www.wago.com/2000-410)



**Nr. articol: 2000-410/000-005**  
Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; red

[www.wago.com/2000-410/000-005](http://www.wago.com/2000-410/000-005)



**Nr. articol: 2000-410/000-006**  
Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; blue

[www.wago.com/2000-410/000-006](http://www.wago.com/2000-410/000-006)



**Nr. articol: 2000-433**  
Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; light gray

[www.wago.com/2000-433](http://www.wago.com/2000-433)



**Nr. articol: 2000-433/000-005**  
Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; red

[www.wago.com/2000-433/000-005](http://www.wago.com/2000-433/000-005)



**Nr. articol: 2000-433/000-006**  
Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; blue

[www.wago.com/2000-433/000-006](http://www.wago.com/2000-433/000-006)



**Nr. articol: 2000-434**  
Push-in type jumper bar; insulated; from 1 to 4; Nominal current 14 A; light gray

[www.wago.com/2000-434](http://www.wago.com/2000-434)



**Nr. articol: 2000-435**  
Push-in type jumper bar; insulated; from 1 to 5; Nominal current 14 A; light gray

[www.wago.com/2000-435](http://www.wago.com/2000-435)



**Nr. articol: 2000-436**  
Push-in type jumper bar; insulated; from 1 to 6; Nominal current 14 A; light gray

[www.wago.com/2000-436](http://www.wago.com/2000-436)



**Nr. articol: 2000-437**  
Push-in type jumper bar; insulated; from 1 to 7; Nominal current 14 A; light gray

[www.wago.com/2000-437](http://www.wago.com/2000-437)



**Nr. articol: 2000-438**  
Push-in type jumper bar; insulated; from 1 to 8; Nominal current 14 A; light gray

[www.wago.com/2000-438](http://www.wago.com/2000-438)



**Nr. articol: 2000-439**  
Push-in type jumper bar; insulated; from 1 to 9; Nominal current 14 A; light gray

[www.wago.com/2000-439](http://www.wago.com/2000-439)



**Nr. articol: 2000-440**  
Push-in type jumper bar; insulated; from 1 to 10; Nominal current 14 A; light gray

[www.wago.com/2000-440](http://www.wago.com/2000-440)



**Nr. articol: 2000-492**  
Double-deck vertical jumper; insulated; light gray

[www.wago.com/2000-492](http://www.wago.com/2000-492)
















**Nr. articol: 2002-492/000-012**  
Double-deck vertical jumper; insulated; orange

[www.wago.com/2002-492/000-012](http://www.wago.com/2002-492/000-012)










**Nr. articol: 210-103**

Supus modificărilor.













	Wire commoning chain; insulated; 50 connections; black	<a href="http://www.wago.com/210-103">www.wago.com/210-103</a>
	<b>Nr. articol: 210-123</b> Wire commoning chain; insulated; 50 connections	<a href="http://www.wago.com/210-123">www.wago.com/210-123</a>
<b>Carrier rail</b>		
	<b>Nr. articol: 210-112</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm	<a href="http://www.wago.com/210-112">www.wago.com/210-112</a>
	<b>Nr. articol: 210-113</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715	<a href="http://www.wago.com/210-113">www.wago.com/210-113</a>
	<b>Nr. articol: 210-114</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715	<a href="http://www.wago.com/210-114">www.wago.com/210-114</a>
	<b>Nr. articol: 210-115</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm	<a href="http://www.wago.com/210-115">www.wago.com/210-115</a>
	<b>Nr. articol: 210-118</b> Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	<a href="http://www.wago.com/210-118">www.wago.com/210-118</a>
	<b>Nr. articol: 210-162</b> Steel carrier rail; 35 x 7.5 mm; slotted; 1 mm thick	<a href="http://www.wago.com/210-162">www.wago.com/210-162</a>
	<b>Nr. articol: 210-196</b> Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored	<a href="http://www.wago.com/210-196">www.wago.com/210-196</a>
	<b>Nr. articol: 210-197</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	<a href="http://www.wago.com/210-197">www.wago.com/210-197</a>
	<b>Nr. articol: 210-198</b> Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored	<a href="http://www.wago.com/210-198">www.wago.com/210-198</a>
<b>Female plug</b>		
	<b>Nr. articol: 2020-102</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-102">www.wago.com/2020-102</a>
	<b>Nr. articol: 2020-102/122-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-102/122-000">www.wago.com/2020-102/122-000</a>
	<b>Nr. articol: 2020-102/132-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-102/132-000">www.wago.com/2020-102/132-000</a>
	<b>Nr. articol: 2020-102/142-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-102/142-000">www.wago.com/2020-102/142-000</a>
	<b>Nr. articol: 2020-103</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103">www.wago.com/2020-103</a>

Supus modificărilor.



	<b>Nr. articol: 2020-103/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-103/000-036">www.wago.com/2020-103/000-036</a>
	<b>Nr. articol: 2020-103/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-103/000-037">www.wago.com/2020-103/000-037</a>
	<b>Nr. articol: 2020-103/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-103/000-038">www.wago.com/2020-103/000-038</a>
	<b>Nr. articol: 2020-103/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-103/000-039">www.wago.com/2020-103/000-039</a>
	<b>Nr. articol: 2020-103/122-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103/122-000">www.wago.com/2020-103/122-000</a>
	<b>Nr. articol: 2020-103/132-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103/132-000">www.wago.com/2020-103/132-000</a>
	<b>Nr. articol: 2020-103/142-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103/142-000">www.wago.com/2020-103/142-000</a>
	<b>Nr. articol: 2020-104</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104">www.wago.com/2020-104</a>
	<b>Nr. articol: 2020-104/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-104/000-036">www.wago.com/2020-104/000-036</a>
	<b>Nr. articol: 2020-104/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-104/000-037">www.wago.com/2020-104/000-037</a>
	<b>Nr. articol: 2020-104/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-104/000-038">www.wago.com/2020-104/000-038</a>
	<b>Nr. articol: 2020-104/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-104/000-039">www.wago.com/2020-104/000-039</a>
	<b>Nr. articol: 2020-104/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104/124-000">www.wago.com/2020-104/124-000</a>

Supus modificărilor.

	<b>Nr. articol: 2020-104/133-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104/133-000">www.wago.com/2020-104/133-000</a>
	<b>Nr. articol: 2020-104/143-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104/143-000">www.wago.com/2020-104/143-000</a>
	<b>Nr. articol: 2020-105</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105">www.wago.com/2020-105</a>
	<b>Nr. articol: 2020-105/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-105/000-036">www.wago.com/2020-105/000-036</a>
	<b>Nr. articol: 2020-105/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-105/000-037">www.wago.com/2020-105/000-037</a>
	<b>Nr. articol: 2020-105/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-105/000-038">www.wago.com/2020-105/000-038</a>
	<b>Nr. articol: 2020-105/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-105/000-039">www.wago.com/2020-105/000-039</a>
	<b>Nr. articol: 2020-105/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105/124-000">www.wago.com/2020-105/124-000</a>
	<b>Nr. articol: 2020-105/133-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105/133-000">www.wago.com/2020-105/133-000</a>
	<b>Nr. articol: 2020-105/143-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105/143-000">www.wago.com/2020-105/143-000</a>
	<b>Nr. articol: 2020-106</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-106">www.wago.com/2020-106</a>
	<b>Nr. articol: 2020-106/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-106/000-036">www.wago.com/2020-106/000-036</a>
	<b>Nr. articol: 2020-106/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-106/000-037">www.wago.com/2020-106/000-037</a>
	<b>Nr. articol: 2020-106/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-106/000-038">www.wago.com/2020-106/000-038</a>











Supus modificărilor.

**Nr. articol: 2020-106/000-039**1-conductor female plug; 1.5 mm<sup>2</sup>; 6-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-106/000-039](http://www.wago.com/2020-106/000-039)**Nr. articol: 2020-106/124-000**1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 6-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-106/124-000](http://www.wago.com/2020-106/124-000)**Nr. articol: 2020-106/133-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 6-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-106/133-000](http://www.wago.com/2020-106/133-000)**Nr. articol: 2020-106/143-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 6-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-106/143-000](http://www.wago.com/2020-106/143-000)**Nr. articol: 2020-107**1-conductor female plug; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-107](http://www.wago.com/2020-107)**Nr. articol: 2020-107/000-036**1-conductor female plug; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2020-107/000-036](http://www.wago.com/2020-107/000-036)**Nr. articol: 2020-107/000-037**1-conductor female plug; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2020-107/000-037](http://www.wago.com/2020-107/000-037)**Nr. articol: 2020-107/000-038**1-conductor female plug; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2020-107/000-038](http://www.wago.com/2020-107/000-038)**Nr. articol: 2020-107/000-039**1-conductor female plug; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-107/000-039](http://www.wago.com/2020-107/000-039)**Nr. articol: 2020-107/124-000**1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-107/124-000](http://www.wago.com/2020-107/124-000)**Nr. articol: 2020-107/134-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-107/134-000](http://www.wago.com/2020-107/134-000)**Nr. articol: 2020-107/144-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-107/144-000](http://www.wago.com/2020-107/144-000)**Nr. articol: 2020-108**1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-108](http://www.wago.com/2020-108)**Nr. articol: 2020-108/000-036**1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2020-108/000-036](http://www.wago.com/2020-108/000-036)









Supus modificărilor.

**Nr. articol: 2020-108/000-037**1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2020-108/000-037](http://www.wago.com/2020-108/000-037)**Nr. articol: 2020-108/000-038**1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2020-108/000-038](http://www.wago.com/2020-108/000-038)**Nr. articol: 2020-108/000-039**1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-108/000-039](http://www.wago.com/2020-108/000-039)**Nr. articol: 2020-108/124-000**1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-108/124-000](http://www.wago.com/2020-108/124-000)**Nr. articol: 2020-108/134-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-108/134-000](http://www.wago.com/2020-108/134-000)**Nr. articol: 2020-108/144-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-108/144-000](http://www.wago.com/2020-108/144-000)**Nr. articol: 2020-109**1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-109](http://www.wago.com/2020-109)**Nr. articol: 2020-109/000-036**1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2020-109/000-036](http://www.wago.com/2020-109/000-036)**Nr. articol: 2020-109/000-037**1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2020-109/000-037](http://www.wago.com/2020-109/000-037)**Nr. articol: 2020-109/000-038**1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2020-109/000-038](http://www.wago.com/2020-109/000-038)**Nr. articol: 2020-109/000-039**1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-109/000-039](http://www.wago.com/2020-109/000-039)**Nr. articol: 2020-109/124-000**1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-109/124-000](http://www.wago.com/2020-109/124-000)**Nr. articol: 2020-109/134-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-109/134-000](http://www.wago.com/2020-109/134-000)**Nr. articol: 2020-109/144-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-109/144-000](http://www.wago.com/2020-109/144-000)

Supus modificărilor.

	<b>Nr. articol: 2020-110</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-110">www.wago.com/2020-110</a>
	<b>Nr. articol: 2020-110/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-110/000-036">www.wago.com/2020-110/000-036</a>
	<b>Nr. articol: 2020-110/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-110/000-037">www.wago.com/2020-110/000-037</a>
	<b>Nr. articol: 2020-110/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-110/000-038">www.wago.com/2020-110/000-038</a>
	<b>Nr. articol: 2020-110/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-110/000-039">www.wago.com/2020-110/000-039</a>
	<b>Nr. articol: 2020-110/125-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-110/125-000">www.wago.com/2020-110/125-000</a>
	<b>Nr. articol: 2020-110/135-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-110/135-000">www.wago.com/2020-110/135-000</a>
	<b>Nr. articol: 2020-110/145-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-110/145-000">www.wago.com/2020-110/145-000</a>
	<b>Nr. articol: 2020-111</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-111">www.wago.com/2020-111</a>
	<b>Nr. articol: 2020-111/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-111/000-036">www.wago.com/2020-111/000-036</a>
	<b>Nr. articol: 2020-111/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-111/000-037">www.wago.com/2020-111/000-037</a>
	<b>Nr. articol: 2020-111/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-111/000-038">www.wago.com/2020-111/000-038</a>
	<b>Nr. articol: 2020-111/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-111/000-039">www.wago.com/2020-111/000-039</a>
	<b>Nr. articol: 2020-111/125-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-111/125-000">www.wago.com/2020-111/125-000</a>

Supus modificărilor.

	<b>Nr. articol: 2020-111/135-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-111/135-000">www.wago.com/2020-111/135-000</a>
	<b>Nr. articol: 2020-111/145-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-111/145-000">www.wago.com/2020-111/145-000</a>
	<b>Nr. articol: 2020-112</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-112">www.wago.com/2020-112</a>
	<b>Nr. articol: 2020-112/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-112/000-036">www.wago.com/2020-112/000-036</a>
	<b>Nr. articol: 2020-112/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-112/000-037">www.wago.com/2020-112/000-037</a>
	<b>Nr. articol: 2020-112/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-112/000-038">www.wago.com/2020-112/000-038</a>
	<b>Nr. articol: 2020-112/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-112/000-039">www.wago.com/2020-112/000-039</a>
	<b>Nr. articol: 2020-112/125-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-112/125-000">www.wago.com/2020-112/125-000</a>
	<b>Nr. articol: 2020-112/135-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-112/135-000">www.wago.com/2020-112/135-000</a>
	<b>Nr. articol: 2020-112/145-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-112/145-000">www.wago.com/2020-112/145-000</a>
	<b>Nr. articol: 2020-113</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-113">www.wago.com/2020-113</a>
	<b>Nr. articol: 2020-113/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-113/000-036">www.wago.com/2020-113/000-036</a>
	<b>Nr. articol: 2020-113/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-113/000-037">www.wago.com/2020-113/000-037</a>
	<b>Nr. articol: 2020-113/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-113/000-038">www.wago.com/2020-113/000-038</a>

Supus modificărilor.



**Nr. articol: 2020-113/000-039**

1-conductor female plug; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-113/000-039](http://www.wago.com/2020-113/000-039)

**Nr. articol: 2020-113/125-000**

1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-113/125-000](http://www.wago.com/2020-113/125-000)

**Nr. articol: 2020-113/135-000**

1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-113/135-000](http://www.wago.com/2020-113/135-000)

**Nr. articol: 2020-113/145-000**

1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-113/145-000](http://www.wago.com/2020-113/145-000)



**Nr. articol: 2020-114**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-114](http://www.wago.com/2020-114)



**Nr. articol: 2020-114/000-036**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-114/000-036](http://www.wago.com/2020-114/000-036)



**Nr. articol: 2020-114/000-037**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-114/000-037](http://www.wago.com/2020-114/000-037)



**Nr. articol: 2020-114/000-038**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-114/000-038](http://www.wago.com/2020-114/000-038)



**Nr. articol: 2020-114/000-039**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-114/000-039](http://www.wago.com/2020-114/000-039)

**Nr. articol: 2020-114/125-000**

1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-114/125-000](http://www.wago.com/2020-114/125-000)

**Nr. articol: 2020-114/135-000**

1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-114/135-000](http://www.wago.com/2020-114/135-000)

**Nr. articol: 2020-114/145-000**

1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-114/145-000](http://www.wago.com/2020-114/145-000)











**Nr. articol: 2020-115**

1-conductor female plug; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray









[www.wago.com/2020-115](http://www.wago.com/2020-115)

Supus modificărilor.














	<b>Nr. articol: 2020-115/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-115/000-036">www.wago.com/2020-115/000-036</a>
	<b>Nr. articol: 2020-115/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-115/000-037">www.wago.com/2020-115/000-037</a>
	<b>Nr. articol: 2020-115/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-115/000-038">www.wago.com/2020-115/000-038</a>
	<b>Nr. articol: 2020-115/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-115/000-039">www.wago.com/2020-115/000-039</a>
	<b>Nr. articol: 2020-115/125-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-115/125-000">www.wago.com/2020-115/125-000</a>
	<b>Nr. articol: 2020-115/135-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-115/135-000">www.wago.com/2020-115/135-000</a>
	<b>Nr. articol: 2020-115/145-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-115/145-000">www.wago.com/2020-115/145-000</a>
	<b>Nr. articol: 2020-202</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-202">www.wago.com/2020-202</a>
	<b>Nr. articol: 2020-202/122-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-202/122-000">www.wago.com/2020-202/122-000</a>
	<b>Nr. articol: 2020-202/132-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-202/132-000">www.wago.com/2020-202/132-000</a>
	<b>Nr. articol: 2020-202/142-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-202/142-000">www.wago.com/2020-202/142-000</a>
	<b>Nr. articol: 2020-203</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-203">www.wago.com/2020-203</a>
	<b>Nr. articol: 2020-203/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-203/000-036">www.wago.com/2020-203/000-036</a>
	<b>Nr. articol: 2020-203/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-203/000-037">www.wago.com/2020-203/000-037</a>

Supus modificărilor.













	<b>Nr. articol: 2020-203/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-203/000-038">www.wago.com/2020-203/000-038</a>
	<b>Nr. articol: 2020-203/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-203/000-039">www.wago.com/2020-203/000-039</a>
	<b>Nr. articol: 2020-203/122-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-203/122-000">www.wago.com/2020-203/122-000</a>
	<b>Nr. articol: 2020-203/132-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-203/132-000">www.wago.com/2020-203/132-000</a>
	<b>Nr. articol: 2020-203/142-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-203/142-000">www.wago.com/2020-203/142-000</a>
	<b>Nr. articol: 2020-204</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-204">www.wago.com/2020-204</a>
	<b>Nr. articol: 2020-204/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-204/000-036">www.wago.com/2020-204/000-036</a>
	<b>Nr. articol: 2020-204/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-204/000-037">www.wago.com/2020-204/000-037</a>
	<b>Nr. articol: 2020-204/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-204/000-038">www.wago.com/2020-204/000-038</a>
	<b>Nr. articol: 2020-204/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-204/000-039">www.wago.com/2020-204/000-039</a>
	<b>Nr. articol: 2020-204/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-204/124-000">www.wago.com/2020-204/124-000</a>
	<b>Nr. articol: 2020-204/133-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-204/133-000">www.wago.com/2020-204/133-000</a>
	<b>Nr. articol: 2020-204/143-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-204/143-000">www.wago.com/2020-204/143-000</a>
	<b>Nr. articol: 2020-205</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205">www.wago.com/2020-205</a>









Supus modificărilor.

	<b>Nr. articol: 2020-205/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-205/000-036">www.wago.com/2020-205/000-036</a>
	<b>Nr. articol: 2020-205/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-205/000-037">www.wago.com/2020-205/000-037</a>
	<b>Nr. articol: 2020-205/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-205/000-038">www.wago.com/2020-205/000-038</a>
	<b>Nr. articol: 2020-205/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-205/000-039">www.wago.com/2020-205/000-039</a>
	<b>Nr. articol: 2020-205/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205/124-000">www.wago.com/2020-205/124-000</a>
	<b>Nr. articol: 2020-205/133-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205/133-000">www.wago.com/2020-205/133-000</a>
	<b>Nr. articol: 2020-205/143-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205/143-000">www.wago.com/2020-205/143-000</a>
	<b>Nr. articol: 2020-206</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206">www.wago.com/2020-206</a>
	<b>Nr. articol: 2020-206/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-206/000-036">www.wago.com/2020-206/000-036</a>
	<b>Nr. articol: 2020-206/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-206/000-037">www.wago.com/2020-206/000-037</a>
	<b>Nr. articol: 2020-206/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-206/000-038">www.wago.com/2020-206/000-038</a>
	<b>Nr. articol: 2020-206/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-206/000-039">www.wago.com/2020-206/000-039</a>
	<b>Nr. articol: 2020-206/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206/124-000">www.wago.com/2020-206/124-000</a>
	<b>Nr. articol: 2020-206/133-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206/133-000">www.wago.com/2020-206/133-000</a>









Supus modificărilor.

	<b>Nr. articol: 2020-206/143-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206/143-000">www.wago.com/2020-206/143-000</a>
	<b>Nr. articol: 2020-207</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-207">www.wago.com/2020-207</a>
	<b>Nr. articol: 2020-207/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-207/000-036">www.wago.com/2020-207/000-036</a>
	<b>Nr. articol: 2020-207/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-207/000-037">www.wago.com/2020-207/000-037</a>
	<b>Nr. articol: 2020-207/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-207/000-038">www.wago.com/2020-207/000-038</a>
	<b>Nr. articol: 2020-207/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-207/000-039">www.wago.com/2020-207/000-039</a>
	<b>Nr. articol: 2020-207/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-207/124-000">www.wago.com/2020-207/124-000</a>
	<b>Nr. articol: 2020-207/134-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-207/134-000">www.wago.com/2020-207/134-000</a>
	<b>Nr. articol: 2020-207/144-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-207/144-000">www.wago.com/2020-207/144-000</a>
	<b>Nr. articol: 2020-208</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-208">www.wago.com/2020-208</a>
	<b>Nr. articol: 2020-208/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-208/000-036">www.wago.com/2020-208/000-036</a>
	<b>Nr. articol: 2020-208/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-208/000-037">www.wago.com/2020-208/000-037</a>
	<b>Nr. articol: 2020-208/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-208/000-038">www.wago.com/2020-208/000-038</a>
	<b>Nr. articol: 2020-208/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-208/000-039">www.wago.com/2020-208/000-039</a>










Supus modificărilor.

	<b>Nr. articol: 2020-208/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-208/124-000">www.wago.com/2020-208/124-000</a>
	<b>Nr. articol: 2020-208/134-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-208/134-000">www.wago.com/2020-208/134-000</a>
	<b>Nr. articol: 2020-208/144-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-208/144-000">www.wago.com/2020-208/144-000</a>
	<b>Nr. articol: 2020-209</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-209">www.wago.com/2020-209</a>
	<b>Nr. articol: 2020-209/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-209/000-036">www.wago.com/2020-209/000-036</a>
	<b>Nr. articol: 2020-209/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-209/000-037">www.wago.com/2020-209/000-037</a>
	<b>Nr. articol: 2020-209/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-209/000-038">www.wago.com/2020-209/000-038</a>
	<b>Nr. articol: 2020-209/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-209/000-039">www.wago.com/2020-209/000-039</a>
	<b>Nr. articol: 2020-209/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-209/124-000">www.wago.com/2020-209/124-000</a>
	<b>Nr. articol: 2020-209/134-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-209/134-000">www.wago.com/2020-209/134-000</a>
	<b>Nr. articol: 2020-209/144-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-209/144-000">www.wago.com/2020-209/144-000</a>
	<b>Nr. articol: 2020-210</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-210">www.wago.com/2020-210</a>
	<b>Nr. articol: 2020-210/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-210/000-036">www.wago.com/2020-210/000-036</a>
	<b>Nr. articol: 2020-210/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-210/000-037">www.wago.com/2020-210/000-037</a>

Supus modificărilor.

	<b>Nr. articol: 2020-210/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-210/000-038">www.wago.com/2020-210/000-038</a>
	<b>Nr. articol: 2020-210/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-210/000-039">www.wago.com/2020-210/000-039</a>
	<b>Nr. articol: 2020-210/125-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-210/125-000">www.wago.com/2020-210/125-000</a>
	<b>Nr. articol: 2020-210/135-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-210/135-000">www.wago.com/2020-210/135-000</a>
	<b>Nr. articol: 2020-210/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-210/145-000">www.wago.com/2020-210/145-000</a>
	<b>Nr. articol: 2020-211</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-211">www.wago.com/2020-211</a>
	<b>Nr. articol: 2020-211/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-211/000-036">www.wago.com/2020-211/000-036</a>
	<b>Nr. articol: 2020-211/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-211/000-037">www.wago.com/2020-211/000-037</a>
	<b>Nr. articol: 2020-211/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-211/000-038">www.wago.com/2020-211/000-038</a>
	<b>Nr. articol: 2020-211/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-211/000-039">www.wago.com/2020-211/000-039</a>
	<b>Nr. articol: 2020-211/125-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-211/125-000">www.wago.com/2020-211/125-000</a>
	<b>Nr. articol: 2020-211/135-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-211/135-000">www.wago.com/2020-211/135-000</a>
	<b>Nr. articol: 2020-211/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-211/145-000">www.wago.com/2020-211/145-000</a>
	<b>Nr. articol: 2020-212</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-212">www.wago.com/2020-212</a>










Supus modificărilor.

	<b>Nr. articol: 2020-212/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-212/000-036">www.wago.com/2020-212/000-036</a>
	<b>Nr. articol: 2020-212/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-212/000-037">www.wago.com/2020-212/000-037</a>
	<b>Nr. articol: 2020-212/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-212/000-038">www.wago.com/2020-212/000-038</a>
	<b>Nr. articol: 2020-212/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-212/000-039">www.wago.com/2020-212/000-039</a>
	<b>Nr. articol: 2020-212/125-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-212/125-000">www.wago.com/2020-212/125-000</a>
	<b>Nr. articol: 2020-212/135-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-212/135-000">www.wago.com/2020-212/135-000</a>
	<b>Nr. articol: 2020-212/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-212/145-000">www.wago.com/2020-212/145-000</a>
	<b>Nr. articol: 2020-213</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-213">www.wago.com/2020-213</a>
	<b>Nr. articol: 2020-213/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-213/000-036">www.wago.com/2020-213/000-036</a>
	<b>Nr. articol: 2020-213/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-213/000-037">www.wago.com/2020-213/000-037</a>
	<b>Nr. articol: 2020-213/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-213/000-038">www.wago.com/2020-213/000-038</a>
	<b>Nr. articol: 2020-213/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-213/000-039">www.wago.com/2020-213/000-039</a>
	<b>Nr. articol: 2020-213/125-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-213/125-000">www.wago.com/2020-213/125-000</a>

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	<b>Nr. articol: 2020-213/135-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-213/135-000">www.wago.com/2020-213/135-000</a>
	<b>Nr. articol: 2020-213/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-213/145-000">www.wago.com/2020-213/145-000</a>
	<b>Nr. articol: 2020-214</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-214">www.wago.com/2020-214</a>
	<b>Nr. articol: 2020-214/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-214/000-036">www.wago.com/2020-214/000-036</a>
	<b>Nr. articol: 2020-214/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-214/000-037">www.wago.com/2020-214/000-037</a>
	<b>Nr. articol: 2020-214/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-214/000-038">www.wago.com/2020-214/000-038</a>
	<b>Nr. articol: 2020-214/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-214/000-039">www.wago.com/2020-214/000-039</a>
	<b>Nr. articol: 2020-214/125-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-214/125-000">www.wago.com/2020-214/125-000</a>
	<b>Nr. articol: 2020-214/135-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-214/135-000">www.wago.com/2020-214/135-000</a>
	<b>Nr. articol: 2020-214/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-214/145-000">www.wago.com/2020-214/145-000</a>
	<b>Nr. articol: 2020-215</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-215">www.wago.com/2020-215</a>
	<b>Nr. articol: 2020-215/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-215/000-036">www.wago.com/2020-215/000-036</a>
	<b>Nr. articol: 2020-215/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-215/000-037">www.wago.com/2020-215/000-037</a>
	<b>Nr. articol: 2020-215/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-215/000-038">www.wago.com/2020-215/000-038</a>

Supus modificărilor.



**Nr. articol: 2020-215/000-039**

2-conductor female connector; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-215/000-039](http://www.wago.com/2020-215/000-039)

**Nr. articol: 2020-215/125-000**

2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-215/125-000](http://www.wago.com/2020-215/125-000)

**Nr. articol: 2020-215/135-000**

2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-215/135-000](http://www.wago.com/2020-215/135-000)

**Nr. articol: 2020-215/145-000**

2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-215/145-000](http://www.wago.com/2020-215/145-000)

**ferrule**



**Nr. articol: 216-241**

Ferrule; Sleeve for 0.5 mm<sup>2</sup> / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white

[www.wago.com/216-241](http://www.wago.com/216-241)



**Nr. articol: 216-242**

Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray

[www.wago.com/216-242](http://www.wago.com/216-242)



**Nr. articol: 216-243**

Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red

[www.wago.com/216-243](http://www.wago.com/216-243)

**Push-In type wire jumper**



**Nr. articol: 2009-402**

Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 0.75 mm<sup>2</sup>; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray

[www.wago.com/2009-402](http://www.wago.com/2009-402)



**Nr. articol: 2009-404**

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 0.75 mm<sup>2</sup>; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray

[www.wago.com/2009-404](http://www.wago.com/2009-404)



**Nr. articol: 2009-406**

Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 0.75 mm<sup>2</sup>; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray

[www.wago.com/2009-406](http://www.wago.com/2009-406)

**Protective Warning Marker**



**Nr. articol: 2000-115**

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

[www.wago.com/2000-115](http://www.wago.com/2000-115)

**tools**



**Nr. articol: 210-647**

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft

[www.wago.com/210-647](http://www.wago.com/210-647)



**Nr. articol: 210-648**

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft; angled; short

[www.wago.com/210-648](http://www.wago.com/210-648)



**Nr. articol: 210-719**

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft

[www.wago.com/210-719](http://www.wago.com/210-719)

Supus modificărilor.



## Coding

**Nr. articol: 2020-100**

Carrier with 6 coding pins; for coding of female plugs; for carrier terminal blocks; orange

[www.wago.com/2020-100](http://www.wago.com/2020-100)

## General accessories

**Nr. articol: 2020-161**Start module for 1-conductor female connector; with integrated end plate; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-161](http://www.wago.com/2020-161)**Nr. articol: 2020-164**Start module for 1-conductor female connector; with integrated end plate; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; blue[www.wago.com/2020-164](http://www.wago.com/2020-164)**Nr. articol: 2020-167**Start module for 1-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; green-yellow[www.wago.com/2020-167](http://www.wago.com/2020-167)**Nr. articol: 2020-181**End module for 1-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-181](http://www.wago.com/2020-181)**Nr. articol: 2020-184**End module for 1-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; blue[www.wago.com/2020-184](http://www.wago.com/2020-184)**Nr. articol: 2020-187**End module for 1-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; green-yellow[www.wago.com/2020-187](http://www.wago.com/2020-187)**Nr. articol: 2020-261**Start module for 2-conductor female connector; with integrated end plate; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-261](http://www.wago.com/2020-261)**Nr. articol: 2020-264**Start module for 2-conductor female connector; with integrated end plate; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; blue[www.wago.com/2020-264](http://www.wago.com/2020-264)**Nr. articol: 2020-267**Start module for 2-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; green-yellow[www.wago.com/2020-267](http://www.wago.com/2020-267)**Nr. articol: 2020-281**End module for 2-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-281](http://www.wago.com/2020-281)**Nr. articol: 2020-284**End module for 2-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; blue[www.wago.com/2020-284](http://www.wago.com/2020-284)**Nr. articol: 2020-287**End module for 2-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; green-yellow[www.wago.com/2020-287](http://www.wago.com/2020-287)

## Marking accessories

**Nr. articol: 2009-110**

Marking strips; on reel; not stretchable; plain; snap-on type; white

[www.wago.com/2009-110](http://www.wago.com/2009-110)**Nr. articol: 2009-113**










WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; white

[www.wago.com/2009-113](http://www.wago.com/2009-113)**Nr. articol: 2009-113/000-002**

WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; yellow

[www.wago.com/2009-113/000-002](http://www.wago.com/2009-113/000-002)

Supus modificărilor.

	<b>Nr. articol: 2009-113/000-005</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; red	<a href="http://www.wago.com/2009-113/000-005">www.wago.com/2009-113/000-005</a>
	<b>Nr. articol: 2009-113/000-006</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; blue	<a href="http://www.wago.com/2009-113/000-006">www.wago.com/2009-113/000-006</a>
	<b>Nr. articol: 2009-113/000-007</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; gray	<a href="http://www.wago.com/2009-113/000-007">www.wago.com/2009-113/000-007</a>
	<b>Nr. articol: 2009-113/000-012</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; orange	<a href="http://www.wago.com/2009-113/000-012">www.wago.com/2009-113/000-012</a>
	<b>Nr. articol: 2009-113/000-017</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; light green	<a href="http://www.wago.com/2009-113/000-017">www.wago.com/2009-113/000-017</a>
	<b>Nr. articol: 2009-113/000-023</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; green	<a href="http://www.wago.com/2009-113/000-023">www.wago.com/2009-113/000-023</a>
	<b>Nr. articol: 2009-113/000-024</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; violet	<a href="http://www.wago.com/2009-113/000-024">www.wago.com/2009-113/000-024</a>
	<b>Nr. articol: 793-3501</b> WMB marking card; as card; plain; snap-on type; white	<a href="http://www.wago.com/793-3501">www.wago.com/793-3501</a>
check		
	<b>Nr. articol: 859-500</b> Test pin; 1 mm Ø; with solder connection for test wire	<a href="http://www.wago.com/859-500">www.wago.com/859-500</a>

## Descărcări

### Documentation

#### Additional Information

Technical explanations	Apr 3, 2019	pdf 2,1 MB	Descărcare
------------------------	-------------	---------------	------------

### CAD/CAE-Data

#### CAD data

2D/3D Models 2020-2257	URL	Descărcare
------------------------	-----	------------

#### CAE data


Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Installation Notes


### Coding




Insert coding pin into the corresponding slot and twist it off.



Coding a female plug: remove coding finger using a suitable tool.



Insert coded female connector into X-COM®S-SYSTEM terminal block assembly.




1-conductor female plug


Double-deck carrier terminal blocks can be commoned via 2000 Series Push-In Type Jumper Bars and tested via 859-500 Test Pin.

### Marking

Supus modificărilor.



Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)

## Familie de produse

### X-COM S-Mini

Afișare globală produse din familie.

Supus modificărilor.