



Fișă tehnică | Număr articol: 2022-2247

1-conductor/1-pin double deck receptacle terminal block; Ground conductor /through terminal block; PE/N; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; Push-in CAGE CLAMP®; 2,50 mm²; gray



www.wago.com/2022-2247



RoHS Compliant

[BOMcheck.net](https://www.bomcheck.net)

Culoare: ■

Date

Electrical data

Ratings per IEC/EN 60664-1

| Ratings per | IEC/EN 60947-7-1 |
|-----------------------------|---|
| Nominal voltage (III/3) | 690 V |
| Rated surge voltage (III/3) | 6 kV |
| Rated current | 24 A |
| Rated current 2 | 28 A |
| Legend (ratings) | (III / 3) ≙ Overvoltage category III / Pollution degree 3 |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Connection data

| | |
|--|---|
| Connection technology | Push-in CAGE CLAMP® |
| Actuation type | Open Tool Slot Push-in |
| Connectable conductor materials | Copper |
| Nominal cross-section | 2,5 mm ² |
| Solid conductor | 0,25 ... 4 mm ² / 22 ... 12 AWG |
| Solid conductor; push-in termination | 0,75 ... 4 mm ² / 18 ... 12 AWG |
| Fine-stranded conductor | 0,25 ... 4 mm ² / 22 ... 12 AWG |
| Fine-stranded conductor; with insulated ferrule | 1 ... 2,5 mm ² / 18 ... 12 AWG |
| Fine-stranded conductor; with ferrule; push-in termination | 1 ... 2,5 mm ² / 18 ... 12 AWG |
| Strip length | 10 ... 12 mm / 0.39 ... 0.47 inch |
| Total number of connection points | 2 |
| Total number of potentials | 2 |
| Number of levels | 2 |
| Wiring type | Front-entry wiring |
| Note (conductor cross-section) | Depending on the conductor characteristic, a conductor with a smaller cross-section can also be inserted via push-in termination. |

Geometrical Data

| | |
|------------------------------------|----------------------|
| Width | 5,2 mm / 0.205 inch |
| Height from upper-edge of DIN-rail | 61,4 mm / 2.417 inch |
| Depth | 80,1 mm / 3.154 inch |

Mechanical data

| | |
|-------------------|-----------------|
| Design | horizontal type |
| Mounting type | DIN-35 rail |
| Potential marking | PE/N |
| Marking level | Side marking |

Material Data

| | |
|---------------------|----------------------|
| Color | gray |
| Insulation material | Polyamide 66 (PA 66) |
| Fire load | 0,259 MJ |
| Weight | 15,1 g |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com




Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Commercial data




| | |
|-----------------------|-------------------|
| Product Group | 18 (X-COM-System) |
| Packaging type | BOX |
| Country of origin | DE |
| GTIN | 4045454916596 |
| Customs tariff number | 85369010000 |

Aprobări / certificate

Country specific Approvals

| Emblemă | Aprobare | Text de aprobare suplimentar | Nume certificat |
|--|--|------------------------------|-----------------|
|  | CCA DEKRA Certification B.V. | EN 60947 | NTR NL 7628 |
|  | CSA DEKRA Certification B.V. | C22.2 No. 158 | 2437422 |
|  | KEMA/KEUR DEKRA Certification B.V. | EN 61984 | 71- 101201 |

Ship Approvals

| Emblemă | Aprobare | Text de aprobare suplimentar | Nume certificat |
|---|---|------------------------------|--------------------------|
|  | ABS American Bureau of Shipping | EN 60947 | 20- HG1941090- PDA |
|  | BV Bureau Veritas S.A. | EN 60947 | 38586/A0 BV |
|  | DNV GL Det Norske Veritas, Germanischer Lloyd | - | TAE00001V2 |
| | LR Lloyds Register | EN 60947 | 91/20112 (E9) |


Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.






UL-Approvals

| Emblemă | Aprobare | Text de aprobare suplimentar | Nume certificat |
|--|--------------------------------------|------------------------------|-----------------|
|  | UR Underwriters Laboratories Inc. | UL 1059 | E45172 |

Counterpart

Produse compatibile




Female plug

| | | |
|--|--|--|
|  | Nr. articol: 2022-101 1-conductor female plug; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-101 |
|  | Nr. articol: 2022-101/000-006 1-conductor female plug; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-101/000-006 |
|  | Nr. articol: 2022-101/000-012 1-conductor female plug; 1-pole; 2,50 mm ² ; orange | www.wago.com/2022-101/000-012 |
|  | Nr. articol: 2022-101/000-016 1-conductor female plug; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-101/000-016 |
| | Nr. articol: 2022-101/122-000 1-conductor female plug; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-101/122-000 |











Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com











Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

| | |
|---|--|
| Nr. articol: 2022-101/122-006 1-conductor female plug; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-101/122-006 |
| Nr. articol: 2022-101/122-016 1-conductor female plug; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-101/122-016 |
| Nr. articol: 2022-101/132-000 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-101/132-000 |
| Nr. articol: 2022-101/132-006 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-101/132-006 |
| Nr. articol: 2022-101/132-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-101/132-016 |
| Nr. articol: 2022-101/142-000 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-101/142-000 |
| Nr. articol: 2022-101/142-006 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-101/142-006 |
| Nr. articol: 2022-101/142-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-101/142-016 |
|  Nr. articol: 2022-102 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray | www.wago.com/2022-102 |
|  Nr. articol: 2022-102/000-006 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; blue | www.wago.com/2022-102/000-006 |
|  Nr. articol: 2022-102/000-016 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-102/000-016 |
| Nr. articol: 2022-102/122-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray | www.wago.com/2022-102/122-000 |
| Nr. articol: 2022-102/132-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray | www.wago.com/2022-102/132-000 |












Supus modificărilor.

| | | |
|--|---|--|
| | Nr. articol: 2022-102/142-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray | www.wago.com/2022-102/142-000 |
|  | Nr. articol: 2022-103 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray | www.wago.com/2022-103 |
|  | Nr. articol: 2022-103/000-006 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; blue | www.wago.com/2022-103/000-006 |
|  | Nr. articol: 2022-103/000-016 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-103/000-016 |
|  | Nr. articol: 2022-103/000-036 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray, green-yellow | www.wago.com/2022-103/000-036 |
|  | Nr. articol: 2022-103/000-037 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow, gray | www.wago.com/2022-103/000-037 |
|  | Nr. articol: 2022-103/000-038 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray, blue, green-yellow | www.wago.com/2022-103/000-038 |
|  | Nr. articol: 2022-103/000-039 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow, blue, gray | www.wago.com/2022-103/000-039 |
| | Nr. articol: 2022-103/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray | www.wago.com/2022-103/123-000 |
| | Nr. articol: 2022-103/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray | www.wago.com/2022-103/133-000 |
| | Nr. articol: 2022-103/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray | www.wago.com/2022-103/143-000 |
|  | Nr. articol: 2022-104 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray | www.wago.com/2022-104 |
|  | Nr. articol: 2022-104/000-006 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; blue | www.wago.com/2022-104/000-006 |
|  | Nr. articol: 2022-104/000-016 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-104/000-016 |











Supus modificărilor.

| | | |
|--|---|--|
|  | <p>Nr. articol: 2022-104/000-036 1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; gray, green-yellow</p> | www.wago.com/2022-104/000-036 |
|  | <p>Nr. articol: 2022-104/000-037 1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; green-yellow, gray</p> | www.wago.com/2022-104/000-037 |
|  | <p>Nr. articol: 2022-104/000-038 1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; gray, blue, green-yellow</p> | www.wago.com/2022-104/000-038 |
|  | <p>Nr. articol: 2022-104/000-039 1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; green-yellow, blue, gray</p> | www.wago.com/2022-104/000-039 |
| | <p>Nr. articol: 2022-104/123-000 1-conductor female plug; Locking lever; 2.5 mm²; 4-pole; 2,50 mm²; gray</p> | www.wago.com/2022-104/123-000 |
| | <p>Nr. articol: 2022-104/133-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 4-pole; 2,50 mm²; gray</p> | www.wago.com/2022-104/133-000 |
| | <p>Nr. articol: 2022-104/143-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 4-pole; 2,50 mm²; gray</p> | www.wago.com/2022-104/143-000 |
|  | <p>Nr. articol: 2022-105 1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; gray</p> | www.wago.com/2022-105 |
|  | <p>Nr. articol: 2022-105/000-006 1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; blue</p> | www.wago.com/2022-105/000-006 |
|  | <p>Nr. articol: 2022-105/000-016 1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; green-yellow</p> | www.wago.com/2022-105/000-016 |
|  | <p>Nr. articol: 2022-105/000-036 1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; gray, green-yellow</p> | www.wago.com/2022-105/000-036 |
|  | <p>Nr. articol: 2022-105/000-037 1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; green-yellow, gray</p> | www.wago.com/2022-105/000-037 |
|  | <p>Nr. articol: 2022-105/000-038 1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; gray, blue, green-yellow</p> | www.wago.com/2022-105/000-038 |











Supus modificărilor.

| | | |
|--|---|--|
|  | <p>Nr. articol: 2022-105/000-039 1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; green-yellow, blue, gray</p> | www.wago.com/2022-105/000-039 |
|  | <p>Nr. articol: 2022-105/123-000 1-conductor female plug; Locking lever; 2.5 mm²; 5-pole; 2,50 mm²; gray</p> | www.wago.com/2022-105/123-000 |
|  | <p>Nr. articol: 2022-105/134-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 5-pole; 2,50 mm²; gray</p> | www.wago.com/2022-105/134-000 |
|  | <p>Nr. articol: 2022-105/144-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 5-pole; 2,50 mm²; gray</p> | www.wago.com/2022-105/144-000 |
|  | <p>Nr. articol: 2022-106 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray</p> | www.wago.com/2022-106 |
|  | <p>Nr. articol: 2022-106/000-006 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; blue</p> | www.wago.com/2022-106/000-006 |
|  | <p>Nr. articol: 2022-106/000-016 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow</p> | www.wago.com/2022-106/000-016 |
|  | <p>Nr. articol: 2022-106/000-036 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, green-yellow</p> | www.wago.com/2022-106/000-036 |
|  | <p>Nr. articol: 2022-106/000-037 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, gray</p> | www.wago.com/2022-106/000-037 |
|  | <p>Nr. articol: 2022-106/000-038 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, blue, green-yellow</p> | www.wago.com/2022-106/000-038 |
|  | <p>Nr. articol: 2022-106/000-039 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, blue, gray</p> | www.wago.com/2022-106/000-039 |
| | <p>Nr. articol: 2022-106/123-000 1-conductor female plug; Locking lever; 2.5 mm²; 6-pole; 2,50 mm²; gray</p> | www.wago.com/2022-106/123-000 |
| | <p>Nr. articol: 2022-106/134-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; gray</p> | www.wago.com/2022-106/134-000 |

Supus modificărilor.

| | | |
|--|---|--|
| | Nr. articol: 2022-106/144-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 6-pole; 2,50 mm ² ; gray | www.wago.com/2022-106/144-000 |
|  | Nr. articol: 2022-107 1-conductor female plug; 2.5 mm ² ; 7-pole; 2,50 mm ² ; gray | www.wago.com/2022-107 |
|  | Nr. articol: 2022-107/000-006 1-conductor female plug; 2.5 mm ² ; 7-pole; 2,50 mm ² ; blue | www.wago.com/2022-107/000-006 |
|  | Nr. articol: 2022-107/000-016 1-conductor female plug; 2.5 mm ² ; 7-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-107/000-016 |
|  | Nr. articol: 2022-107/000-036 1-conductor female plug; 2.5 mm ² ; 7-pole; 2,50 mm ² ; gray, green-yellow | www.wago.com/2022-107/000-036 |
|  | Nr. articol: 2022-107/000-037 1-conductor female plug; 2.5 mm ² ; 7-pole; 2,50 mm ² ; green-yellow, gray | www.wago.com/2022-107/000-037 |
|  | Nr. articol: 2022-107/000-038 1-conductor female plug; 2.5 mm ² ; 7-pole; 2,50 mm ² ; gray, blue, green-yellow | www.wago.com/2022-107/000-038 |
|  | Nr. articol: 2022-107/000-039 1-conductor female plug; 2.5 mm ² ; 7-pole; 2,50 mm ² ; green-yellow, blue, gray | www.wago.com/2022-107/000-039 |
| | Nr. articol: 2022-107/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 7-pole; 2,50 mm ² ; gray | www.wago.com/2022-107/123-000 |
| | Nr. articol: 2022-107/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 7-pole; 2,50 mm ² ; gray | www.wago.com/2022-107/135-000 |
| | Nr. articol: 2022-107/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 7-pole; 2,50 mm ² ; gray | www.wago.com/2022-107/145-000 |
|  | Nr. articol: 2022-108 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray | www.wago.com/2022-108 |
|  | Nr. articol: 2022-108/000-006 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; blue | www.wago.com/2022-108/000-006 |
|  | Nr. articol: 2022-108/000-016 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-108/000-016 |

Supus modificărilor.

| | | |
|--|---|--|
|  | <p>Nr. articol: 2022-108/000-036 1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, green-yellow</p> | www.wago.com/2022-108/000-036 |
|  | <p>Nr. articol: 2022-108/000-037 1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, gray</p> | www.wago.com/2022-108/000-037 |
|  | <p>Nr. articol: 2022-108/000-038 1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, blue, green-yellow</p> | www.wago.com/2022-108/000-038 |
|  | <p>Nr. articol: 2022-108/000-039 1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, blue, gray</p> | www.wago.com/2022-108/000-039 |
| | <p>Nr. articol: 2022-108/123-000 1-conductor female plug; Locking lever; 2.5 mm²; 8-pole; 2,50 mm²; gray</p> | www.wago.com/2022-108/123-000 |
| | <p>Nr. articol: 2022-108/135-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 8-pole; 2,50 mm²; gray</p> | www.wago.com/2022-108/135-000 |
| | <p>Nr. articol: 2022-108/145-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 8-pole; 2,50 mm²; gray</p> | www.wago.com/2022-108/145-000 |
|  | <p>Nr. articol: 2022-109 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; gray</p> | www.wago.com/2022-109 |
|  | <p>Nr. articol: 2022-109/000-006 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; blue</p> | www.wago.com/2022-109/000-006 |
|  | <p>Nr. articol: 2022-109/000-016 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; green-yellow</p> | www.wago.com/2022-109/000-016 |
|  | <p>Nr. articol: 2022-109/000-036 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; gray, green-yellow</p> | www.wago.com/2022-109/000-036 |
|  | <p>Nr. articol: 2022-109/000-037 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; green-yellow, gray</p> | www.wago.com/2022-109/000-037 |
|  | <p>Nr. articol: 2022-109/000-038 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; gray, blue, green-yellow</p> | www.wago.com/2022-109/000-038 |

Supus modificărilor.



Nr. articol: 2022-109/000-039

1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-109/000-039

Nr. articol: 2022-109/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 9-pole; 2,50 mm²; gray

www.wago.com/2022-109/123-000

Nr. articol: 2022-109/135-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 9-pole; 2,50 mm²; gray

www.wago.com/2022-109/135-000

Nr. articol: 2022-109/145-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 9-pole; 2,50 mm²; gray

www.wago.com/2022-109/145-000



Nr. articol: 2022-110

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; gray

www.wago.com/2022-110



Nr. articol: 2022-110/000-006

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; blue

www.wago.com/2022-110/000-006



Nr. articol: 2022-110/000-016

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; green-yellow

www.wago.com/2022-110/000-016



Nr. articol: 2022-110/000-036

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-110/000-036



Nr. articol: 2022-110/000-037

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-110/000-037



Nr. articol: 2022-110/000-038

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-110/000-038



Nr. articol: 2022-110/000-039

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-110/000-039

Nr. articol: 2022-110/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 10-pole; 2,50 mm²; gray











www.wago.com/2022-110/123-000

Nr. articol: 2022-110/135-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 10-pole; 2,50 mm²; gray

www.wago.com/2022-110/135-000

Supus modificărilor.

| | | |
|--|--|---|
| | <p>Nr. articol: 2022-110/145-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 10-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-110/145-000</p> |
|  | <p>Nr. articol: 2022-111 1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-111</p> |
|  | <p>Nr. articol: 2022-111/000-006 1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; blue</p> | <p>www.wago.com/2022-111/000-006</p> |
|  | <p>Nr. articol: 2022-111/000-016 1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; green-yellow</p> | <p>www.wago.com/2022-111/000-016</p> |
|  | <p>Nr. articol: 2022-111/000-036 1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; gray, green-yellow</p> | <p>www.wago.com/2022-111/000-036</p> |
|  | <p>Nr. articol: 2022-111/000-037 1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; green-yellow, gray</p> | <p>www.wago.com/2022-111/000-037</p> |
|  | <p>Nr. articol: 2022-111/000-038 1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; gray, blue, green-yellow</p> | <p>www.wago.com/2022-111/000-038</p> |
|  | <p>Nr. articol: 2022-111/000-039 1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; green-yellow, blue, gray</p> | <p>www.wago.com/2022-111/000-039</p> |
| | <p>Nr. articol: 2022-111/126-000 1-conductor female plug; Locking lever; 2.5 mm²; 11-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-111/126-000</p> |
| | <p>Nr. articol: 2022-111/136-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-111/136-000</p> |
| | <p>Nr. articol: 2022-111/146-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-111/146-000</p> |
|  | <p>Nr. articol: 2022-112 1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-112</p> |
|  | <p>Nr. articol: 2022-112/000-006 1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; blue</p> | <p>www.wago.com/2022-112/000-006</p> |
|  | <p>Nr. articol: 2022-112/000-016 1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow</p> | <p>www.wago.com/2022-112/000-016</p> |

Supus modificărilor.



Nr. articol: 2022-112/000-036

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-112/000-036



Nr. articol: 2022-112/000-037

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-112/000-037



Nr. articol: 2022-112/000-038

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-112/000-038



Nr. articol: 2022-112/000-039

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-112/000-039

Nr. articol: 2022-112/126-000

1-conductor female plug; Locking lever; 2.5 mm²; 12-pole; 2,50 mm²; gray

www.wago.com/2022-112/126-000

Nr. articol: 2022-112/136-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 12-pole; 2,50 mm²; gray

www.wago.com/2022-112/136-000

Nr. articol: 2022-112/146-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 12-pole; 2,50 mm²; gray

www.wago.com/2022-112/146-000



Nr. articol: 2022-113

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113



Nr. articol: 2022-113/000-006

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; blue

www.wago.com/2022-113/000-006



Nr. articol: 2022-113/000-016

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; green-yellow

www.wago.com/2022-113/000-016



Nr. articol: 2022-113/000-036

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-113/000-036



Nr. articol: 2022-113/000-037

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-113/000-037



Nr. articol: 2022-113/000-038

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-113/000-038

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Nr. articol: 2022-113/000-039

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-113/000-039

Nr. articol: 2022-113/126-000

1-conductor female plug; Locking lever; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113/126-000

Nr. articol: 2022-113/136-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113/136-000

Nr. articol: 2022-113/146-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113/146-000



Nr. articol: 2022-114

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114



Nr. articol: 2022-114/000-006

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; blue

www.wago.com/2022-114/000-006



Nr. articol: 2022-114/000-016

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow

www.wago.com/2022-114/000-016



Nr. articol: 2022-114/000-036

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-114/000-036



Nr. articol: 2022-114/000-037

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-114/000-037



Nr. articol: 2022-114/000-038

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-114/000-038



Nr. articol: 2022-114/000-039

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-114/000-039

Nr. articol: 2022-114/126-000

1-conductor female plug; Locking lever; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114/126-000

Nr. articol: 2022-114/136-000

















1-conductor female plug; Strain relief plate; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114/136-000
















Supus modificărilor.

Nr. articol: 2022-114/146-0001-conductor female plug; Strain relief plate; 2.5 mm²; 14-pole; 2,50 mm²; graywww.wago.com/2022-114/146-000**Nr. articol: 2022-115**1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; graywww.wago.com/2022-115**Nr. articol: 2022-115/000-006**1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; bluewww.wago.com/2022-115/000-006**Nr. articol: 2022-115/000-016**1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellowwww.wago.com/2022-115/000-016**Nr. articol: 2022-115/000-036**1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray, green-yellowwww.wago.com/2022-115/000-036**Nr. articol: 2022-115/000-037**1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellow, graywww.wago.com/2022-115/000-037**Nr. articol: 2022-115/000-038**1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray, blue, green-yellowwww.wago.com/2022-115/000-038**Nr. articol: 2022-115/000-039**1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellow, blue, graywww.wago.com/2022-115/000-039**Nr. articol: 2022-115/127-000**1-conductor female plug; Locking lever; 2.5 mm²; 15-pole; 2,50 mm²; graywww.wago.com/2022-115/127-000**Nr. articol: 2022-115/137-000**1-conductor female plug; Strain relief plate; 2.5 mm²; 15-pole; 2,50 mm²; graywww.wago.com/2022-115/137-000**Nr. articol: 2022-115/147-000**1-conductor female plug; Strain relief plate; 2.5 mm²; 15-pole; 2,50 mm²; graywww.wago.com/2022-115/147-000**General accessories****Nr. articol: 2022-161**Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; graywww.wago.com/2022-161**Nr. articol: 2022-162**Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; orangewww.wago.com/2022-162**Nr. articol: 2022-164**Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; graywww.wago.com/2022-164

Supus modificărilor.

| | | |
|--|---|--|
|  | mm ² ; blue | |
|  | Nr. articol: 2022-167 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-167 |
|  | Nr. articol: 2022-171 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-171 |
|  | Nr. articol: 2022-172 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange | www.wago.com/2022-172 |
|  | Nr. articol: 2022-174 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-174 |
|  | Nr. articol: 2022-177 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-177 |
|  | Nr. articol: 2022-181 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-181 |
|  | Nr. articol: 2022-182 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange | www.wago.com/2022-182 |
|  | Nr. articol: 2022-184 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-184 |
|  | Nr. articol: 2022-187 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-187 |
| End plate | | |
|  | Nr. articol: 2022-2291 End and intermediate plate; 1 mm thick; gray | www.wago.com/2022-2291 |
|  | Nr. articol: 2022-2292 End and intermediate plate; 1 mm thick; orange | www.wago.com/2022-2292 |
| Coding | | |
|  | Nr. articol: 2022-100 Carrier with 6 coding pins; for coding of female plugs; orange | www.wago.com/2022-100 |
| Insulation stop | | |
|  | Nr. articol: 2002-171 Insulation stop; 0.25 - 0.5 mm ² ; 5 pieces/strip; light gray | www.wago.com/2002-171 |
|  | Nr. articol: 2002-172 Insulation stop; 0.75 - 1 mm ² ; 5 pieces/strip; dark gray | www.wago.com/2002-172 |
| Jumper | | |
|  | Nr. articol: 2002-400 Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A; light gray | www.wago.com/2002-400 |
| | Nr. articol: 2002-402 | |















Supus modificărilor.

| | | |
|--|---|--|
|  | Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; light gray | www.wago.com/2002-402 |
|  | Nr. articol: 2002-402/000-005 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; red | www.wago.com/2002-402/000-005 |
|  | Nr. articol: 2002-402/000-006 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; blue | www.wago.com/2002-402/000-006 |
|  | Nr. articol: 2002-403 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; light gray | www.wago.com/2002-403 |
|  | Nr. articol: 2002-403/000-005 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; red | www.wago.com/2002-403/000-005 |
|  | Nr. articol: 2002-403/000-006 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; blue | www.wago.com/2002-403/000-006 |
|  | Nr. articol: 2002-404 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; light gray | www.wago.com/2002-404 |
|  | Nr. articol: 2002-404/000-005 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; red | www.wago.com/2002-404/000-005 |
|  | Nr. articol: 2002-404/000-006 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; blue | www.wago.com/2002-404/000-006 |
|  | Nr. articol: 2002-405 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; light gray | www.wago.com/2002-405 |
|  | Nr. articol: 2002-405/000-005 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; red | www.wago.com/2002-405/000-005 |
|  | Nr. articol: 2002-405/000-006 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; blue | www.wago.com/2002-405/000-006 |
|  | Nr. articol: 2002-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray | www.wago.com/2002-405/011-000 |
|  | Nr. articol: 2002-406 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; light gray | www.wago.com/2002-406 |
|  | Nr. articol: 2002-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; red | www.wago.com/2002-406/000-005 |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
 /Representative Office Romania
 Sos. Pipera-Tunari nr. 1/1
 building 1, 2nd floor | 077190 Voluntari, Ilfov
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com
















Aveți întrebări despre produsele noastre?
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

| | | |
|--|--|--|
|  | Nr. articol: 2002-406/000-006 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; blue | www.wago.com/2002-406/000-006 |
|  | Nr. articol: 2002-406/020-000 Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray | www.wago.com/2002-406/020-000 |
|  | Nr. articol: 2002-407 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; light gray | www.wago.com/2002-407 |
|  | Nr. articol: 2002-407/000-005 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; red | www.wago.com/2002-407/000-005 |
|  | Nr. articol: 2002-407/000-006 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; blue | www.wago.com/2002-407/000-006 |
|  | Nr. articol: 2002-408 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; light gray | www.wago.com/2002-408 |
|  | Nr. articol: 2002-408/000-005 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; red | www.wago.com/2002-408/000-005 |
|  | Nr. articol: 2002-408/000-006 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; blue | www.wago.com/2002-408/000-006 |
|  | Nr. articol: 2002-409 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; light gray | www.wago.com/2002-409 |
|  | Nr. articol: 2002-409/000-005 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; red | www.wago.com/2002-409/000-005 |
|  | Nr. articol: 2002-409/000-006 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; blue | www.wago.com/2002-409/000-006 |
|  | Nr. articol: 2002-410 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; light gray | www.wago.com/2002-410 |
|  | Nr. articol: 2002-410/000-005 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; red | www.wago.com/2002-410/000-005 |
|  | Nr. articol: 2002-410/000-006 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; blue | www.wago.com/2002-410/000-006 |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com













Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

| | | |
|--|--|--|
|  | Nr. articol: 2002-423 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; light gray | www.wago.com/2002-423 |
|  | Nr. articol: 2002-423/000-005 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; red | www.wago.com/2002-423/000-005 |
|  | Nr. articol: 2002-423/000-006 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; blue | www.wago.com/2002-423/000-006 |
|  | Nr. articol: 2002-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A; light gray | www.wago.com/2002-433 |
|  | Nr. articol: 2002-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A; light gray | www.wago.com/2002-434 |
|  | Nr. articol: 2002-435 Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A; light gray | www.wago.com/2002-435 |
|  | Nr. articol: 2002-436 Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A; light gray | www.wago.com/2002-436 |
|  | Nr. articol: 2002-437 Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A; light gray | www.wago.com/2002-437 |
|  | Nr. articol: 2002-438 Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A; light gray | www.wago.com/2002-438 |
|  | Nr. articol: 2002-439 Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A; light gray | www.wago.com/2002-439 |
|  | Nr. articol: 2002-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A; light gray | www.wago.com/2002-440 |
|  | Nr. articol: 2002-472 Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-472 |
|  | Nr. articol: 2002-473 Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-473 |
| | Nr. articol: 2002-473/011-000 Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray | www.wago.com/2002-473/011-000 |
|  | Nr. articol: 2002-474 Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-474 |
|  | Nr. articol: 2002-475 Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-475 |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

| | | |
|--|--|--|
| | Nr. articol: 2002-475/011-000 Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray | www.wago.com/2002-475/011-000 |
|  | Nr. articol: 2002-476 Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-476 |
|  | Nr. articol: 2002-477 Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-477 |
|  | Nr. articol: 2002-477/011-000 Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray | www.wago.com/2002-477/011-000 |
|  | Nr. articol: 2002-478 Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-478 |
|  | Nr. articol: 2002-479 Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-479 |
| | Nr. articol: 2002-479/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray | www.wago.com/2002-479/011-000 |
|  | Nr. articol: 2002-480 Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-480 |
|  | Nr. articol: 2002-481 Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-481 |
| | Nr. articol: 2002-481/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray | www.wago.com/2002-481/011-000 |
|  | Nr. articol: 2002-482 Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-482 |
|  | Nr. articol: 2002-492 Double-deck vertical jumper; insulated; light gray | www.wago.com/2002-492 |
|  | Nr. articol: 2002-492/000-012 Double-deck vertical jumper; insulated; orange | www.wago.com/2002-492/000-012 |
|  | Nr. articol: 210-103 Wire commoning chain; insulated; 50 connections; black | www.wago.com/210-103 |
|  | Nr. articol: 210-123 Wire commoning chain; insulated; 50 connections | www.wago.com/210-123 |

Push-In type wire jumper

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

**Nr. articol: 2009-412**

Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

www.wago.com/2009-412**Nr. articol: 2009-414**

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

www.wago.com/2009-414**Nr. articol: 2009-416**

Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

www.wago.com/2009-416**ferrule****Nr. articol: 216-241**

Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white

www.wago.com/216-241**Nr. articol: 216-242**

Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray

www.wago.com/216-242**Nr. articol: 216-243**

Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red

www.wago.com/216-243**Nr. articol: 216-244**

Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black

www.wago.com/216-244**Nr. articol: 216-246**

Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

www.wago.com/216-246**Nr. articol: 216-262**

Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray

www.wago.com/216-262**Nr. articol: 216-263**

Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red

www.wago.com/216-263**Nr. articol: 216-264**

Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black

www.wago.com/216-264**Nr. articol: 216-266**

Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

www.wago.com/216-266**Nr. articol: 216-284**

Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black

www.wago.com/216-284**Nr. articol: 216-286**

Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

www.wago.com/216-286**tools****Nr. articol: 210-720**

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft















www.wago.com/210-720

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.















Marking accessories

| | | |
|--|--|---|
|  | Nr. articol: 2009-110 Marking strips; on reel; not stretchable; plain; snap-on type; white | www.wago.com/2009-110 |
|  | Nr. articol: 2009-115 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-115 |
|  | Nr. articol: 2009-115/000-002 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow | www.wago.com/2009-115 /000-002 |
|  | Nr. articol: 2009-115/000-006 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue | www.wago.com/2009-115 /000-006 |
|  | Nr. articol: 2009-115/000-007 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray | www.wago.com/2009-115 /000-007 |
|  | Nr. articol: 2009-115/000-012 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange | www.wago.com/2009-115 /000-012 |
|  | Nr. articol: 2009-115/000-017 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green | www.wago.com/2009-115 /000-017 |
|  | Nr. articol: 2009-115/000-023 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green | www.wago.com/2009-115 /000-023 |
|  | Nr. articol: 2009-115/000-024 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet | www.wago.com/2009-115 /000-024 |
|  | Nr. articol: 2009-145 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-145 |
|  | Nr. articol: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow | www.wago.com/2009-145 /000-002 |
|  | Nr. articol: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red | www.wago.com/2009-145 /000-005 |
|  | Nr. articol: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue | www.wago.com/2009-145 /000-006 |
|  | Nr. articol: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; | www.wago.com/2009-145 /000-007 |














Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

| | | |
|--|--|--|
| | gray | |
|  | Nr. articol: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange | www.wago.com/2009-145/000-012 |
|  | Nr. articol: 2009-145/000-023 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green | www.wago.com/2009-145/000-023 |
|  | Nr. articol: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet | www.wago.com/2009-145/000-024 |
|  | Nr. articol: 2009-198 Adaptor | www.wago.com/2009-198 |
|  | Nr. articol: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card | www.wago.com/248-501 |
|  | Nr. articol: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow | www.wago.com/248-501/000-002 |
|  | Nr. articol: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red | www.wago.com/248-501/000-005 |
|  | Nr. articol: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue | www.wago.com/248-501/000-006 |
|  | Nr. articol: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray | www.wago.com/248-501/000-007 |
|  | Nr. articol: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange | www.wago.com/248-501/000-012 |
|  | Nr. articol: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green | www.wago.com/248-501/000-017 |
|  | Nr. articol: 248-501/000-023 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green | www.wago.com/248-501/000-023 |
|  | Nr. articol: 248-501/000-024 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet | www.wago.com/248-501/000-024 |
|  | Nr. articol: 793-501 WMB marking card; as card; not stretchable; plain; snap-on type; white | www.wago.com/793-501 |

Supus modificărilor.

| | | |
|--|--|--|
|  | Nr. articol: 793-501/000-002 WMB marking card; as card; not stretchable; plain; snap-on type; yellow | www.wago.com/793-501/000-002 |
|  | Nr. articol: 793-501/000-005 WMB marking card; as card; not stretchable; plain; snap-on type; red | www.wago.com/793-501/000-005 |
|  | Nr. articol: 793-501/000-006 WMB marking card; as card; not stretchable; plain; snap-on type; blue | www.wago.com/793-501/000-006 |
|  | Nr. articol: 793-501/000-007 WMB marking card; as card; not stretchable; plain; snap-on type; gray | www.wago.com/793-501/000-007 |
|  | Nr. articol: 793-501/000-012 WMB marking card; as card; not stretchable; plain; snap-on type; orange | www.wago.com/793-501/000-012 |
|  | Nr. articol: 793-501/000-017 WMB marking card; as card; not stretchable; plain; snap-on type; light green | www.wago.com/793-501/000-017 |
|  | Nr. articol: 793-501/000-023 WMB marking card; as card; not stretchable; plain; snap-on type; green | www.wago.com/793-501/000-023 |
|  | Nr. articol: 793-501/000-024 WMB marking card; as card; not stretchable; plain; snap-on type; violet | www.wago.com/793-501/000-024 |
|  | Nr. articol: 793-5501 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/793-5501 |
|  | Nr. articol: 793-5501/000-002 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow | www.wago.com/793-5501/000-002 |
|  | Nr. articol: 793-5501/000-005 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red | www.wago.com/793-5501/000-005 |
|  | Nr. articol: 793-5501/000-006 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue | www.wago.com/793-5501/000-006 |
|  | Nr. articol: 793-5501/000-007 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray | www.wago.com/793-5501/000-007 |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

**Nr. articol: 793-5501/000-012**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange

www.wago.com/793-5501/000-012**Nr. articol: 793-5501/000-017**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green

www.wago.com/793-5501/000-017**Nr. articol: 793-5501/000-023**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green

www.wago.com/793-5501/000-023**Nr. articol: 793-5501/000-024**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet

www.wago.com/793-5501/000-024**Protective Warning Marker****Nr. articol: 2002-115**

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

www.wago.com/2002-115**Carrier rail****Nr. articol: 210-112**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

www.wago.com/210-112**Nr. articol: 210-113**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-113**Nr. articol: 210-114**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

www.wago.com/210-114**Nr. articol: 210-115**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

www.wago.com/210-115**Nr. articol: 210-118**

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-118**Nr. articol: 210-196**

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored

www.wago.com/210-196**Nr. articol: 210-197**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

www.wago.com/210-197**Nr. articol: 210-198**

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored

www.wago.com/210-198**Nr. articol: 210-504**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715

www.wago.com/210-504**Nr. articol: 210-505**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715

www.wago.com/210-505

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Nr. articol: 210-506

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715

www.wago.com/210-506



Nr. articol: 210-508

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715

www.wago.com/210-508

Descărcări

Documentation

Additional Information

Technical explanations

Apr 3, 2019

pdf
2,1 MB

Descărcare

CAD/CAE-Data

CAD data

2D/3D Models 2022-2247

URL

Descărcare

CAE data

EPLAN Data Portal 2022-2247

URL

Descărcare


WSCAD Universe 2022-2247

URL

Descărcare

Installation Notes


Coding



Insert coding pin into the corresponding slot and twist it off.



Coding a female plug: remove coding finger using a suitable tool.




Insert coded female connector into X-COM®S-SYSTEM terminal block assembly.

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com


Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.




1-conductor female plug

Double-deck carrier terminal blocks can be commoned via 2002 Series Push-In Type Jumper Bars and tested via 859-500 Test Pin.

Marking



Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)

Familie de produse

X-COM S

Afișare globală produse din familie.

Supus modificărilor.