

BOMcheck.net

## Date

### Electrical data

#### Ratings per IEC/EN 60664-1

Rated voltage (III/2)	400 V
Rated surge voltage (III/2)	4 kV
Rated current	18 A
Legend (ratings)	(III / 2) ≙ Overvoltage category III / Pollution degree 2

#### Approvals per UL 1059

Approvals per	UL 1059
---------------	---------

### Connection data

Connection technology	PUSH WIRE®
Strip length	8 ... 9 mm / 0.31 ... 0.35 inch

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Total number of connection points	16
Number of connection types	1

### Geometrical Data

Width	38,5 mm / 1.516 inch
Height	19 mm / 0.748 inch
Depth	24,5 mm / 0.965 inch

### Material Data


Fire load	0,219 MJ
Weight	13,5 g

### Commercial data

Packaging type	BOX
GTIN	4017332066457

### Aprobări / certificate



#### Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	CSA DEKRA Certification B.V.	C22.2 No. 158	70048844

### Counterpart

### Produse compatibile

#### assembling

	<b>Nr. articol: 271-702</b> Pins; for plate thickness 1 mm	<a href="http://www.wago.com/271-702">www.wago.com/271-702</a>
	<b>Nr. articol: 271-711</b> Pins; for plate thickness 1 mm	<a href="http://www.wago.com/271-711">www.wago.com/271-711</a>
	<b>Nr. articol: 271-712</b> Pins; for plate thickness 1.5 mm	<a href="http://www.wago.com/271-712">www.wago.com/271-712</a>

Supus modificărilor.



## ferrule



**Nr. articol: 209-151**

Pin terminals; insulated; suitable for 271 and 272 Series; green

[www.wago.com/209-151](http://www.wago.com/209-151)



**Nr. articol: 209-157**

Pin terminals; insulated; suitable for 271 and 272 Series; blue

[www.wago.com/209-157](http://www.wago.com/209-157)



**Nr. articol: 209-164**

Pin terminals; insulated; suitable for 271 and 272 Series; natural

[www.wago.com/209-164](http://www.wago.com/209-164)

## Descărcări

### Documentation

#### Additional Information

Technical explanations

Apr 3, 2019

pdf  
3,6 MB

Descărcare

## Installation Notes

Supus modificărilor.