

Date

Electrical data

Ratings per IEC/EN 60664-1

| | |
|-----------------------------|---|
| Rated voltage (III/2) | 400 V |
| Rated surge voltage (III/2) | 4 kV |
| Rated current | 18 A |
| Legend (ratings) | (III / 2) ≙ Overvoltage category III / Pollution degree 2 |

Approvals per UL 1059

| | |
|---------------|---------|
| Approvals per | UL 1059 |
|---------------|---------|

Connection data

| | |
|-----------------------|---------------------------------|
| Connection technology | PUSH WIRE® |
| Strip length | 8 ... 9 mm / 0.31 ... 0.35 inch |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

| | |
|-----------------------------------|----|
| Pole No. | 3 |
| Total number of connection points | 12 |
| Total number of potentials | 3 |
| Number of connection types | 1 |

Geometrical Data

| | |
|--------|----------------------|
| Width | 28,5 mm / 1.122 inch |
| Height | 19,5 mm / 0.767 inch |
| Depth | 24,5 mm / 0.965 inch |

Material Data


| | |
|-----------|----------|
| Fire load | 0,162 MJ |
| Weight | 10,5 g |

Commercial data

| | |
|----------------|--------------------------------|
| Product Group | 8 (Misc. Chassis Mount Blocks) |
| Packaging type | bag |
| GTIN | 4044918429832 |

Aprobări / certificate


Country specific Approvals

| Emblemă | Aprobare | Text de aprobare suplimentar | Nume certificat |
|--|---------------------------------|------------------------------|-----------------|
|  | CSA DEKRA Certification B.V. | C22.2 No. 158 | 70048844 |

Counterpart

Produse compatibile

tools

| | | |
|--|---|--|
|  | Nr. articol: 249-100 Operating tool; for terminal blocks with snap-in ground contact | www.wago.com/249-100 |
|--|---|--|

Supus modificărilor.



Nr. articol: 271-120

Push-button; for retrofitting; loose

www.wago.com/271-120

Descărcări

Documentation

Additional Information

Technical explanations

Apr 3, 2019

pdf
3,6 MB

Descărcare

Installation Notes

Supus modificărilor.