



Fișă tehnică | Număr articol: 2022-1301

2-conductor/1-pin carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5;
2.5 mm²; Push-in CAGE CLAMP®; 2,50 mm²; gray



www.wago.com/2022-1301



RoHS Compliant

BOMcheck.net

Culoare: ■

Date

Electrical data

Ratings per IEC/EN 60664-1

Ratings per	IEC/EN 60947-7-1
Nominal voltage (III/3)	690 V
Rated surge voltage (III/3)	6 kV
Rated current	24 A
Rated current 2	32 A
Legend (ratings)	(III / 3) ≙ Overvoltage category III / Pollution degree 3

Connection data

Connection technology	Push-in CAGE CLAMP®
Number of connection points (connection type)	2

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross-section	2.5 mm ²
Solid conductor	0.25 ... 4 mm ² / 22 ... 12 AWG
Solid conductor; push-in termination	0.75 ... 4 mm ² / 18 ... 12 AWG
Fine-stranded conductor	0.25 ... 4 mm ² / 22 ... 12 AWG
Fine-stranded conductor; with insulated ferrule	1 ... 2.5 mm ² / 18 ... 12 AWG
Fine-stranded conductor; with ferrule; push-in termination	1 ... 2.5 mm ² / 18 ... 12 AWG
Strip length	10 ... 12 mm / 0.39 ... 0.47 inch
Number of connection points	1
Total number of connection points	2
Total number of potentials	1
Number of levels	1
Wiring type	Front-entry wiring
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.

Geometrical Data

Width	5.2 mm / 0.205 inch
Height from upper-edge of DIN-rail	32.5 mm / 1.28 inch
Depth	59.2 mm / 2.331 inch

Mechanical data

Design	horizontal
Mounting type	DIN-35 rail
Marking level	Center/side marking

Material Data

Color	gray
Insulation material	Polyamide 66 (PA 66)
Fire load	0,136 MJ
Weight	6,3 g

Commercial data

Product Group	18 (X-COM-System)
Packaging type	BOX

Supus modificărilor.



WAGO Kontakttechnik GmbH & Co. KG
 /Representative Office Romania
 Sos. Pipera-Tunari nr. 1/1
 building 1, 2nd floor | 077190 Voluntari, Ilfov
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.





Country of origin	CN
GTIN	4050821145127
Customs tariff number	85366990990

Aprobări / certificate

Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7628
	CSA DEKRA Certification B.V.	C22.2 No. 158	2437422

Ship Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	ABS American Bureau of Shipping	EN 60947	20- HG1941090- PDA
	BV Bureau Veritas S.A.	EN 60947	38586/A0 BV
	DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
	LR Lloyds Register	EN 60947	91/20112 (E9)

UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	UR Underwriters Laboratories Inc.	UL 1059	E45172

Supus modificărilor.



Counterpart

Produse compatibile

Protective Warning Marker



Nr. articol: 2002-115

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

www.wago.com/2002-115

tools



Nr. articol: 210-720

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft

www.wago.com/210-720

Carrier rail



Nr. articol: 210-112

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

www.wago.com/210-112

Nr. articol: 210-113

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-113

Nr. articol: 210-114

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

www.wago.com/210-114

Nr. articol: 210-115

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

www.wago.com/210-115

Nr. articol: 210-118

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-118

Nr. articol: 210-196

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-

www.wago.com/210-196

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG

/Representative Office Romania

Sos. Pipera-Tunari nr. 1/1

building 1, 2nd floor | 077190 Voluntari, Ilfov

Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?

Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



colored

**Nr. articol: 210-197**










Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

www.wago.com/210-197**Nr. articol: 210-198**












Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored

www.wago.com/210-198**Female plug****Nr. articol: 2022-101**1-conductor female plug; 2.5 mm²; 1-pole; 2,50 mm²; graywww.wago.com/2022-101**Nr. articol: 2022-101/000-006**1-conductor female plug; 1-pole; 2,50 mm²; bluewww.wago.com/2022-101/000-006**Nr. articol: 2022-101/000-012**1-conductor female plug; 1-pole; 2,50 mm²; orangewww.wago.com/2022-101/000-012**Nr. articol: 2022-101/000-016**1-conductor female plug; 1-pole; 2,50 mm²; green-yellowwww.wago.com/2022-101/000-016**Nr. articol: 2022-101/122-000**1-conductor female plug; 1-pole; 2,50 mm²; graywww.wago.com/2022-101/122-000**Nr. articol: 2022-101/122-006**1-conductor female plug; 1-pole; 2,50 mm²; bluewww.wago.com/2022-101/122-006**Nr. articol: 2022-101/122-016**1-conductor female plug; 1-pole; 2,50 mm²; green-yellowwww.wago.com/2022-101/122-016**Nr. articol: 2022-101/132-000**1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; graywww.wago.com/2022-101/132-000**Nr. articol: 2022-101/132-006**1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; bluewww.wago.com/2022-101/132-006**Nr. articol: 2022-101/132-016**1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; green-yellowwww.wago.com/2022-101/132-016**Nr. articol: 2022-101/142-000**1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; graywww.wago.com/2022-101/142-000











Supus modificărilor.

	Nr. articol: 2022-101/142-006 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-101/142-006
	Nr. articol: 2022-101/142-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-101/142-016
	Nr. articol: 2022-102 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102
	Nr. articol: 2022-102/000-006 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; blue	www.wago.com/2022-102/000-006
	Nr. articol: 2022-102/000-012 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; orange	www.wago.com/2022-102/000-012
	Nr. articol: 2022-102/000-016 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-102/000-016
	Nr. articol: 2022-102/122-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102/122-000
	Nr. articol: 2022-102/132-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102/132-000
	Nr. articol: 2022-102/142-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102/142-000
	Nr. articol: 2022-103 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103
	Nr. articol: 2022-103/000-006 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; blue	www.wago.com/2022-103/000-006
	Nr. articol: 2022-103/000-012 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; orange	www.wago.com/2022-103/000-012
	Nr. articol: 2022-103/000-016 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-103/000-016
	Nr. articol: 2022-103/000-036 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-103/000-036

Supus modificărilor.

	Nr. articol: 2022-103/000-037 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-103/000-037
	Nr. articol: 2022-103/000-038 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-103/000-038
	Nr. articol: 2022-103/000-039 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-103/000-039
	Nr. articol: 2022-103/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103/123-000
	Nr. articol: 2022-103/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103/133-000
	Nr. articol: 2022-103/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103/143-000
	Nr. articol: 2022-104 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104
	Nr. articol: 2022-104/000-006 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; blue	www.wago.com/2022-104/000-006
	Nr. articol: 2022-104/000-012 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; orange	www.wago.com/2022-104/000-012
	Nr. articol: 2022-104/000-016 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-104/000-016
	Nr. articol: 2022-104/000-036 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-104/000-036
	Nr. articol: 2022-104/000-037 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-104/000-037
	Nr. articol: 2022-104/000-038 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-104/000-038
	Nr. articol: 2022-104/000-039 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-104/000-039

Supus modificărilor.

	Nr. articol: 2022-104/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104/123-000
	Nr. articol: 2022-104/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104/133-000
	Nr. articol: 2022-104/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104/143-000
	Nr. articol: 2022-105 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	www.wago.com/2022-105
	Nr. articol: 2022-105/000-006 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; blue	www.wago.com/2022-105/000-006
	Nr. articol: 2022-105/000-012 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; orange	www.wago.com/2022-105/000-012
	Nr. articol: 2022-105/000-016 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-105/000-016
	Nr. articol: 2022-105/000-036 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-105/000-036
	Nr. articol: 2022-105/000-037 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-105/000-037
	Nr. articol: 2022-105/000-038 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-105/000-038
	Nr. articol: 2022-105/000-039 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-105/000-039
	Nr. articol: 2022-105/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	www.wago.com/2022-105/123-000
	Nr. articol: 2022-105/134-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	www.wago.com/2022-105/134-000

Supus modificărilor.

**Nr. articol:** 2022-105/144-0001-conductor female plug; Strain relief plate; 2.5 mm²; 5-pole; 2,50 mm²; graywww.wago.com/2022-105/144-000**Nr. articol:** 2022-1061-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; graywww.wago.com/2022-106**Nr. articol:** 2022-106/000-0061-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; bluewww.wago.com/2022-106/000-006**Nr. articol:** 2022-106/000-0121-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; orangewww.wago.com/2022-106/000-012**Nr. articol:** 2022-106/000-0161-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellowwww.wago.com/2022-106/000-016**Nr. articol:** 2022-106/000-0361-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, green-yellowwww.wago.com/2022-106/000-036**Nr. articol:** 2022-106/000-0371-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, graywww.wago.com/2022-106/000-037**Nr. articol:** 2022-106/000-0381-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, blue, green-yellowwww.wago.com/2022-106/000-038**Nr. articol:** 2022-106/000-0391-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, blue, graywww.wago.com/2022-106/000-039**Nr. articol:** 2022-106/123-0001-conductor female plug; Locking lever; 2.5 mm²; 6-pole; 2,50 mm²; graywww.wago.com/2022-106/123-000**Nr. articol:** 2022-106/134-0001-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; graywww.wago.com/2022-106/134-000**Nr. articol:** 2022-106/144-0001-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; graywww.wago.com/2022-106/144-000**Nr. articol:** 2022-1071-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; graywww.wago.com/2022-107**Nr. articol:** 2022-107/000-0061-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; bluewww.wago.com/2022-107/000-006

Supus modificărilor.

**Nr. articol:** 2022-107/000-0121-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; orangewww.wago.com/2022-107/000-012**Nr. articol:** 2022-107/000-0161-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellowwww.wago.com/2022-107/000-016**Nr. articol:** 2022-107/000-0361-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, green-yellowwww.wago.com/2022-107/000-036**Nr. articol:** 2022-107/000-0371-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, graywww.wago.com/2022-107/000-037**Nr. articol:** 2022-107/000-0381-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, blue, green-yellowwww.wago.com/2022-107/000-038**Nr. articol:** 2022-107/000-0391-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, blue, graywww.wago.com/2022-107/000-039**Nr. articol:** 2022-107/123-0001-conductor female plug; Locking lever; 2.5 mm²; 7-pole; 2,50 mm²; graywww.wago.com/2022-107/123-000**Nr. articol:** 2022-107/135-0001-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; graywww.wago.com/2022-107/135-000**Nr. articol:** 2022-107/145-0001-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; graywww.wago.com/2022-107/145-000**Nr. articol:** 2022-1081-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; graywww.wago.com/2022-108**Nr. articol:** 2022-108/000-0061-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; bluewww.wago.com/2022-108/000-006**Nr. articol:** 2022-108/000-0121-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; orangewww.wago.com/2022-108/000-012**Nr. articol:** 2022-108/000-0161-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellowwww.wago.com/2022-108/000-016

Supus modificărilor.



Nr. articol: 2022-108/000-036

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-108/000-036



Nr. articol: 2022-108/000-037

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-108/000-037



Nr. articol: 2022-108/000-038

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-108/000-038



Nr. articol: 2022-108/000-039

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-108/000-039

Nr. articol: 2022-108/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 8-pole; 2,50 mm²; gray

www.wago.com/2022-108/123-000

Nr. articol: 2022-108/135-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 8-pole; 2,50 mm²; gray

www.wago.com/2022-108/135-000

Nr. articol: 2022-108/145-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 8-pole; 2,50 mm²; gray

www.wago.com/2022-108/145-000



Nr. articol: 2022-109

1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; gray

www.wago.com/2022-109



Nr. articol: 2022-109/000-006

1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; blue

www.wago.com/2022-109/000-006



Nr. articol: 2022-109/000-012

1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; orange

www.wago.com/2022-109/000-012



Nr. articol: 2022-109/000-016

1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; green-yellow

www.wago.com/2022-109/000-016



Nr. articol: 2022-109/000-036

1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-109/000-036



Nr. articol: 2022-109/000-037

1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-109/000-037

Supus modificărilor.



Nr. articol: 2022-109/000-038

1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-109/000-038



Nr. articol: 2022-109/000-039

1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-109/000-039

Nr. articol: 2022-109/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 9-pole; 2,50 mm²; gray

www.wago.com/2022-109/123-000

Nr. articol: 2022-109/135-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 9-pole; 2,50 mm²; gray

www.wago.com/2022-109/135-000

Nr. articol: 2022-109/145-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 9-pole; 2,50 mm²; gray

www.wago.com/2022-109/145-000



Nr. articol: 2022-110

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; gray

www.wago.com/2022-110



Nr. articol: 2022-110/000-006

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; blue

www.wago.com/2022-110/000-006



Nr. articol: 2022-110/000-012

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; orange

www.wago.com/2022-110/000-012



Nr. articol: 2022-110/000-016

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; green-yellow

www.wago.com/2022-110/000-016



Nr. articol: 2022-110/000-036

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-110/000-036



Nr. articol: 2022-110/000-037

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-110/000-037



Nr. articol: 2022-110/000-038

1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-110/000-038











Nr. articol: 2022-110/000-039











1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-110/000-039

Supus modificărilor.

	Nr. articol: 2022-110/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110/123-000
	Nr. articol: 2022-110/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110/135-000
	Nr. articol: 2022-110/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110/145-000
	Nr. articol: 2022-111 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray	www.wago.com/2022-111
	Nr. articol: 2022-111/000-006 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; blue	www.wago.com/2022-111/000-006
	Nr. articol: 2022-111/000-012 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; orange	www.wago.com/2022-111/000-012
	Nr. articol: 2022-111/000-016 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-111/000-016
	Nr. articol: 2022-111/000-036 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-111/000-036
	Nr. articol: 2022-111/000-037 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-111/000-037
	Nr. articol: 2022-111/000-038 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-111/000-038
	Nr. articol: 2022-111/000-039 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-111/000-039
	Nr. articol: 2022-111/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray	www.wago.com/2022-111/126-000
	Nr. articol: 2022-111/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray	www.wago.com/2022-111/136-000

Supus modificărilor.

	Nr. articol: 2022-111/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray	www.wago.com/2022-111/146-000
	Nr. articol: 2022-112 1-conductor female plug; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray	www.wago.com/2022-112
	Nr. articol: 2022-112/000-006 1-conductor female plug; 2.5 mm ² ; 12-pole; 2,50 mm ² ; blue	www.wago.com/2022-112/000-006
	Nr. articol: 2022-112/000-012 1-conductor female plug; 2.5 mm ² ; 12-pole; 2,50 mm ² ; orange	www.wago.com/2022-112/000-012
	Nr. articol: 2022-112/000-016 1-conductor female plug; 2.5 mm ² ; 12-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-112/000-016
	Nr. articol: 2022-112/000-036 1-conductor female plug; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-112/000-036
	Nr. articol: 2022-112/000-037 1-conductor female plug; 2.5 mm ² ; 12-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-112/000-037
	Nr. articol: 2022-112/000-038 1-conductor female plug; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-112/000-038
	Nr. articol: 2022-112/000-039 1-conductor female plug; 2.5 mm ² ; 12-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-112/000-039
	Nr. articol: 2022-112/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray	www.wago.com/2022-112/126-000
	Nr. articol: 2022-112/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray	www.wago.com/2022-112/136-000
	Nr. articol: 2022-112/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray	www.wago.com/2022-112/146-000
	Nr. articol: 2022-113 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray	www.wago.com/2022-113
	Nr. articol: 2022-113/000-006 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; blue	www.wago.com/2022-113/000-006

Supus modificărilor.



Nr. articol: 2022-113/000-012
1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; orange

www.wago.com/2022-113/000-012



Nr. articol: 2022-113/000-016
1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; green-yellow

www.wago.com/2022-113/000-016



Nr. articol: 2022-113/000-036
1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-113/000-036



Nr. articol: 2022-113/000-037
1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-113/000-037



Nr. articol: 2022-113/000-038
1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-113/000-038



Nr. articol: 2022-113/000-039
1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-113/000-039

Nr. articol: 2022-113/126-000
1-conductor female plug; Locking lever; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113/126-000

Nr. articol: 2022-113/136-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113/136-000

Nr. articol: 2022-113/146-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113/146-000



Nr. articol: 2022-114
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114



Nr. articol: 2022-114/000-006
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; blue

www.wago.com/2022-114/000-006



Nr. articol: 2022-114/000-012
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; orange

www.wago.com/2022-114/000-012



Nr. articol: 2022-114/000-016
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow

www.wago.com/2022-114/000-016

Supus modificărilor.



Nr. articol: 2022-114/000-036

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-114/000-036



Nr. articol: 2022-114/000-037

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-114/000-037



Nr. articol: 2022-114/000-038

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-114/000-038



Nr. articol: 2022-114/000-039

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-114/000-039

Nr. articol: 2022-114/126-000

1-conductor female plug; Locking lever; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114/126-000

Nr. articol: 2022-114/136-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114/136-000

Nr. articol: 2022-114/146-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114/146-000



Nr. articol: 2022-115

1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray

www.wago.com/2022-115



Nr. articol: 2022-115/000-006

1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; blue

www.wago.com/2022-115/000-006



Nr. articol: 2022-115/000-012

1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; orange

www.wago.com/2022-115/000-012



Nr. articol: 2022-115/000-016

1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellow

www.wago.com/2022-115/000-016



Nr. articol: 2022-115/000-036

1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-115/000-036



Nr. articol: 2022-115/000-037

1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-115/000-037

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Nr. articol: 2022-115/000-038

1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-115/000-038



Nr. articol: 2022-115/000-039

1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-115/000-039

Nr. articol: 2022-115/127-000

1-conductor female plug; Locking lever; 2.5 mm²; 15-pole; 2,50 mm²; gray

www.wago.com/2022-115/127-000

Nr. articol: 2022-115/137-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 15-pole; 2,50 mm²; gray

www.wago.com/2022-115/137-000

Nr. articol: 2022-115/147-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 15-pole; 2,50 mm²; gray

www.wago.com/2022-115/147-000

check



Nr. articol: 2002-511

Modular TOPJOB®S connector; modular; for jumper contact slot; 1-pole; 2,50 mm²; gray

www.wago.com/2002-511



Nr. articol: 2002-549

Spacer module; modular; e.g., for bridging commoned terminal blocks; gray

www.wago.com/2002-549



Nr. articol: 2002-552

Modular TOPJOB®S connector; modular; for jumper contact slot; 2-pole; 2,50 mm²; gray

www.wago.com/2002-552



Nr. articol: 2002-553

Modular TOPJOB®S connector; modular; for jumper contact slot; 3-pole; 2,50 mm²; gray

www.wago.com/2002-553



Nr. articol: 2002-554

Modular TOPJOB®S connector; modular; for jumper contact slot; 4-pole; 2,50 mm²; gray

www.wago.com/2002-554



Nr. articol: 2002-555

Modular TOPJOB®S connector; modular; for jumper contact slot; 5-pole; 2,50 mm²; gray

www.wago.com/2002-555



Nr. articol: 2002-556

Modular TOPJOB®S connector; modular; for jumper contact slot; 6-pole; 2,50 mm²; gray

www.wago.com/2002-556



Nr. articol: 2002-557

Modular TOPJOB®S connector; modular; for jumper contact slot; 7-pole; 2,50 mm²; gray

www.wago.com/2002-557



Nr. articol: 2002-558

Modular TOPJOB®S connector; modular; for jumper contact slot; 8-pole; 2,50 mm²; gray

www.wago.com/2002-558



Nr. articol: 2002-559

Modular TOPJOB®S connector; modular; for jumper contact slot; 9-pole; 2,50 mm²; gray

www.wago.com/2002-559

















Nr. articol: 2002-560

















Modular TOPJOB®S connector; modular; for jumper contact slot; 10-pole; 2,50 mm²; gray

www.wago.com/2002-560

Supus modificărilor.

	Nr. articol: 2009-174 Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray	www.wago.com/2009-174
	Nr. articol: 2009-182 Testing tap; for max. 2.5 mm ² ; tool-free connection for individual test wires 0.08 - 2.5 mm; gray	www.wago.com/2009-182
	Nr. articol: 859-500 Test pin; 1 mm Ø; with solder connection for test wire	www.wago.com/859-500
Push-In type wire jumper		
	Nr. articol: 2009-412 Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black	www.wago.com/2009-412
	Nr. articol: 2009-414 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black	www.wago.com/2009-414
	Nr. articol: 2009-414/000-005 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; red	www.wago.com/2009-414/000-005
	Nr. articol: 2009-414/000-006 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; blue	www.wago.com/2009-414/000-006
	Nr. articol: 2009-416 Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black	www.wago.com/2009-416
Coding		
	Nr. articol: 2022-100 Carrier with 6 coding pins; for coding of female plugs; orange	www.wago.com/2022-100
End plate		
	Nr. articol: 2022-1391 End and intermediate plate; 1 mm thick; gray	www.wago.com/2022-1391
	Nr. articol: 2022-1392 End and intermediate plate; 1 mm thick; orange	www.wago.com/2022-1392
Insulation stop		
	Nr. articol: 2002-171 Insulation stop; 0.25 - 0.5 mm ² ; 5 pieces/strip; light gray	www.wago.com/2002-171
	Nr. articol: 2002-172 Insulation stop; 0.75 - 1 mm ² ; 5 pieces/strip; dark gray	www.wago.com/2002-172
General accessories		
	Nr. articol: 2022-161 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-161
	Nr. articol: 2022-162 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-162














Supus modificărilor.

	mm ² ; orange	
	Nr. articol: 2022-164 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-164
	Nr. articol: 2022-167 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-167
	Nr. articol: 2022-171 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-171
	Nr. articol: 2022-172 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange	www.wago.com/2022-172
	Nr. articol: 2022-174 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-174
	Nr. articol: 2022-177 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-177
	Nr. articol: 2022-181 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-181
	Nr. articol: 2022-182 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange	www.wago.com/2022-182
	Nr. articol: 2022-184 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-184
	Nr. articol: 2022-187 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-187
Marking accessories		
	Nr. articol: 2002-161 Adaptor	www.wago.com/2002-161
	Nr. articol: 2009-110 Marking strips; on reel; not stretchable; plain; snap-on type; white	www.wago.com/2009-110
	Nr. articol: 2009-115 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	www.wago.com/2009-115
	Nr. articol: 2009-115/000-002 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	www.wago.com/2009-115/000-002
	Nr. articol: 2009-115/000-005 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red	www.wago.com/2009-115/000-005

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
 /Representative Office Romania
 Sos. Pipera-Tunari nr. 1/1
 building 1, 2nd floor | 077190 Voluntari, Ilfov
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com
















Aveți întrebări despre produsele noastre?
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Nr. articol: 2009-115/000-006 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue	www.wago.com/2009-115/000-006
	Nr. articol: 2009-115/000-007 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray	www.wago.com/2009-115/000-007
	Nr. articol: 2009-115/000-012 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange	www.wago.com/2009-115/000-012
	Nr. articol: 2009-115/000-017 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green	www.wago.com/2009-115/000-017
	Nr. articol: 2009-115/000-023 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	www.wago.com/2009-115/000-023
	Nr. articol: 2009-115/000-024 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	www.wago.com/2009-115/000-024
	Nr. articol: 2009-145 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	www.wago.com/2009-145
	Nr. articol: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	www.wago.com/2009-145/000-002
	Nr. articol: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red	www.wago.com/2009-145/000-005
	Nr. articol: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue	www.wago.com/2009-145/000-006
	Nr. articol: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray	www.wago.com/2009-145/000-007
	Nr. articol: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange	www.wago.com/2009-145/000-012
	Nr. articol: 2009-145/000-023 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	www.wago.com/2009-145/000-023
	Nr. articol: 2009-145/000-024	

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	www.wago.com/2009-145/000-024
	Nr. articol: 2009-191 Group marker carrier	www.wago.com/2009-191
	Nr. articol: 2009-192 Group marker carrier	www.wago.com/2009-192
	Nr. articol: 2009-193 Group marker carrier	www.wago.com/2009-193
	Nr. articol: 2009-198 Adaptor	www.wago.com/2009-198
	Nr. articol: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card	www.wago.com/248-501
	Nr. articol: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow	www.wago.com/248-501/000-002
	Nr. articol: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red	www.wago.com/248-501/000-005
	Nr. articol: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue	www.wago.com/248-501/000-006
	Nr. articol: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray	www.wago.com/248-501/000-007
	Nr. articol: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange	www.wago.com/248-501/000-012
	Nr. articol: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green	www.wago.com/248-501/000-017
	Nr. articol: 248-501/000-023 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green	www.wago.com/248-501/000-023
	Nr. articol: 248-501/000-024 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet	www.wago.com/248-501/000-024
	Nr. articol: 793-501 WMB marking card; as card; not stretchable; plain; snap-on type; white	www.wago.com/793-501

Supus modificărilor.



Nr. articol: 793-501/000-002
WMB marking card; as card; not stretchable; plain; snap-on type; yellow

www.wago.com/793-501/000-002



Nr. articol: 793-501/000-005
WMB marking card; as card; not stretchable; plain; snap-on type; red

www.wago.com/793-501/000-005



Nr. articol: 793-501/000-006
WMB marking card; as card; not stretchable; plain; snap-on type; blue

www.wago.com/793-501/000-006



Nr. articol: 793-501/000-007
WMB marking card; as card; not stretchable; plain; snap-on type; gray

www.wago.com/793-501/000-007



Nr. articol: 793-501/000-012
WMB marking card; as card; not stretchable; plain; snap-on type; orange

www.wago.com/793-501/000-012



Nr. articol: 793-501/000-017
WMB marking card; as card; not stretchable; plain; snap-on type; light green

www.wago.com/793-501/000-017



Nr. articol: 793-501/000-023
WMB marking card; as card; not stretchable; plain; snap-on type; green

www.wago.com/793-501/000-023



Nr. articol: 793-501/000-024
WMB marking card; as card; not stretchable; plain; snap-on type; violet

www.wago.com/793-501/000-024



Nr. articol: 793-5501
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

www.wago.com/793-5501



Nr. articol: 793-5501/000-002
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

www.wago.com/793-5501/000-002



Nr. articol: 793-5501/000-005
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red

www.wago.com/793-5501/000-005



Nr. articol: 793-5501/000-006
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue

www.wago.com/793-5501/000-006



Nr. articol: 793-5501/000-007
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray

www.wago.com/793-5501/000-007

Nr. articol: 793-5501/000-012

Supus modificărilor.



WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange

www.wago.com/793-5501/000-012



Nr. articol: 793-5501/000-014

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; brown

www.wago.com/793-5501/000-014



Nr. articol: 793-5501/000-017

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green

www.wago.com/793-5501/000-017



Nr. articol: 793-5501/000-023

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green

www.wago.com/793-5501/000-023



Nr. articol: 793-5501/000-024

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet

www.wago.com/793-5501/000-024

Jumper



Nr. articol: 2002-400

Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A; light gray

www.wago.com/2002-400



Nr. articol: 2002-402

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; light gray

www.wago.com/2002-402



Nr. articol: 2002-402/000-005

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; red

www.wago.com/2002-402/000-005



Nr. articol: 2002-402/000-006

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; blue

www.wago.com/2002-402/000-006



Nr. articol: 2002-403

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; light gray

www.wago.com/2002-403



Nr. articol: 2002-403/000-005

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; red

www.wago.com/2002-403/000-005



Nr. articol: 2002-403/000-006

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; blue

www.wago.com/2002-403/000-006



Nr. articol: 2002-404

Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; light gray

www.wago.com/2002-404

















Nr. articol: 2002-404/000-005

Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; red

www.wago.com/2002-404/000-005

Supus modificărilor.

	Nr. articol: 2002-404/000-006 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; blue	www.wago.com/2002-404/000-006
	Nr. articol: 2002-405 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; light gray	www.wago.com/2002-405
	Nr. articol: 2002-405/000-005 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; red	www.wago.com/2002-405/000-005
	Nr. articol: 2002-405/000-006 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; blue	www.wago.com/2002-405/000-006
	Nr. articol: 2002-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	www.wago.com/2002-405/011-000
	Nr. articol: 2002-406 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; light gray	www.wago.com/2002-406
	Nr. articol: 2002-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; red	www.wago.com/2002-406/000-005
	Nr. articol: 2002-406/000-006 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; blue	www.wago.com/2002-406/000-006
	Nr. articol: 2002-406/020-000 Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray	www.wago.com/2002-406/020-000
	Nr. articol: 2002-407 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; light gray	www.wago.com/2002-407
	Nr. articol: 2002-407/000-005 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; red	www.wago.com/2002-407/000-005
	Nr. articol: 2002-407/000-006 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; blue	www.wago.com/2002-407/000-006
	Nr. articol: 2002-408 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; light gray	www.wago.com/2002-408
	Nr. articol: 2002-408/000-005 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; red	www.wago.com/2002-408/000-005
	Nr. articol: 2002-408/000-006 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; blue	www.wago.com/2002-408/000-006

Supus modificărilor.

**Nr. articol:** 2002-409

Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; light gray

www.wago.com/2002-409**Nr. articol:** 2002-409/000-005

Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; red

www.wago.com/2002-409/000-005**Nr. articol:** 2002-409/000-006

Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; blue

www.wago.com/2002-409/000-006**Nr. articol:** 2002-410

Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; light gray

www.wago.com/2002-410**Nr. articol:** 2002-410/000-005

Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; red

www.wago.com/2002-410/000-005**Nr. articol:** 2002-410/000-006

Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; blue

www.wago.com/2002-410/000-006**Nr. articol:** 2002-423

Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; light gray

www.wago.com/2002-423**Nr. articol:** 2002-423/000-005

Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; red

www.wago.com/2002-423/000-005**Nr. articol:** 2002-423/000-006

Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; blue

www.wago.com/2002-423/000-006**Nr. articol:** 2002-433

Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A; light gray

www.wago.com/2002-433**Nr. articol:** 2002-434

Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A; light gray

www.wago.com/2002-434**Nr. articol:** 2002-435

Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A; light gray

www.wago.com/2002-435**Nr. articol:** 2002-436

Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A; light gray

www.wago.com/2002-436**Nr. articol:** 2002-437

Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A; light gray

www.wago.com/2002-437**Nr. articol:** 2002-438

Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A; light gray

www.wago.com/2002-438

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
 /Representative Office Romania
 Sos. Pipera-Tunari nr. 1/1
 building 1, 2nd floor | 077190 Voluntari, Ilfov
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com















Aveți întrebări despre produsele noastre?
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Nr. articol: 2002-439 Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A; light gray	www.wago.com/2002-439
	Nr. articol: 2002-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A; light gray	www.wago.com/2002-440
	Nr. articol: 2002-472 Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-472
	Nr. articol: 2002-473 Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-473
	Nr. articol: 2002-473/011-000 Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-473/011-000
	Nr. articol: 2002-474 Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-474
	Nr. articol: 2002-475 Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-475
	Nr. articol: 2002-475/011-000 Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-475/011-000
	Nr. articol: 2002-476 Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-476
	Nr. articol: 2002-477 Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-477
	Nr. articol: 2002-477/011-000 Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-477/011-000
	Nr. articol: 2002-478 Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-478
	Nr. articol: 2002-479 Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-479
	Nr. articol: 2002-479/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-479/011-000
	Nr. articol: 2002-480 Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-480
	Nr. articol: 2002-481	

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-481
	Nr. articol: 2002-481/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-481/011-000
	Nr. articol: 2002-482 Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-482
	Nr. articol: 210-103 Wire commoning chain; insulated; 50 connections; black	www.wago.com/210-103
	Nr. articol: 210-123 Wire commoning chain; insulated; 50 connections	www.wago.com/210-123
ferrule		
	Nr. articol: 216-241 Ferrule; Sleeve for 0.5 mm ² / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white	www.wago.com/216-241
	Nr. articol: 216-242 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	www.wago.com/216-242
	Nr. articol: 216-243 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	www.wago.com/216-243
	Nr. articol: 216-244 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	www.wago.com/216-244
	Nr. articol: 216-246 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	www.wago.com/216-246
	Nr. articol: 216-262 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	www.wago.com/216-262
	Nr. articol: 216-263 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	www.wago.com/216-263
	Nr. articol: 216-264 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	www.wago.com/216-264
	Nr. articol: 216-266 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	www.wago.com/216-266
	Nr. articol: 216-284 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	www.wago.com/216-284
	Nr. articol: 216-286 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight	www.wago.com/216-286

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



crimped; acc. to DIN 46228, Part 4/09.90; blue

Descărcări Documentation

Additional Information

Technical explanations

Apr 3, 2019

pdf
2,1 MB

[Descărcare](#)

CAD/CAE-Data

CAD data

2D/3D Models 2022-1301

[URL](#)

[Descărcare](#)

CAE data

EPLAN Data Portal 2022-1301

[URL](#)

[Descărcare](#)


WSCAD Universe 2022-1301

[URL](#)


[Descărcare](#)

Installation Notes


Installation



Snap individual carrier terminal blocks onto the carrier rail and slide together.




Open the assembly by laterally sliding a block via operating tool (3.5 x 0.5 mm blade).



Separate terminal block assembly and slide individual terminal blocks laterally using an operating tool.


Inserting a conductor

Supus modificărilor.



Push-in CAGE CLAMP® enables solid conductors and fine-stranded conductors with ferrules to be connected by simply pushing them into the unit.


Commoning



Commoning X-COM®S-SYSTEM Terminal Blocks using jumpers for TOPJOB® S Terminal Blocks. An end plate provides connection to TOPJOB® S Terminal Blocks. 2020 and 2022 Series Terminal Blocks are combinable. Jumper slots are on the same level for both series.


Testing

Supus modificărilor.




Test plug adapter (2009-174) for 4 mm test plugs or banana plugs – also suitable for X-COM®S-SYSTEM-MINI Terminal Blocks.

Coding




Insert coding pin into the corresponding slot and twist it off.

Marking




Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)

Safety

Supus modificărilor.



Carrier terminal blocks and female plugs are touch-proof.

Familie de produse

X-COM S

Afișare globală produse din familie.

Supus modificărilor.