



## Fișă tehnică | Număr articol: 2022-1401

2-conductor/2-pin carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5;  
2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-1401](http://www.wago.com/2022-1401)



RoHS  Compliant

[BOMcheck.net](https://www.bomcheck.net)

Culoare:

### Date

### Electrical data

### Ratings per IEC/EN 60664-1

Ratings per	IEC/EN 60947-7-1
Nominal voltage (III/3)	690 V
Rated surge voltage (III/3)	6 kV
Rated current	24 A
Rated current 2	28 A
Legend (ratings)	(III / 3) ≙ Overvoltage category III / Pollution degree 3

### Connection data

Connection technology	Push-in CAGE CLAMP®
Number of connection points (connection type)	2
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross-section	2.5 mm <sup>2</sup>

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Solid conductor	0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG
Solid conductor; push-in termination	0.75 ... 4 mm <sup>2</sup> / 18 ... 12 AWG
Fine-stranded conductor	0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG
Fine-stranded conductor; with insulated ferrule	1 ... 2.5 mm <sup>2</sup> / 18 ... 12 AWG
Fine-stranded conductor; with ferrule; push-in termination	1 ... 2.5 mm <sup>2</sup> / 18 ... 12 AWG
Strip length	10 ... 12 mm / 0.39 ... 0.47 inch
Number of connection points	2
Total number of connection points	2
Total number of potentials	1
Number of levels	1
Wiring type	Front-entry wiring
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.

### Geometrical Data

Width	5.2 mm / 0.205 inch
Height from upper-edge of DIN-rail	32.5 mm / 1.28 inch
Depth	86.2 mm / 3.394 inch

### Mechanical data

Design	horizontal
Mounting type	DIN-35 rail
Marking level	Center/side marking

### Material Data

Color	gray
Insulation material	Polyamide 66 (PA 66)
Fire load	0,181 MJ
Weight	9,3 g

### Commercial data

Product Group	18 (X-COM-System)
Packaging type	BOX
Country of origin	CN
GTIN	4050821145226
Customs tariff number	85366990990



Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com



Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Aprobări / certificate


## Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>CCA</b> DEKRA Certification B.V.	EN 60947	NTR NL 7628
	<b>CSA</b> DEKRA Certification B.V.	C22.2 No. 158	2437422

## Ship Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>ABS</b> American Bureau of Shipping	EN 60947	20- HG1941090- PDA
	<b>BV</b> Bureau Veritas S.A.	EN 60947	38586/A0 BV
	<b>DNV GL</b> Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
	<b>LR</b> Lloyds Register	EN 60947	91/20112 (E9)

## UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>UR</b> Underwriters Laboratories Inc.	UL 1059	E45172

## Counterpart

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Produse compatibile

### tools



**Nr. articol: 210-720**

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft

[www.wago.com/210-720](http://www.wago.com/210-720)

### ferrule



**Nr. articol: 216-241**

Ferrule; Sleeve for 0.5 mm<sup>2</sup> / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white

[www.wago.com/216-241](http://www.wago.com/216-241)



**Nr. articol: 216-242**

Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray

[www.wago.com/216-242](http://www.wago.com/216-242)



**Nr. articol: 216-243**

Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red

[www.wago.com/216-243](http://www.wago.com/216-243)



**Nr. articol: 216-244**

Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black

[www.wago.com/216-244](http://www.wago.com/216-244)



**Nr. articol: 216-246**

Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

[www.wago.com/216-246](http://www.wago.com/216-246)



**Nr. articol: 216-263**

Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red

[www.wago.com/216-263](http://www.wago.com/216-263)



**Nr. articol: 216-264**

Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black

[www.wago.com/216-264](http://www.wago.com/216-264)



**Nr. articol: 216-266**

Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

[www.wago.com/216-266](http://www.wago.com/216-266)



**Nr. articol: 216-284**

Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black

[www.wago.com/216-284](http://www.wago.com/216-284)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

**Nr. articol: 216-286**

Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

[www.wago.com/216-286](http://www.wago.com/216-286)**Push-In type wire jumper****Nr. articol: 2009-412**

Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

[www.wago.com/2009-412](http://www.wago.com/2009-412)**Nr. articol: 2009-414**

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

[www.wago.com/2009-414](http://www.wago.com/2009-414)**Nr. articol: 2009-414/000-005**

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; red

[www.wago.com/2009-414/000-005](http://www.wago.com/2009-414/000-005)**Nr. articol: 2009-414/000-006**

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; blue

[www.wago.com/2009-414/000-006](http://www.wago.com/2009-414/000-006)**Nr. articol: 2009-416**

Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

[www.wago.com/2009-416](http://www.wago.com/2009-416)**check****Nr. articol: 2002-511**

Modular TOPJOB®S connector; modular; for jumper contact slot; 1-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-511](http://www.wago.com/2002-511)**Nr. articol: 2002-549**

Spacer module; modular; e.g., for bridging commoned terminal blocks; gray

[www.wago.com/2002-549](http://www.wago.com/2002-549)**Nr. articol: 2002-552**

Modular TOPJOB®S connector; modular; for jumper contact slot; 2-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-552](http://www.wago.com/2002-552)**Nr. articol: 2002-553**

Modular TOPJOB®S connector; modular; for jumper contact slot; 3-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-553](http://www.wago.com/2002-553)**Nr. articol: 2002-554**

Modular TOPJOB®S connector; modular; for jumper contact slot; 4-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-554](http://www.wago.com/2002-554)**Nr. articol: 2002-555**

Modular TOPJOB®S connector; modular; for jumper contact slot; 5-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-555](http://www.wago.com/2002-555)**Nr. articol: 2002-556**

Modular TOPJOB®S connector; modular; for jumper contact slot; 6-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-556](http://www.wago.com/2002-556)**Nr. articol: 2002-557**

Modular TOPJOB®S connector; modular; for jumper contact slot; 7-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-557](http://www.wago.com/2002-557)**Nr. articol: 2002-558**

Modular TOPJOB®S connector; modular; for jumper contact slot; 8-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-558](http://www.wago.com/2002-558)**Nr. articol: 2002-559**

Modular TOPJOB®S connector; modular; for jumper contact slot; 9-pole; 2,50 mm<sup>2</sup>; gray










[www.wago.com/2002-559](http://www.wago.com/2002-559)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?








Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	<b>Nr. articol: 2002-560</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 10-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-560">www.wago.com/2002-560</a>
	<b>Nr. articol: 2009-174</b> Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray	<a href="http://www.wago.com/2009-174">www.wago.com/2009-174</a>
	<b>Nr. articol: 2009-182</b> Testing tap; for max. 2.5 mm <sup>2</sup> ; tool-free connection for individual test wires 0.08 - 2.5 mm; gray	<a href="http://www.wago.com/2009-182">www.wago.com/2009-182</a>
	<b>Nr. articol: 859-500</b> Test pin; 1 mm Ø; with solder connection for test wire	<a href="http://www.wago.com/859-500">www.wago.com/859-500</a>
<b>Protective Warning Marker</b>		
	<b>Nr. articol: 2002-115</b> Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow	<a href="http://www.wago.com/2002-115">www.wago.com/2002-115</a>
<b>Female plug</b>		
	<b>Nr. articol: 2022-101</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-101">www.wago.com/2022-101</a>
	<b>Nr. articol: 2022-101/000-006</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-101/000-006">www.wago.com/2022-101/000-006</a>
	<b>Nr. articol: 2022-101/000-012</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-101/000-012">www.wago.com/2022-101/000-012</a>
	<b>Nr. articol: 2022-101/000-016</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-101/000-016">www.wago.com/2022-101/000-016</a>
	<b>Nr. articol: 2022-101/122-000</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-101/122-000">www.wago.com/2022-101/122-000</a>
	<b>Nr. articol: 2022-101/122-006</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-101/122-006">www.wago.com/2022-101/122-006</a>
	<b>Nr. articol: 2022-101/122-016</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-101/122-016">www.wago.com/2022-101/122-016</a>
	<b>Nr. articol: 2022-101/132-000</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-101/132-000">www.wago.com/2022-101/132-000</a>
	<b>Nr. articol: 2022-101/132-006</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-101/132-006">www.wago.com/2022-101/132-006</a>











Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	<b>Nr. articol: 2022-101/132-016</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-101/132-016">www.wago.com/2022-101/132-016</a>
	<b>Nr. articol: 2022-101/142-000</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-101/142-000">www.wago.com/2022-101/142-000</a>
	<b>Nr. articol: 2022-101/142-006</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-101/142-006">www.wago.com/2022-101/142-006</a>
	<b>Nr. articol: 2022-101/142-016</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-101/142-016">www.wago.com/2022-101/142-016</a>
	<b>Nr. articol: 2022-102</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102">www.wago.com/2022-102</a>
	<b>Nr. articol: 2022-102/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-102/000-006">www.wago.com/2022-102/000-006</a>
	<b>Nr. articol: 2022-102/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-102/000-016">www.wago.com/2022-102/000-016</a>
	<b>Nr. articol: 2022-102/122-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102/122-000">www.wago.com/2022-102/122-000</a>
	<b>Nr. articol: 2022-102/132-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102/132-000">www.wago.com/2022-102/132-000</a>
	<b>Nr. articol: 2022-102/142-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102/142-000">www.wago.com/2022-102/142-000</a>
	<b>Nr. articol: 2022-103</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103">www.wago.com/2022-103</a>
	<b>Nr. articol: 2022-103/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-103/000-006">www.wago.com/2022-103/000-006</a>
	<b>Nr. articol: 2022-103/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-103/000-012">www.wago.com/2022-103/000-012</a>
	<b>Nr. articol: 2022-103/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-103/000-016">www.wago.com/2022-103/000-016</a>

Supus modificărilor.

	<b>Nr. articol: 2022-103/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-103/000-036">www.wago.com/2022-103/000-036</a>
	<b>Nr. articol: 2022-103/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-103/000-037">www.wago.com/2022-103/000-037</a>
	<b>Nr. articol: 2022-103/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-103/000-038">www.wago.com/2022-103/000-038</a>
	<b>Nr. articol: 2022-103/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-103/000-039">www.wago.com/2022-103/000-039</a>
	<b>Nr. articol: 2022-103/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103/123-000">www.wago.com/2022-103/123-000</a>
	<b>Nr. articol: 2022-103/133-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103/133-000">www.wago.com/2022-103/133-000</a>
	<b>Nr. articol: 2022-103/143-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103/143-000">www.wago.com/2022-103/143-000</a>
	<b>Nr. articol: 2022-104</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-104">www.wago.com/2022-104</a>
	<b>Nr. articol: 2022-104/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-104/000-006">www.wago.com/2022-104/000-006</a>
	<b>Nr. articol: 2022-104/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-104/000-012">www.wago.com/2022-104/000-012</a>
	<b>Nr. articol: 2022-104/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-104/000-016">www.wago.com/2022-104/000-016</a>
	<b>Nr. articol: 2022-104/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-104/000-036">www.wago.com/2022-104/000-036</a>
	<b>Nr. articol: 2022-104/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-104/000-037">www.wago.com/2022-104/000-037</a>

Supus modificărilor.





**Nr. articol:** 2022-104/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 4-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-104/000-038](http://www.wago.com/2022-104/000-038)



**Nr. articol:** 2022-104/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 4-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-104/000-039](http://www.wago.com/2022-104/000-039)

**Nr. articol:** 2022-104/123-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 4-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-104/123-000](http://www.wago.com/2022-104/123-000)

**Nr. articol:** 2022-104/133-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 4-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-104/133-000](http://www.wago.com/2022-104/133-000)

**Nr. articol:** 2022-104/143-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 4-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-104/143-000](http://www.wago.com/2022-104/143-000)



**Nr. articol:** 2022-105

1-conductor female plug; 2.5 mm<sup>2</sup>; 5-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-105](http://www.wago.com/2022-105)



**Nr. articol:** 2022-105/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 5-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-105/000-006](http://www.wago.com/2022-105/000-006)



**Nr. articol:** 2022-105/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 5-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-105/000-012](http://www.wago.com/2022-105/000-012)



**Nr. articol:** 2022-105/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 5-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-105/000-016](http://www.wago.com/2022-105/000-016)



**Nr. articol:** 2022-105/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 5-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-105/000-036](http://www.wago.com/2022-105/000-036)



**Nr. articol:** 2022-105/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 5-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-105/000-037](http://www.wago.com/2022-105/000-037)



**Nr. articol:** 2022-105/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 5-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-105/000-038](http://www.wago.com/2022-105/000-038)














**Nr. articol:** 2022-105/000-039











1-conductor female plug; 2.5 mm<sup>2</sup>; 5-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-105/000-039](http://www.wago.com/2022-105/000-039)

Supus modificărilor.

	<b>Nr. articol: 2022-105/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105/123-000">www.wago.com/2022-105/123-000</a>
	<b>Nr. articol: 2022-105/134-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105/134-000">www.wago.com/2022-105/134-000</a>
	<b>Nr. articol: 2022-105/144-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105/144-000">www.wago.com/2022-105/144-000</a>
	<b>Nr. articol: 2022-106</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-106">www.wago.com/2022-106</a>
	<b>Nr. articol: 2022-106/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-106/000-006">www.wago.com/2022-106/000-006</a>
	<b>Nr. articol: 2022-106/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-106/000-012">www.wago.com/2022-106/000-012</a>
	<b>Nr. articol: 2022-106/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-106/000-016">www.wago.com/2022-106/000-016</a>
	<b>Nr. articol: 2022-106/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-106/000-036">www.wago.com/2022-106/000-036</a>
	<b>Nr. articol: 2022-106/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-106/000-037">www.wago.com/2022-106/000-037</a>
	<b>Nr. articol: 2022-106/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-106/000-038">www.wago.com/2022-106/000-038</a>
	<b>Nr. articol: 2022-106/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-106/000-039">www.wago.com/2022-106/000-039</a>
	<b>Nr. articol: 2022-106/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-106/123-000">www.wago.com/2022-106/123-000</a>
	<b>Nr. articol: 2022-106/134-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-106/134-000">www.wago.com/2022-106/134-000</a>

Supus modificărilor.

	<b>Nr. articol: 2022-106/144-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-106/144-000">www.wago.com/2022-106/144-000</a>
	<b>Nr. articol: 2022-107</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-107">www.wago.com/2022-107</a>
	<b>Nr. articol: 2022-107/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-107/000-006">www.wago.com/2022-107/000-006</a>
	<b>Nr. articol: 2022-107/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-107/000-012">www.wago.com/2022-107/000-012</a>
	<b>Nr. articol: 2022-107/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-107/000-016">www.wago.com/2022-107/000-016</a>
	<b>Nr. articol: 2022-107/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-107/000-036">www.wago.com/2022-107/000-036</a>
	<b>Nr. articol: 2022-107/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-107/000-037">www.wago.com/2022-107/000-037</a>
	<b>Nr. articol: 2022-107/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-107/000-038">www.wago.com/2022-107/000-038</a>
	<b>Nr. articol: 2022-107/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-107/000-039">www.wago.com/2022-107/000-039</a>
	<b>Nr. articol: 2022-107/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-107/123-000">www.wago.com/2022-107/123-000</a>
	<b>Nr. articol: 2022-107/135-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-107/135-000">www.wago.com/2022-107/135-000</a>
	<b>Nr. articol: 2022-107/145-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-107/145-000">www.wago.com/2022-107/145-000</a>
	<b>Nr. articol: 2022-108</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 8-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-108">www.wago.com/2022-108</a>
	<b>Nr. articol: 2022-108/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 8-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-108/000-006">www.wago.com/2022-108/000-006</a>

Supus modificărilor.



**Nr. articol:** 2022-108/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-108/000-012](http://www.wago.com/2022-108/000-012)



**Nr. articol:** 2022-108/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-108/000-016](http://www.wago.com/2022-108/000-016)



**Nr. articol:** 2022-108/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-108/000-036](http://www.wago.com/2022-108/000-036)



**Nr. articol:** 2022-108/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-108/000-037](http://www.wago.com/2022-108/000-037)



**Nr. articol:** 2022-108/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-108/000-038](http://www.wago.com/2022-108/000-038)



**Nr. articol:** 2022-108/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-108/000-039](http://www.wago.com/2022-108/000-039)

**Nr. articol:** 2022-108/123-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-108/123-000](http://www.wago.com/2022-108/123-000)

**Nr. articol:** 2022-108/135-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-108/135-000](http://www.wago.com/2022-108/135-000)

**Nr. articol:** 2022-108/145-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-108/145-000](http://www.wago.com/2022-108/145-000)



**Nr. articol:** 2022-109

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-109](http://www.wago.com/2022-109)



**Nr. articol:** 2022-109/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-109/000-006](http://www.wago.com/2022-109/000-006)



**Nr. articol:** 2022-109/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-109/000-012](http://www.wago.com/2022-109/000-012)



**Nr. articol:** 2022-109/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-109/000-016](http://www.wago.com/2022-109/000-016)

Supus modificărilor.



**Nr. articol:** 2022-109/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-109/000-036](http://www.wago.com/2022-109/000-036)



**Nr. articol:** 2022-109/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-109/000-037](http://www.wago.com/2022-109/000-037)



**Nr. articol:** 2022-109/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-109/000-038](http://www.wago.com/2022-109/000-038)



**Nr. articol:** 2022-109/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-109/000-039](http://www.wago.com/2022-109/000-039)

**Nr. articol:** 2022-109/123-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-109/123-000](http://www.wago.com/2022-109/123-000)

**Nr. articol:** 2022-109/135-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-109/135-000](http://www.wago.com/2022-109/135-000)

**Nr. articol:** 2022-109/145-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-109/145-000](http://www.wago.com/2022-109/145-000)



**Nr. articol:** 2022-110

1-conductor female plug; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-110](http://www.wago.com/2022-110)



**Nr. articol:** 2022-110/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-110/000-006](http://www.wago.com/2022-110/000-006)



**Nr. articol:** 2022-110/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-110/000-012](http://www.wago.com/2022-110/000-012)



**Nr. articol:** 2022-110/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-110/000-016](http://www.wago.com/2022-110/000-016)



**Nr. articol:** 2022-110/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-110/000-036](http://www.wago.com/2022-110/000-036)



**Nr. articol:** 2022-110/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-110/000-037](http://www.wago.com/2022-110/000-037)

Supus modificărilor.



**Nr. articol:** 2022-110/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-110/000-038](http://www.wago.com/2022-110/000-038)



**Nr. articol:** 2022-110/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-110/000-039](http://www.wago.com/2022-110/000-039)

**Nr. articol:** 2022-110/123-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-110/123-000](http://www.wago.com/2022-110/123-000)

**Nr. articol:** 2022-110/135-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-110/135-000](http://www.wago.com/2022-110/135-000)

**Nr. articol:** 2022-110/145-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-110/145-000](http://www.wago.com/2022-110/145-000)



**Nr. articol:** 2022-111

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-111](http://www.wago.com/2022-111)



**Nr. articol:** 2022-111/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-111/000-006](http://www.wago.com/2022-111/000-006)



**Nr. articol:** 2022-111/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-111/000-012](http://www.wago.com/2022-111/000-012)



**Nr. articol:** 2022-111/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-111/000-016](http://www.wago.com/2022-111/000-016)



**Nr. articol:** 2022-111/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-111/000-036](http://www.wago.com/2022-111/000-036)



**Nr. articol:** 2022-111/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-111/000-037](http://www.wago.com/2022-111/000-037)



**Nr. articol:** 2022-111/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-111/000-038](http://www.wago.com/2022-111/000-038)











**Nr. articol:** 2022-111/000-039











1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-111/000-039](http://www.wago.com/2022-111/000-039)

Supus modificărilor.

	<b>Nr. articol: 2022-111/126-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 11-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-111/126-000">www.wago.com/2022-111/126-000</a>
	<b>Nr. articol: 2022-111/136-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 11-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-111/136-000">www.wago.com/2022-111/136-000</a>
	<b>Nr. articol: 2022-111/146-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 11-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-111/146-000">www.wago.com/2022-111/146-000</a>
	<b>Nr. articol: 2022-112</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-112">www.wago.com/2022-112</a>
	<b>Nr. articol: 2022-112/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-112/000-006">www.wago.com/2022-112/000-006</a>
	<b>Nr. articol: 2022-112/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-112/000-012">www.wago.com/2022-112/000-012</a>
	<b>Nr. articol: 2022-112/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-112/000-016">www.wago.com/2022-112/000-016</a>
	<b>Nr. articol: 2022-112/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-112/000-036">www.wago.com/2022-112/000-036</a>
	<b>Nr. articol: 2022-112/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-112/000-037">www.wago.com/2022-112/000-037</a>
	<b>Nr. articol: 2022-112/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-112/000-038">www.wago.com/2022-112/000-038</a>
	<b>Nr. articol: 2022-112/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-112/000-039">www.wago.com/2022-112/000-039</a>
	<b>Nr. articol: 2022-112/126-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-112/126-000">www.wago.com/2022-112/126-000</a>
	<b>Nr. articol: 2022-112/136-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-112/136-000">www.wago.com/2022-112/136-000</a>

Supus modificărilor.

	<b>Nr. articol: 2022-112/146-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-112/146-000">www.wago.com/2022-112/146-000</a>
	<b>Nr. articol: 2022-113</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-113">www.wago.com/2022-113</a>
	<b>Nr. articol: 2022-113/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-113/000-006">www.wago.com/2022-113/000-006</a>
	<b>Nr. articol: 2022-113/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-113/000-012">www.wago.com/2022-113/000-012</a>
	<b>Nr. articol: 2022-113/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-113/000-016">www.wago.com/2022-113/000-016</a>
	<b>Nr. articol: 2022-113/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-113/000-036">www.wago.com/2022-113/000-036</a>
	<b>Nr. articol: 2022-113/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-113/000-037">www.wago.com/2022-113/000-037</a>
	<b>Nr. articol: 2022-113/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-113/000-038">www.wago.com/2022-113/000-038</a>
	<b>Nr. articol: 2022-113/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-113/000-039">www.wago.com/2022-113/000-039</a>
	<b>Nr. articol: 2022-113/126-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-113/126-000">www.wago.com/2022-113/126-000</a>
	<b>Nr. articol: 2022-113/136-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-113/136-000">www.wago.com/2022-113/136-000</a>
	<b>Nr. articol: 2022-113/146-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-113/146-000">www.wago.com/2022-113/146-000</a>
	<b>Nr. articol: 2022-114</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-114">www.wago.com/2022-114</a>
	<b>Nr. articol: 2022-114/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-114/000-006">www.wago.com/2022-114/000-006</a>

Supus modificărilor.





**Nr. articol: 2022-114/000-012**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-114/000-012](http://www.wago.com/2022-114/000-012)



**Nr. articol: 2022-114/000-016**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-114/000-016](http://www.wago.com/2022-114/000-016)



**Nr. articol: 2022-114/000-036**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-114/000-036](http://www.wago.com/2022-114/000-036)



**Nr. articol: 2022-114/000-037**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-114/000-037](http://www.wago.com/2022-114/000-037)



**Nr. articol: 2022-114/000-038**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-114/000-038](http://www.wago.com/2022-114/000-038)



**Nr. articol: 2022-114/000-039**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-114/000-039](http://www.wago.com/2022-114/000-039)

**Nr. articol: 2022-114/126-000**  
1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114/126-000](http://www.wago.com/2022-114/126-000)

**Nr. articol: 2022-114/136-000**  
1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114/136-000](http://www.wago.com/2022-114/136-000)

**Nr. articol: 2022-114/146-000**  
1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114/146-000](http://www.wago.com/2022-114/146-000)



**Nr. articol: 2022-115**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-115](http://www.wago.com/2022-115)



**Nr. articol: 2022-115/000-006**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-115/000-006](http://www.wago.com/2022-115/000-006)



**Nr. articol: 2022-115/000-012**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-115/000-012](http://www.wago.com/2022-115/000-012)



**Nr. articol: 2022-115/000-016**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-115/000-016](http://www.wago.com/2022-115/000-016)

Supus modificărilor.

**Nr. articol:** 2022-115/000-0361-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2022-115/000-036](http://www.wago.com/2022-115/000-036)**Nr. articol:** 2022-115/000-0371-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2022-115/000-037](http://www.wago.com/2022-115/000-037)**Nr. articol:** 2022-115/000-0381-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2022-115/000-038](http://www.wago.com/2022-115/000-038)**Nr. articol:** 2022-115/000-0391-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2022-115/000-039](http://www.wago.com/2022-115/000-039)**Nr. articol:** 2022-115/127-0001-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-115/127-000](http://www.wago.com/2022-115/127-000)**Nr. articol:** 2022-115/137-0001-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-115/137-000](http://www.wago.com/2022-115/137-000)**Nr. articol:** 2022-115/147-0001-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-115/147-000](http://www.wago.com/2022-115/147-000)**Coding****Nr. articol:** 2022-100

Carrier with 6 coding pins; for coding of female plugs; orange

[www.wago.com/2022-100](http://www.wago.com/2022-100)**Jumper****Nr. articol:** 2002-400

Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A; light gray

[www.wago.com/2002-400](http://www.wago.com/2002-400)**Nr. articol:** 2002-402

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; light gray

[www.wago.com/2002-402](http://www.wago.com/2002-402)**Nr. articol:** 2002-402/000-005

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; red

[www.wago.com/2002-402/000-005](http://www.wago.com/2002-402/000-005)**Nr. articol:** 2002-402/000-006

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; blue

[www.wago.com/2002-402/000-006](http://www.wago.com/2002-402/000-006)**Nr. articol:** 2002-403















Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; light gray

[www.wago.com/2002-403](http://www.wago.com/2002-403)**Nr. articol:** 2002-403/000-005

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; red

[www.wago.com/2002-403/000-005](http://www.wago.com/2002-403/000-005)
















Supus modificărilor.

	<b>Nr. articol:</b> 2002-403/000-006 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-403/000-006">www.wago.com/2002-403/000-006</a>
	<b>Nr. articol:</b> 2002-404 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-404">www.wago.com/2002-404</a>
	<b>Nr. articol:</b> 2002-404/000-005 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-404/000-005">www.wago.com/2002-404/000-005</a>
	<b>Nr. articol:</b> 2002-404/000-006 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-404/000-006">www.wago.com/2002-404/000-006</a>
	<b>Nr. articol:</b> 2002-405 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-405">www.wago.com/2002-405</a>
	<b>Nr. articol:</b> 2002-405/000-005 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-405/000-005">www.wago.com/2002-405/000-005</a>
	<b>Nr. articol:</b> 2002-405/000-006 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-405/000-006">www.wago.com/2002-405/000-006</a>
	<b>Nr. articol:</b> 2002-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	<a href="http://www.wago.com/2002-405/011-000">www.wago.com/2002-405/011-000</a>
	<b>Nr. articol:</b> 2002-406 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-406">www.wago.com/2002-406</a>
	<b>Nr. articol:</b> 2002-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-406/000-005">www.wago.com/2002-406/000-005</a>
	<b>Nr. articol:</b> 2002-406/000-006 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-406/000-006">www.wago.com/2002-406/000-006</a>
	<b>Nr. articol:</b> 2002-406/020-000 Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray	<a href="http://www.wago.com/2002-406/020-000">www.wago.com/2002-406/020-000</a>
	<b>Nr. articol:</b> 2002-407 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-407">www.wago.com/2002-407</a>
	<b>Nr. articol:</b> 2002-407/000-005 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-407/000-005">www.wago.com/2002-407/000-005</a>

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	<b>Nr. articol:</b> 2002-407/000-006 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-407/000-006">www.wago.com/2002-407/000-006</a>
	<b>Nr. articol:</b> 2002-408 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-408">www.wago.com/2002-408</a>
	<b>Nr. articol:</b> 2002-408/000-005 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-408/000-005">www.wago.com/2002-408/000-005</a>
	<b>Nr. articol:</b> 2002-408/000-006 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-408/000-006">www.wago.com/2002-408/000-006</a>
	<b>Nr. articol:</b> 2002-409 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-409">www.wago.com/2002-409</a>
	<b>Nr. articol:</b> 2002-409/000-005 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-409/000-005">www.wago.com/2002-409/000-005</a>
	<b>Nr. articol:</b> 2002-409/000-006 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-409/000-006">www.wago.com/2002-409/000-006</a>
	<b>Nr. articol:</b> 2002-410 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-410">www.wago.com/2002-410</a>
	<b>Nr. articol:</b> 2002-410/000-005 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-410/000-005">www.wago.com/2002-410/000-005</a>
	<b>Nr. articol:</b> 2002-410/000-006 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-410/000-006">www.wago.com/2002-410/000-006</a>
	<b>Nr. articol:</b> 2002-423 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-423">www.wago.com/2002-423</a>
	<b>Nr. articol:</b> 2002-423/000-005 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; red	<a href="http://www.wago.com/2002-423/000-005">www.wago.com/2002-423/000-005</a>
	<b>Nr. articol:</b> 2002-423/000-006 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-423/000-006">www.wago.com/2002-423/000-006</a>
	<b>Nr. articol:</b> 2002-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-433">www.wago.com/2002-433</a>
	<b>Nr. articol:</b> 2002-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-434">www.wago.com/2002-434</a>














Supus modificărilor.

	<b>Nr. articol: 2002-435</b> Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-435">www.wago.com/2002-435</a>
	<b>Nr. articol: 2002-436</b> Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-436">www.wago.com/2002-436</a>
	<b>Nr. articol: 2002-437</b> Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-437">www.wago.com/2002-437</a>
	<b>Nr. articol: 2002-438</b> Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-438">www.wago.com/2002-438</a>
	<b>Nr. articol: 2002-439</b> Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-439">www.wago.com/2002-439</a>
	<b>Nr. articol: 2002-440</b> Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-440">www.wago.com/2002-440</a>
	<b>Nr. articol: 2002-472</b> Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-472">www.wago.com/2002-472</a>
	<b>Nr. articol: 2002-473</b> Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-473">www.wago.com/2002-473</a>
	<b>Nr. articol: 2002-473/011-000</b> Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	<a href="http://www.wago.com/2002-473/011-000">www.wago.com/2002-473/011-000</a>
	<b>Nr. articol: 2002-474</b> Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-474">www.wago.com/2002-474</a>
	<b>Nr. articol: 2002-475</b> Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-475">www.wago.com/2002-475</a>
	<b>Nr. articol: 2002-475/011-000</b> Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	<a href="http://www.wago.com/2002-475/011-000">www.wago.com/2002-475/011-000</a>
	<b>Nr. articol: 2002-476</b> Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-476">www.wago.com/2002-476</a>
	<b>Nr. articol: 2002-477</b> Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-477">www.wago.com/2002-477</a>
	<b>Nr. articol: 2002-477/011-000</b> Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	<a href="http://www.wago.com/2002-477/011-000">www.wago.com/2002-477/011-000</a>
	<b>Nr. articol: 2002-478</b> Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-478">www.wago.com/2002-478</a>















Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	<b>Nr. articol: 2002-479</b> Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-479">www.wago.com/2002-479</a>
	<b>Nr. articol: 2002-479/011-000</b> Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	<a href="http://www.wago.com/2002-479/011-000">www.wago.com/2002-479/011-000</a>
	<b>Nr. articol: 2002-480</b> Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-480">www.wago.com/2002-480</a>
	<b>Nr. articol: 2002-481</b> Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-481">www.wago.com/2002-481</a>
	<b>Nr. articol: 2002-481/011-000</b> Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	<a href="http://www.wago.com/2002-481/011-000">www.wago.com/2002-481/011-000</a>
	<b>Nr. articol: 2002-482</b> Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-482">www.wago.com/2002-482</a>
	<b>Nr. articol: 210-103</b> Wire commoning chain; insulated; 50 connections; black	<a href="http://www.wago.com/210-103">www.wago.com/210-103</a>
	<b>Nr. articol: 210-123</b> Wire commoning chain; insulated; 50 connections	<a href="http://www.wago.com/210-123">www.wago.com/210-123</a>
<b>Insulation stop</b>		
	<b>Nr. articol: 2002-171</b> Insulation stop; 0.25 - 0.5 mm <sup>2</sup> ; 5 pieces/strip; light gray	<a href="http://www.wago.com/2002-171">www.wago.com/2002-171</a>
	<b>Nr. articol: 2002-172</b> Insulation stop; 0.75 - 1 mm <sup>2</sup> ; 5 pieces/strip; dark gray	<a href="http://www.wago.com/2002-172">www.wago.com/2002-172</a>
<b>Marking accessories</b>		
	<b>Nr. articol: 2002-161</b> Adaptor	<a href="http://www.wago.com/2002-161">www.wago.com/2002-161</a>
	<b>Nr. articol: 2009-110</b> Marking strips; on reel; not stretchable; plain; snap-on type; white	<a href="http://www.wago.com/2009-110">www.wago.com/2009-110</a>
	<b>Nr. articol: 2009-115</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	<a href="http://www.wago.com/2009-115">www.wago.com/2009-115</a>
	<b>Nr. articol: 2009-115/000-002</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	<a href="http://www.wago.com/2009-115/000-002">www.wago.com/2009-115/000-002</a>
	<b>Nr. articol: 2009-115/000-005</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red	<a href="http://www.wago.com/2009-115/000-005">www.wago.com/2009-115/000-005</a>

Supus modificărilor.















	<b>Nr. articol: 2009-115/000-006</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue	<a href="http://www.wago.com/2009-115/000-006">www.wago.com/2009-115/000-006</a>
	<b>Nr. articol: 2009-115/000-007</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray	<a href="http://www.wago.com/2009-115/000-007">www.wago.com/2009-115/000-007</a>
	<b>Nr. articol: 2009-115/000-012</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange	<a href="http://www.wago.com/2009-115/000-012">www.wago.com/2009-115/000-012</a>
	<b>Nr. articol: 2009-115/000-017</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green	<a href="http://www.wago.com/2009-115/000-017">www.wago.com/2009-115/000-017</a>
	<b>Nr. articol: 2009-115/000-023</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	<a href="http://www.wago.com/2009-115/000-023">www.wago.com/2009-115/000-023</a>
	<b>Nr. articol: 2009-115/000-024</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	<a href="http://www.wago.com/2009-115/000-024">www.wago.com/2009-115/000-024</a>
	<b>Nr. articol: 2009-145</b> Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	<a href="http://www.wago.com/2009-145">www.wago.com/2009-145</a>
	<b>Nr. articol: 2009-145/000-002</b> Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	<a href="http://www.wago.com/2009-145/000-002">www.wago.com/2009-145/000-002</a>
	<b>Nr. articol: 2009-145/000-005</b> Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red	<a href="http://www.wago.com/2009-145/000-005">www.wago.com/2009-145/000-005</a>
	<b>Nr. articol: 2009-145/000-006</b> Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue	<a href="http://www.wago.com/2009-145/000-006">www.wago.com/2009-145/000-006</a>
	<b>Nr. articol: 2009-145/000-007</b> Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray	<a href="http://www.wago.com/2009-145/000-007">www.wago.com/2009-145/000-007</a>
	<b>Nr. articol: 2009-145/000-012</b> Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange	<a href="http://www.wago.com/2009-145/000-012">www.wago.com/2009-145/000-012</a>
	<b>Nr. articol: 2009-145/000-023</b> Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	<a href="http://www.wago.com/2009-145/000-023">www.wago.com/2009-145/000-023</a>
	<b>Nr. articol: 2009-145/000-024</b> Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type;	<a href="http://www.wago.com/2009-145/000-024">www.wago.com/2009-145/000-024</a>

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

violet

	<b>Nr. articol: 2009-191</b> Group marker carrier	<a href="http://www.wago.com/2009-191">www.wago.com/2009-191</a>
	<b>Nr. articol: 2009-192</b> Group marker carrier	<a href="http://www.wago.com/2009-192">www.wago.com/2009-192</a>
	<b>Nr. articol: 2009-193</b> Group marker carrier	<a href="http://www.wago.com/2009-193">www.wago.com/2009-193</a>
	<b>Nr. articol: 2009-198</b> Adaptor	<a href="http://www.wago.com/2009-198">www.wago.com/2009-198</a>
	<b>Nr. articol: 248-501</b> Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card	<a href="http://www.wago.com/248-501">www.wago.com/248-501</a>
	<b>Nr. articol: 248-501/000-002</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow	<a href="http://www.wago.com/248-501/000-002">www.wago.com/248-501/000-002</a>
	<b>Nr. articol: 248-501/000-005</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red	<a href="http://www.wago.com/248-501/000-005">www.wago.com/248-501/000-005</a>
	<b>Nr. articol: 248-501/000-006</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue	<a href="http://www.wago.com/248-501/000-006">www.wago.com/248-501/000-006</a>
	<b>Nr. articol: 248-501/000-007</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray	<a href="http://www.wago.com/248-501/000-007">www.wago.com/248-501/000-007</a>
	<b>Nr. articol: 248-501/000-012</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange	<a href="http://www.wago.com/248-501/000-012">www.wago.com/248-501/000-012</a>
	<b>Nr. articol: 248-501/000-017</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green	<a href="http://www.wago.com/248-501/000-017">www.wago.com/248-501/000-017</a>
	<b>Nr. articol: 248-501/000-023</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green	<a href="http://www.wago.com/248-501/000-023">www.wago.com/248-501/000-023</a>
	<b>Nr. articol: 248-501/000-024</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet	<a href="http://www.wago.com/248-501/000-024">www.wago.com/248-501/000-024</a>
	<b>Nr. articol: 793-501</b> WMB marking card; as card; not stretchable; plain; snap-on type; white	<a href="http://www.wago.com/793-501">www.wago.com/793-501</a>
	<b>Nr. articol: 793-501/000-002</b> WMB marking card; as card; not stretchable; plain; snap-on type; yellow	<a href="http://www.wago.com/793-501/000-002">www.wago.com/793-501/000-002</a>

Supus modificărilor.





**Nr. articol: 793-501/000-005**  
WMB marking card; as card; not stretchable; plain; snap-on type; red

[www.wago.com/793-501/000-005](http://www.wago.com/793-501/000-005)



**Nr. articol: 793-501/000-006**  
WMB marking card; as card; not stretchable; plain; snap-on type; blue

[www.wago.com/793-501/000-006](http://www.wago.com/793-501/000-006)



**Nr. articol: 793-501/000-007**  
WMB marking card; as card; not stretchable; plain; snap-on type; gray

[www.wago.com/793-501/000-007](http://www.wago.com/793-501/000-007)



**Nr. articol: 793-501/000-012**  
WMB marking card; as card; not stretchable; plain; snap-on type; orange

[www.wago.com/793-501/000-012](http://www.wago.com/793-501/000-012)



**Nr. articol: 793-501/000-017**  
WMB marking card; as card; not stretchable; plain; snap-on type; light green

[www.wago.com/793-501/000-017](http://www.wago.com/793-501/000-017)



**Nr. articol: 793-501/000-023**  
WMB marking card; as card; not stretchable; plain; snap-on type; green

[www.wago.com/793-501/000-023](http://www.wago.com/793-501/000-023)



**Nr. articol: 793-501/000-024**  
WMB marking card; as card; not stretchable; plain; snap-on type; violet

[www.wago.com/793-501/000-024](http://www.wago.com/793-501/000-024)



**Nr. articol: 793-5501**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

[www.wago.com/793-5501](http://www.wago.com/793-5501)



**Nr. articol: 793-5501/000-002**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

[www.wago.com/793-5501/000-002](http://www.wago.com/793-5501/000-002)



**Nr. articol: 793-5501/000-005**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red

[www.wago.com/793-5501/000-005](http://www.wago.com/793-5501/000-005)



**Nr. articol: 793-5501/000-006**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue

[www.wago.com/793-5501/000-006](http://www.wago.com/793-5501/000-006)



**Nr. articol: 793-5501/000-007**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray
















[www.wago.com/793-5501/000-007](http://www.wago.com/793-5501/000-007)




**Nr. articol: 793-5501/000-012**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange

[www.wago.com/793-5501/000-012](http://www.wago.com/793-5501/000-012)

Supus modificărilor.









	<b>Nr. articol: 793-5501/000-014</b> WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; brown	<a href="http://www.wago.com/793-5501/000-014">www.wago.com/793-5501/000-014</a>
	<b>Nr. articol: 793-5501/000-017</b> WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green	<a href="http://www.wago.com/793-5501/000-017">www.wago.com/793-5501/000-017</a>
	<b>Nr. articol: 793-5501/000-023</b> WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green	<a href="http://www.wago.com/793-5501/000-023">www.wago.com/793-5501/000-023</a>
	<b>Nr. articol: 793-5501/000-024</b> WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet	<a href="http://www.wago.com/793-5501/000-024">www.wago.com/793-5501/000-024</a>
<b>General accessories</b>		
	<b>Nr. articol: 2022-161</b> Start module for 1-conductor female connector; with integrated end plate; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-161">www.wago.com/2022-161</a>
	<b>Nr. articol: 2022-162</b> Start module for 1-conductor female connector; with integrated end plate; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-162">www.wago.com/2022-162</a>
	<b>Nr. articol: 2022-164</b> Start module for 1-conductor female connector; with integrated end plate; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-164">www.wago.com/2022-164</a>
	<b>Nr. articol: 2022-167</b> Start module for 1-conductor female connector; with integrated end plate; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-167">www.wago.com/2022-167</a>
	<b>Nr. articol: 2022-171</b> Center module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-171">www.wago.com/2022-171</a>
	<b>Nr. articol: 2022-172</b> Center module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-172">www.wago.com/2022-172</a>
	<b>Nr. articol: 2022-174</b> Center module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-174">www.wago.com/2022-174</a>
	<b>Nr. articol: 2022-177</b> Center module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-177">www.wago.com/2022-177</a>
	<b>Nr. articol: 2022-181</b> End module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-181">www.wago.com/2022-181</a>
	<b>Nr. articol: 2022-182</b> End module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-182">www.wago.com/2022-182</a>
	<b>Nr. articol: 2022-184</b> End module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-184">www.wago.com/2022-184</a>

Supus modificărilor.



**Nr. articol: 2022-187**  
End module for 1-conductor female connector; 2.5 mm<sup>2</sup>; 1-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-187](http://www.wago.com/2022-187)**Carrier rail**

	<b>Nr. articol: 210-112</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm	<a href="http://www.wago.com/210-112">www.wago.com/210-112</a>
	<b>Nr. articol: 210-113</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715	<a href="http://www.wago.com/210-113">www.wago.com/210-113</a>
	<b>Nr. articol: 210-114</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715	<a href="http://www.wago.com/210-114">www.wago.com/210-114</a>
	<b>Nr. articol: 210-115</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm	<a href="http://www.wago.com/210-115">www.wago.com/210-115</a>
	<b>Nr. articol: 210-118</b> Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	<a href="http://www.wago.com/210-118">www.wago.com/210-118</a>
	<b>Nr. articol: 210-196</b> Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored	<a href="http://www.wago.com/210-196">www.wago.com/210-196</a>
	<b>Nr. articol: 210-197</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	<a href="http://www.wago.com/210-197">www.wago.com/210-197</a>
	<b>Nr. articol: 210-198</b> Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored	<a href="http://www.wago.com/210-198">www.wago.com/210-198</a>

**End plate**

	<b>Nr. articol: 2022-1491</b> End and intermediate plate; 1 mm thick; gray	<a href="http://www.wago.com/2022-1491">www.wago.com/2022-1491</a>
	<b>Nr. articol: 2022-1492</b> End and intermediate plate; 1 mm thick; orange	<a href="http://www.wago.com/2022-1492">www.wago.com/2022-1492</a>

## Descărcări

### Documentation

**Additional Information**

Technical explanations	Apr 3, 2019	pdf 2,1 MB	Descărcare
------------------------	-------------	---------------	------------

**CAD/CAE-Data****CAD data**

2D/3D Models 2022-1401	URL	Descărcare
------------------------	-----	------------

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## CAE data

EPLAN Data Portal 2022-1401

[URL](#)

[Descărcare](#)


WSCAD Universe 2022-1401

[URL](#)


[Descărcare](#)

## Installation Notes


### Installation



Snap individual carrier terminal blocks onto the carrier rail and slide together.




Open the assembly by laterally sliding a block via operating tool (3.5 x 0.5 mm blade).



Separate terminal block assembly and slide individual terminal blocks laterally using an operating tool.

### Inserting a conductor




Push-in CAGE CLAMP® enables solid conductors and fine-stranded conductors with ferrules to be connected by simply pushing them into the unit.

### Commoning

Supus modificărilor.


WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Commoning X-COM®S-SYSTEM Terminal Blocks using jumpers for TOPJOB® S Terminal Blocks. An end plate provides connection to TOPJOB® S Terminal Blocks. 2020 and 2022 Series Terminal Blocks are combinable. Jumper slots are on the same level for both series.


#### Testing



Test plug adapter (2009-174) for 4 mm test plugs or banana plugs – also suitable for X-COM®S-SYSTEM-MINI Terminal Blocks.


#### Coding

Supus modificărilor.




Insert coding pin into the corresponding slot and twist it off.

### Marking




Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)

### Safety



Carrier terminal blocks and female plugs are touch-proof.

### Familie de produse

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



**X-COM S**

Afișare globală produse din familie.

Supus modificărilor.

---

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.