



## Fișă tehnică | Număr articol: 2020-1301

2-conductor/1-pin carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5;  
Push-in CAGE CLAMP®; 1,00 mm²; gray



[www.wago.com/2020-1301](http://www.wago.com/2020-1301)



RoHS  Compliant

[BOMcheck.net](https://www.bomcheck.net)

Culoare:

### Date

#### Electrical data

#### Ratings per IEC/EN 60664-1

Ratings per	IEC/EN 60947-7-1
Nominal voltage (III/3)	500 V
Rated surge voltage (III/3)	6 kV
Rated current	13,5 A
Legend (ratings)	(III / 3) ≙ Overvoltage category III / Pollution degree 3

#### Approvals per UL 1059

Rated voltage UL (Use Group B)	300 V
Rated current UL (Use Group B)	15 A
Rated voltage UL (Use Group C)	300 V
Rated current UL (Use Group C)	15 A

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Rated voltage UL (Use Group D)	300 V
Rated current UL (Use Group D)	15 A
Approvals per	UL 1059

### Approvals per CSA

Rated voltage CSA (Use Group B)	300 V
Rated current CSA (Use Group B)	10 A
Rated voltage CSA (Use Group C)	300 V
Rated current CSA (Use Group C)	10 A

### Connection data

Connection technology	Push-in CAGE CLAMP®
Number of connection points (connection type)	2
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross-section	1 mm <sup>2</sup>
Solid conductor	0,14 ... 1,5 mm <sup>2</sup> / 24 ... 16 AWG
Solid conductor; push-in termination	0,5 ... 1,5 mm <sup>2</sup> / 20 ... 16 AWG
Fine-stranded conductor	0,14 ... 1,5 mm <sup>2</sup> / 24 ... 16 AWG
Fine-stranded conductor; with insulated ferrule	0,5 ... 0,75 mm <sup>2</sup> / 20 ... 18 AWG
Fine-stranded conductor; with ferrule; push-in termination	0,5 ... 0,75 mm <sup>2</sup> / 20 ... 18 AWG
Strip length	9 ... 11 mm / 0.35 ... 0.43 inch
Number of connection points	1
Total number of connection points	2
Total number of potentials	1
Number of levels	1
Wiring type	Front-entry wiring
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross-section can also be inserted via push-in termination.

### Geometrical Data

Width	3,5 mm / 0.138 inch
Height from upper-edge of DIN-rail	32,5 mm / 1.28 inch
Depth	58,2 mm / 2.291 inch

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Mechanical data

Design	horizontal type
Mounting type	DIN-35 rail
Marking level	Center/side marking

## Material Data




Color	gray
Insulation material	Polyamide 66 (PA 66)
Weight	4,5 g

## Commercial data

Packaging type	BOX
Country of origin	CN
GTIN	4055143288125
Customs tariff number	85366990990

## Aprobări / certificate

### Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7617
	CSA DEKRA Certification B.V.	C22.2 No. 158	2516073
	KEMA/KEUR DEKRA Certification B.V.	EN 60947	71- 100670

### UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	UL UL International Germany GmbH	UL 1059	E45172








Supus modificărilor.



## Counterpart

## Produse compatibile















### Jumper

	<b>Nr. articol: 2000-402</b> Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-402">www.wago.com/2000-402</a>
	<b>Nr. articol: 2000-402/000-005</b> Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-402/000-005">www.wago.com/2000-402/000-005</a>
	<b>Nr. articol: 2000-402/000-006</b> Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-402/000-006">www.wago.com/2000-402/000-006</a>
	<b>Nr. articol: 2000-402/000-018</b> Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; yellow-green	<a href="http://www.wago.com/2000-402/000-018">www.wago.com/2000-402/000-018</a>
	<b>Nr. articol: 2000-403</b> Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-403">www.wago.com/2000-403</a>
	<b>Nr. articol: 2000-403/000-005</b> Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-403/000-005">www.wago.com/2000-403/000-005</a>
	<b>Nr. articol: 2000-403/000-006</b> Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-403/000-006">www.wago.com/2000-403/000-006</a>
















Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com
















Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	<b>Nr. articol: 2000-404</b> Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-404">www.wago.com/2000-404</a>
	<b>Nr. articol: 2000-404/000-005</b> Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-404/000-005">www.wago.com/2000-404/000-005</a>
	<b>Nr. articol: 2000-404/000-006</b> Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-404/000-006">www.wago.com/2000-404/000-006</a>
	<b>Nr. articol: 2000-405</b> Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-405">www.wago.com/2000-405</a>
	<b>Nr. articol: 2000-405/000-005</b> Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-405/000-005">www.wago.com/2000-405/000-005</a>
	<b>Nr. articol: 2000-405/000-006</b> Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-405/000-006">www.wago.com/2000-405/000-006</a>
	<b>Nr. articol: 2000-405/011-000</b> Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	<a href="http://www.wago.com/2000-405/011-000">www.wago.com/2000-405/011-000</a>
	<b>Nr. articol: 2000-406</b> Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-406">www.wago.com/2000-406</a>
	<b>Nr. articol: 2000-406/000-005</b> Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-406/000-005">www.wago.com/2000-406/000-005</a>
	<b>Nr. articol: 2000-406/000-006</b> Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-406/000-006">www.wago.com/2000-406/000-006</a>
	<b>Nr. articol: 2000-406/020-000</b> Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray	<a href="http://www.wago.com/2000-406/020-000">www.wago.com/2000-406/020-000</a>
	<b>Nr. articol: 2000-407</b> Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-407">www.wago.com/2000-407</a>
	<b>Nr. articol: 2000-407/000-005</b> Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-407/000-005">www.wago.com/2000-407/000-005</a>
	<b>Nr. articol: 2000-407/000-006</b> Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-407/000-006">www.wago.com/2000-407/000-006</a>















Supus modificărilor.

	<b>Nr. articol: 2000-408</b> Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-408">www.wago.com/2000-408</a>
	<b>Nr. articol: 2000-408/000-005</b> Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-408/000-005">www.wago.com/2000-408/000-005</a>
	<b>Nr. articol: 2000-408/000-006</b> Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-408/000-006">www.wago.com/2000-408/000-006</a>
	<b>Nr. articol: 2000-409</b> Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-409">www.wago.com/2000-409</a>
	<b>Nr. articol: 2000-409/000-005</b> Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-409/000-005">www.wago.com/2000-409/000-005</a>
	<b>Nr. articol: 2000-409/000-006</b> Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-409/000-006">www.wago.com/2000-409/000-006</a>
	<b>Nr. articol: 2000-410</b> Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-410">www.wago.com/2000-410</a>
	<b>Nr. articol: 2000-410/000-005</b> Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-410/000-005">www.wago.com/2000-410/000-005</a>
	<b>Nr. articol: 2000-410/000-006</b> Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-410/000-006">www.wago.com/2000-410/000-006</a>
	<b>Nr. articol: 2000-433</b> Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-433">www.wago.com/2000-433</a>
	<b>Nr. articol: 2000-433/000-005</b> Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; red	<a href="http://www.wago.com/2000-433/000-005">www.wago.com/2000-433/000-005</a>
	<b>Nr. articol: 2000-433/000-006</b> Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-433/000-006">www.wago.com/2000-433/000-006</a>
	<b>Nr. articol: 2000-434</b> Push-in type jumper bar; insulated; from 1 to 4; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-434">www.wago.com/2000-434</a>
	<b>Nr. articol: 2000-435</b> Push-in type jumper bar; insulated; from 1 to 5; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-435">www.wago.com/2000-435</a>
	<b>Nr. articol: 2000-436</b> Push-in type jumper bar; insulated; from 1 to 6; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-436">www.wago.com/2000-436</a>

Supus modificărilor.












	<b>Nr. articol: 2000-437</b> Push-in type jumper bar; insulated; from 1 to 7; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-437">www.wago.com/2000-437</a>
	<b>Nr. articol: 2000-438</b> Push-in type jumper bar; insulated; from 1 to 8; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-438">www.wago.com/2000-438</a>
	<b>Nr. articol: 2000-439</b> Push-in type jumper bar; insulated; from 1 to 9; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-439">www.wago.com/2000-439</a>
	<b>Nr. articol: 2000-440</b> Push-in type jumper bar; insulated; from 1 to 10; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-440">www.wago.com/2000-440</a>
	<b>Nr. articol: 210-103</b> Wire commoning chain; insulated; 50 connections; black	<a href="http://www.wago.com/210-103">www.wago.com/210-103</a>
	<b>Nr. articol: 210-123</b> Wire commoning chain; insulated; 50 connections	<a href="http://www.wago.com/210-123">www.wago.com/210-123</a>
<b>check</b>		
	<b>Nr. articol: 2009-174</b> Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray	<a href="http://www.wago.com/2009-174">www.wago.com/2009-174</a>
	<b>Nr. articol: 2009-182</b> Testing tap; for max. 2.5 mm <sup>2</sup> ; tool-free connection for individual test wires 0.08 - 2.5 mm; gray	<a href="http://www.wago.com/2009-182">www.wago.com/2009-182</a>
	<b>Nr. articol: 859-500</b> Test pin; 1 mm Ø; with solder connection for test wire	<a href="http://www.wago.com/859-500">www.wago.com/859-500</a>
<b>Coding</b>		
	<b>Nr. articol: 2020-100</b> Carrier with 6 coding pins; for coding of female plugs; for carrier terminal blocks; orange	<a href="http://www.wago.com/2020-100">www.wago.com/2020-100</a>
<b>Marking accessories</b>		
	<b>Nr. articol: 2009-110</b> Marking strips; on reel; not stretchable; plain; snap-on type; white	<a href="http://www.wago.com/2009-110">www.wago.com/2009-110</a>
	<b>Nr. articol: 2009-113</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; white	<a href="http://www.wago.com/2009-113">www.wago.com/2009-113</a>
	<b>Nr. articol: 2009-113/000-002</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; yellow	<a href="http://www.wago.com/2009-113/000-002">www.wago.com/2009-113/000-002</a>
	<b>Nr. articol: 2009-113/000-005</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; red	<a href="http://www.wago.com/2009-113/000-005">www.wago.com/2009-113/000-005</a>
	<b>Nr. articol: 2009-113/000-006</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; blue	<a href="http://www.wago.com/2009-113/000-006">www.wago.com/2009-113/000-006</a>

Supus modificărilor.










	<b>Nr. articol: 2009-113/000-007</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; gray	<a href="http://www.wago.com/2009-113/000-007">www.wago.com/2009-113/000-007</a>
	<b>Nr. articol: 2009-113/000-012</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; orange	<a href="http://www.wago.com/2009-113/000-012">www.wago.com/2009-113/000-012</a>
	<b>Nr. articol: 2009-113/000-017</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; light green	<a href="http://www.wago.com/2009-113/000-017">www.wago.com/2009-113/000-017</a>
	<b>Nr. articol: 2009-113/000-023</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; green	<a href="http://www.wago.com/2009-113/000-023">www.wago.com/2009-113/000-023</a>
	<b>Nr. articol: 2009-113/000-024</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; violet	<a href="http://www.wago.com/2009-113/000-024">www.wago.com/2009-113/000-024</a>
	<b>Nr. articol: 793-3501</b> WMB marking card; as card; plain; snap-on type; white	<a href="http://www.wago.com/793-3501">www.wago.com/793-3501</a>
<b>Push-In type wire jumper</b>		
	<b>Nr. articol: 2009-402</b> Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 0.75 mm <sup>2</sup> ; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray	<a href="http://www.wago.com/2009-402">www.wago.com/2009-402</a>
	<b>Nr. articol: 2009-404</b> Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 0.75 mm <sup>2</sup> ; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray	<a href="http://www.wago.com/2009-404">www.wago.com/2009-404</a>
	<b>Nr. articol: 2009-406</b> Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 0.75 mm <sup>2</sup> ; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray	<a href="http://www.wago.com/2009-406">www.wago.com/2009-406</a>
<b>Carrier rail</b>		
	<b>Nr. articol: 210-112</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm	<a href="http://www.wago.com/210-112">www.wago.com/210-112</a>
	<b>Nr. articol: 210-113</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715	<a href="http://www.wago.com/210-113">www.wago.com/210-113</a>
	<b>Nr. articol: 210-114</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715	<a href="http://www.wago.com/210-114">www.wago.com/210-114</a>
	<b>Nr. articol: 210-115</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm	<a href="http://www.wago.com/210-115">www.wago.com/210-115</a>
	<b>Nr. articol: 210-118</b> Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	<a href="http://www.wago.com/210-118">www.wago.com/210-118</a>
	<b>Nr. articol: 210-196</b> Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-	<a href="http://www.wago.com/210-196">www.wago.com/210-196</a>

Supus modificărilor.
















	colored	
	<b>Nr. articol: 210-197</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	<a href="http://www.wago.com/210-197">www.wago.com/210-197</a>
	<b>Nr. articol: 210-198</b> Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored	<a href="http://www.wago.com/210-198">www.wago.com/210-198</a>
<b>Protective Warning Marker</b>		
	<b>Nr. articol: 2000-115</b> Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow	<a href="http://www.wago.com/2000-115">www.wago.com/2000-115</a>
<b>ferrule</b>		
	<b>Nr. articol: 216-241</b> Ferrule; Sleeve for 0.5 mm <sup>2</sup> / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white	<a href="http://www.wago.com/216-241">www.wago.com/216-241</a>
	<b>Nr. articol: 216-242</b> Ferrule; Sleeve for 0.75 mm <sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	<a href="http://www.wago.com/216-242">www.wago.com/216-242</a>
	<b>Nr. articol: 216-243</b> Ferrule; Sleeve for 1 mm <sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	<a href="http://www.wago.com/216-243">www.wago.com/216-243</a>
<b>End plate</b>		
	<b>Nr. articol: 2020-1391</b> End and intermediate plate; gray	<a href="http://www.wago.com/2020-1391">www.wago.com/2020-1391</a>
	<b>Nr. articol: 2020-1392</b> End and intermediate plate; orange	<a href="http://www.wago.com/2020-1392">www.wago.com/2020-1392</a>
<b>Female plug</b>		
	<b>Nr. articol: 2020-102</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-102">www.wago.com/2020-102</a>
	<b>Nr. articol: 2020-102/122-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-102/122-000">www.wago.com/2020-102/122-000</a>
	<b>Nr. articol: 2020-102/132-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-102/132-000">www.wago.com/2020-102/132-000</a>
	<b>Nr. articol: 2020-102/142-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-102/142-000">www.wago.com/2020-102/142-000</a>
	<b>Nr. articol: 2020-103</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103">www.wago.com/2020-103</a>









Supus modificărilor.

	<b>Nr. articol: 2020-103/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-103/000-036">www.wago.com/2020-103/000-036</a>
	<b>Nr. articol: 2020-103/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-103/000-037">www.wago.com/2020-103/000-037</a>
	<b>Nr. articol: 2020-103/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-103/000-038">www.wago.com/2020-103/000-038</a>
	<b>Nr. articol: 2020-103/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-103/000-039">www.wago.com/2020-103/000-039</a>
	<b>Nr. articol: 2020-103/122-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103/122-000">www.wago.com/2020-103/122-000</a>
	<b>Nr. articol: 2020-103/132-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103/132-000">www.wago.com/2020-103/132-000</a>
	<b>Nr. articol: 2020-103/142-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103/142-000">www.wago.com/2020-103/142-000</a>
	<b>Nr. articol: 2020-104</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104">www.wago.com/2020-104</a>
	<b>Nr. articol: 2020-104/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-104/000-036">www.wago.com/2020-104/000-036</a>
	<b>Nr. articol: 2020-104/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-104/000-037">www.wago.com/2020-104/000-037</a>
	<b>Nr. articol: 2020-104/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-104/000-038">www.wago.com/2020-104/000-038</a>
	<b>Nr. articol: 2020-104/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-104/000-039">www.wago.com/2020-104/000-039</a>
	<b>Nr. articol: 2020-104/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104/124-000">www.wago.com/2020-104/124-000</a>
	<b>Nr. articol: 2020-104/133-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104/133-000">www.wago.com/2020-104/133-000</a>









Supus modificărilor.

	<b>Nr. articol: 2020-104/143-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104/143-000">www.wago.com/2020-104/143-000</a>
	<b>Nr. articol: 2020-105</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105">www.wago.com/2020-105</a>
	<b>Nr. articol: 2020-105/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-105/000-036">www.wago.com/2020-105/000-036</a>
	<b>Nr. articol: 2020-105/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-105/000-037">www.wago.com/2020-105/000-037</a>
	<b>Nr. articol: 2020-105/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-105/000-038">www.wago.com/2020-105/000-038</a>
	<b>Nr. articol: 2020-105/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-105/000-039">www.wago.com/2020-105/000-039</a>
	<b>Nr. articol: 2020-105/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105/124-000">www.wago.com/2020-105/124-000</a>
	<b>Nr. articol: 2020-105/133-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105/133-000">www.wago.com/2020-105/133-000</a>
	<b>Nr. articol: 2020-105/143-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105/143-000">www.wago.com/2020-105/143-000</a>
	<b>Nr. articol: 2020-106</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-106">www.wago.com/2020-106</a>
	<b>Nr. articol: 2020-106/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-106/000-036">www.wago.com/2020-106/000-036</a>
	<b>Nr. articol: 2020-106/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-106/000-037">www.wago.com/2020-106/000-037</a>
	<b>Nr. articol: 2020-106/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-106/000-038">www.wago.com/2020-106/000-038</a>
	<b>Nr. articol: 2020-106/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-106/000-039">www.wago.com/2020-106/000-039</a>










Supus modificărilor.

	<b>Nr. articol: 2020-106/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-106/124-000">www.wago.com/2020-106/124-000</a>
	<b>Nr. articol: 2020-106/133-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-106/133-000">www.wago.com/2020-106/133-000</a>
	<b>Nr. articol: 2020-106/143-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-106/143-000">www.wago.com/2020-106/143-000</a>
	<b>Nr. articol: 2020-107</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-107">www.wago.com/2020-107</a>
	<b>Nr. articol: 2020-107/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-107/000-036">www.wago.com/2020-107/000-036</a>
	<b>Nr. articol: 2020-107/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-107/000-037">www.wago.com/2020-107/000-037</a>
	<b>Nr. articol: 2020-107/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-107/000-038">www.wago.com/2020-107/000-038</a>
	<b>Nr. articol: 2020-107/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-107/000-039">www.wago.com/2020-107/000-039</a>
	<b>Nr. articol: 2020-107/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-107/124-000">www.wago.com/2020-107/124-000</a>
	<b>Nr. articol: 2020-107/134-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-107/134-000">www.wago.com/2020-107/134-000</a>
	<b>Nr. articol: 2020-107/144-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-107/144-000">www.wago.com/2020-107/144-000</a>
	<b>Nr. articol: 2020-108</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-108">www.wago.com/2020-108</a>
	<b>Nr. articol: 2020-108/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-108/000-036">www.wago.com/2020-108/000-036</a>
	<b>Nr. articol: 2020-108/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-108/000-037">www.wago.com/2020-108/000-037</a>










Supus modificărilor.

	<b>Nr. articol: 2020-108/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-108/000-038">www.wago.com/2020-108/000-038</a>
	<b>Nr. articol: 2020-108/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-108/000-039">www.wago.com/2020-108/000-039</a>
	<b>Nr. articol: 2020-108/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-108/124-000">www.wago.com/2020-108/124-000</a>
	<b>Nr. articol: 2020-108/134-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-108/134-000">www.wago.com/2020-108/134-000</a>
	<b>Nr. articol: 2020-108/144-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-108/144-000">www.wago.com/2020-108/144-000</a>
	<b>Nr. articol: 2020-109</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-109">www.wago.com/2020-109</a>
	<b>Nr. articol: 2020-109/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-109/000-036">www.wago.com/2020-109/000-036</a>
	<b>Nr. articol: 2020-109/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-109/000-037">www.wago.com/2020-109/000-037</a>
	<b>Nr. articol: 2020-109/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-109/000-038">www.wago.com/2020-109/000-038</a>
	<b>Nr. articol: 2020-109/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-109/000-039">www.wago.com/2020-109/000-039</a>
	<b>Nr. articol: 2020-109/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-109/124-000">www.wago.com/2020-109/124-000</a>
	<b>Nr. articol: 2020-109/134-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-109/134-000">www.wago.com/2020-109/134-000</a>
	<b>Nr. articol: 2020-109/144-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-109/144-000">www.wago.com/2020-109/144-000</a>
	<b>Nr. articol: 2020-110</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-110">www.wago.com/2020-110</a>

Supus modificărilor.

	<b>Nr. articol: 2020-110/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-110/000-036">www.wago.com/2020-110/000-036</a>
	<b>Nr. articol: 2020-110/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-110/000-037">www.wago.com/2020-110/000-037</a>
	<b>Nr. articol: 2020-110/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-110/000-038">www.wago.com/2020-110/000-038</a>
	<b>Nr. articol: 2020-110/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-110/000-039">www.wago.com/2020-110/000-039</a>
	<b>Nr. articol: 2020-110/125-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-110/125-000">www.wago.com/2020-110/125-000</a>
	<b>Nr. articol: 2020-110/135-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-110/135-000">www.wago.com/2020-110/135-000</a>
	<b>Nr. articol: 2020-110/145-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-110/145-000">www.wago.com/2020-110/145-000</a>
	<b>Nr. articol: 2020-111</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-111">www.wago.com/2020-111</a>
	<b>Nr. articol: 2020-111/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-111/000-036">www.wago.com/2020-111/000-036</a>
	<b>Nr. articol: 2020-111/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-111/000-037">www.wago.com/2020-111/000-037</a>
	<b>Nr. articol: 2020-111/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-111/000-038">www.wago.com/2020-111/000-038</a>
	<b>Nr. articol: 2020-111/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-111/000-039">www.wago.com/2020-111/000-039</a>
	<b>Nr. articol: 2020-111/125-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-111/125-000">www.wago.com/2020-111/125-000</a>

Supus modificărilor.

	<b>Nr. articol: 2020-111/135-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-111/135-000">www.wago.com/2020-111/135-000</a>
	<b>Nr. articol: 2020-111/145-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-111/145-000">www.wago.com/2020-111/145-000</a>
	<b>Nr. articol: 2020-112</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-112">www.wago.com/2020-112</a>
	<b>Nr. articol: 2020-112/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-112/000-036">www.wago.com/2020-112/000-036</a>
	<b>Nr. articol: 2020-112/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-112/000-037">www.wago.com/2020-112/000-037</a>
	<b>Nr. articol: 2020-112/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-112/000-038">www.wago.com/2020-112/000-038</a>
	<b>Nr. articol: 2020-112/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-112/000-039">www.wago.com/2020-112/000-039</a>
	<b>Nr. articol: 2020-112/125-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-112/125-000">www.wago.com/2020-112/125-000</a>
	<b>Nr. articol: 2020-112/135-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-112/135-000">www.wago.com/2020-112/135-000</a>
	<b>Nr. articol: 2020-112/145-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-112/145-000">www.wago.com/2020-112/145-000</a>
	<b>Nr. articol: 2020-113</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-113">www.wago.com/2020-113</a>
	<b>Nr. articol: 2020-113/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-113/000-036">www.wago.com/2020-113/000-036</a>
	<b>Nr. articol: 2020-113/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-113/000-037">www.wago.com/2020-113/000-037</a>
	<b>Nr. articol: 2020-113/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-113/000-038">www.wago.com/2020-113/000-038</a>

Supus modificărilor.



**Nr. articol: 2020-113/000-039**

1-conductor female plug; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-113/000-039](http://www.wago.com/2020-113/000-039)

**Nr. articol: 2020-113/125-000**

1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-113/125-000](http://www.wago.com/2020-113/125-000)

**Nr. articol: 2020-113/135-000**

1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-113/135-000](http://www.wago.com/2020-113/135-000)

**Nr. articol: 2020-113/145-000**

1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-113/145-000](http://www.wago.com/2020-113/145-000)



**Nr. articol: 2020-114**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-114](http://www.wago.com/2020-114)



**Nr. articol: 2020-114/000-036**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-114/000-036](http://www.wago.com/2020-114/000-036)



**Nr. articol: 2020-114/000-037**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-114/000-037](http://www.wago.com/2020-114/000-037)



**Nr. articol: 2020-114/000-038**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-114/000-038](http://www.wago.com/2020-114/000-038)



**Nr. articol: 2020-114/000-039**

1-conductor female plug; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-114/000-039](http://www.wago.com/2020-114/000-039)

**Nr. articol: 2020-114/125-000**

1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-114/125-000](http://www.wago.com/2020-114/125-000)

**Nr. articol: 2020-114/135-000**

1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-114/135-000](http://www.wago.com/2020-114/135-000)

**Nr. articol: 2020-114/145-000**

1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-114/145-000](http://www.wago.com/2020-114/145-000)



**Nr. articol: 2020-115**

1-conductor female plug; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-115](http://www.wago.com/2020-115)



**Nr. articol: 2020-115/000-036**

1-conductor female plug; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-115/000-036](http://www.wago.com/2020-115/000-036)

Supus modificărilor.















**Nr. articol: 2020-115/000-037**1-conductor female plug; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2020-115/000-037](http://www.wago.com/2020-115/000-037)**Nr. articol: 2020-115/000-038**1-conductor female plug; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2020-115/000-038](http://www.wago.com/2020-115/000-038)**Nr. articol: 2020-115/000-039**1-conductor female plug; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-115/000-039](http://www.wago.com/2020-115/000-039)**Nr. articol: 2020-115/125-000**1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-115/125-000](http://www.wago.com/2020-115/125-000)**Nr. articol: 2020-115/135-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-115/135-000](http://www.wago.com/2020-115/135-000)**Nr. articol: 2020-115/145-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-115/145-000](http://www.wago.com/2020-115/145-000)**Nr. articol: 2020-202**2-conductor female connector; 1.5 mm<sup>2</sup>; 2-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-202](http://www.wago.com/2020-202)**Nr. articol: 2020-202/122-000**2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 2-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-202/122-000](http://www.wago.com/2020-202/122-000)**Nr. articol: 2020-202/132-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 2-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-202/132-000](http://www.wago.com/2020-202/132-000)**Nr. articol: 2020-202/142-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 2-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-202/142-000](http://www.wago.com/2020-202/142-000)**Nr. articol: 2020-203**2-conductor female connector; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-203](http://www.wago.com/2020-203)**Nr. articol: 2020-203/000-036**2-conductor female connector; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2020-203/000-036](http://www.wago.com/2020-203/000-036)**Nr. articol: 2020-203/000-037**2-conductor female connector; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2020-203/000-037](http://www.wago.com/2020-203/000-037)**Nr. articol: 2020-203/000-038**2-conductor female connector; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2020-203/000-038](http://www.wago.com/2020-203/000-038)











Supus modificărilor.

**Nr. articol: 2020-203/000-039**2-conductor female connector; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-203/000-039](http://www.wago.com/2020-203/000-039)**Nr. articol: 2020-203/122-000**2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-203/122-000](http://www.wago.com/2020-203/122-000)**Nr. articol: 2020-203/132-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-203/132-000](http://www.wago.com/2020-203/132-000)**Nr. articol: 2020-203/142-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-203/142-000](http://www.wago.com/2020-203/142-000)**Nr. articol: 2020-204**2-conductor female connector; 1.5 mm<sup>2</sup>; 4-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-204](http://www.wago.com/2020-204)**Nr. articol: 2020-204/000-036**2-conductor female connector; 1.5 mm<sup>2</sup>; 4-pole; 1,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2020-204/000-036](http://www.wago.com/2020-204/000-036)**Nr. articol: 2020-204/000-037**2-conductor female connector; 1.5 mm<sup>2</sup>; 4-pole; 1,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2020-204/000-037](http://www.wago.com/2020-204/000-037)**Nr. articol: 2020-204/000-038**2-conductor female connector; 1.5 mm<sup>2</sup>; 4-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2020-204/000-038](http://www.wago.com/2020-204/000-038)**Nr. articol: 2020-204/000-039**2-conductor female connector; 1.5 mm<sup>2</sup>; 4-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-204/000-039](http://www.wago.com/2020-204/000-039)**Nr. articol: 2020-204/124-000**2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 4-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-204/124-000](http://www.wago.com/2020-204/124-000)**Nr. articol: 2020-204/133-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 4-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-204/133-000](http://www.wago.com/2020-204/133-000)**Nr. articol: 2020-204/143-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 4-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-204/143-000](http://www.wago.com/2020-204/143-000)**Nr. articol: 2020-205**2-conductor female connector; 1.5 mm<sup>2</sup>; 5-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-205](http://www.wago.com/2020-205)**Nr. articol: 2020-205/000-036**2-conductor female connector; 1.5 mm<sup>2</sup>; 5-pole; 1,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2020-205/000-036](http://www.wago.com/2020-205/000-036)









Supus modificărilor.

	<b>Nr. articol: 2020-205/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-205/000-037">www.wago.com/2020-205/000-037</a>
	<b>Nr. articol: 2020-205/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-205/000-038">www.wago.com/2020-205/000-038</a>
	<b>Nr. articol: 2020-205/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-205/000-039">www.wago.com/2020-205/000-039</a>
	<b>Nr. articol: 2020-205/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205/124-000">www.wago.com/2020-205/124-000</a>
	<b>Nr. articol: 2020-205/133-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205/133-000">www.wago.com/2020-205/133-000</a>
	<b>Nr. articol: 2020-205/143-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205/143-000">www.wago.com/2020-205/143-000</a>
	<b>Nr. articol: 2020-206</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206">www.wago.com/2020-206</a>
	<b>Nr. articol: 2020-206/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-206/000-036">www.wago.com/2020-206/000-036</a>
	<b>Nr. articol: 2020-206/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-206/000-037">www.wago.com/2020-206/000-037</a>
	<b>Nr. articol: 2020-206/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-206/000-038">www.wago.com/2020-206/000-038</a>
	<b>Nr. articol: 2020-206/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-206/000-039">www.wago.com/2020-206/000-039</a>
	<b>Nr. articol: 2020-206/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206/124-000">www.wago.com/2020-206/124-000</a>
	<b>Nr. articol: 2020-206/133-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206/133-000">www.wago.com/2020-206/133-000</a>
	<b>Nr. articol: 2020-206/143-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206/143-000">www.wago.com/2020-206/143-000</a>

Supus modificărilor.

	<b>Nr. articol: 2020-207</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-207">www.wago.com/2020-207</a>
	<b>Nr. articol: 2020-207/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-207/000-036">www.wago.com/2020-207/000-036</a>
	<b>Nr. articol: 2020-207/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-207/000-037">www.wago.com/2020-207/000-037</a>
	<b>Nr. articol: 2020-207/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-207/000-038">www.wago.com/2020-207/000-038</a>
	<b>Nr. articol: 2020-207/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-207/000-039">www.wago.com/2020-207/000-039</a>
	<b>Nr. articol: 2020-207/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-207/124-000">www.wago.com/2020-207/124-000</a>
	<b>Nr. articol: 2020-207/134-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-207/134-000">www.wago.com/2020-207/134-000</a>
	<b>Nr. articol: 2020-207/144-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-207/144-000">www.wago.com/2020-207/144-000</a>
	<b>Nr. articol: 2020-208</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-208">www.wago.com/2020-208</a>
	<b>Nr. articol: 2020-208/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-208/000-036">www.wago.com/2020-208/000-036</a>
	<b>Nr. articol: 2020-208/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-208/000-037">www.wago.com/2020-208/000-037</a>
	<b>Nr. articol: 2020-208/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-208/000-038">www.wago.com/2020-208/000-038</a>
	<b>Nr. articol: 2020-208/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-208/000-039">www.wago.com/2020-208/000-039</a>
	<b>Nr. articol: 2020-208/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-208/124-000">www.wago.com/2020-208/124-000</a>

Supus modificărilor.

	<b>Nr. articol: 2020-208/134-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-208/134-000">www.wago.com/2020-208/134-000</a>
	<b>Nr. articol: 2020-208/144-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 8-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-208/144-000">www.wago.com/2020-208/144-000</a>
	<b>Nr. articol: 2020-209</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-209">www.wago.com/2020-209</a>
	<b>Nr. articol: 2020-209/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-209/000-036">www.wago.com/2020-209/000-036</a>
	<b>Nr. articol: 2020-209/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-209/000-037">www.wago.com/2020-209/000-037</a>
	<b>Nr. articol: 2020-209/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-209/000-038">www.wago.com/2020-209/000-038</a>
	<b>Nr. articol: 2020-209/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-209/000-039">www.wago.com/2020-209/000-039</a>
	<b>Nr. articol: 2020-209/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-209/124-000">www.wago.com/2020-209/124-000</a>
	<b>Nr. articol: 2020-209/134-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-209/134-000">www.wago.com/2020-209/134-000</a>
	<b>Nr. articol: 2020-209/144-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 9-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-209/144-000">www.wago.com/2020-209/144-000</a>
	<b>Nr. articol: 2020-210</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-210">www.wago.com/2020-210</a>
	<b>Nr. articol: 2020-210/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-210/000-036">www.wago.com/2020-210/000-036</a>
	<b>Nr. articol: 2020-210/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-210/000-037">www.wago.com/2020-210/000-037</a>
	<b>Nr. articol: 2020-210/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-210/000-038">www.wago.com/2020-210/000-038</a>

Supus modificărilor.



**Nr. articol: 2020-210/000-039**

2-conductor female connector; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-210/000-039](http://www.wago.com/2020-210/000-039)

**Nr. articol: 2020-210/125-000**

2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-210/125-000](http://www.wago.com/2020-210/125-000)

**Nr. articol: 2020-210/135-000**

2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-210/135-000](http://www.wago.com/2020-210/135-000)

**Nr. articol: 2020-210/145-000**

2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-210/145-000](http://www.wago.com/2020-210/145-000)



**Nr. articol: 2020-211**

2-conductor female connector; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-211](http://www.wago.com/2020-211)



**Nr. articol: 2020-211/000-036**

2-conductor female connector; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-211/000-036](http://www.wago.com/2020-211/000-036)



**Nr. articol: 2020-211/000-037**

2-conductor female connector; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-211/000-037](http://www.wago.com/2020-211/000-037)



**Nr. articol: 2020-211/000-038**

2-conductor female connector; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-211/000-038](http://www.wago.com/2020-211/000-038)



**Nr. articol: 2020-211/000-039**

2-conductor female connector; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-211/000-039](http://www.wago.com/2020-211/000-039)

**Nr. articol: 2020-211/125-000**

2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-211/125-000](http://www.wago.com/2020-211/125-000)

**Nr. articol: 2020-211/135-000**

2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-211/135-000](http://www.wago.com/2020-211/135-000)

**Nr. articol: 2020-211/145-000**

2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-211/145-000](http://www.wago.com/2020-211/145-000)



**Nr. articol: 2020-212**

2-conductor female connector; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-212](http://www.wago.com/2020-212)

Supus modificărilor.



**Nr. articol: 2020-212/000-036**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-212/000-036](http://www.wago.com/2020-212/000-036)



**Nr. articol: 2020-212/000-037**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-212/000-037](http://www.wago.com/2020-212/000-037)



**Nr. articol: 2020-212/000-038**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-212/000-038](http://www.wago.com/2020-212/000-038)



**Nr. articol: 2020-212/000-039**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-212/000-039](http://www.wago.com/2020-212/000-039)

**Nr. articol: 2020-212/125-000**  
2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-212/125-000](http://www.wago.com/2020-212/125-000)

**Nr. articol: 2020-212/135-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-212/135-000](http://www.wago.com/2020-212/135-000)

**Nr. articol: 2020-212/145-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-212/145-000](http://www.wago.com/2020-212/145-000)



**Nr. articol: 2020-213**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-213](http://www.wago.com/2020-213)



**Nr. articol: 2020-213/000-036**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-213/000-036](http://www.wago.com/2020-213/000-036)



**Nr. articol: 2020-213/000-037**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-213/000-037](http://www.wago.com/2020-213/000-037)



**Nr. articol: 2020-213/000-038**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-213/000-038](http://www.wago.com/2020-213/000-038)



**Nr. articol: 2020-213/000-039**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-213/000-039](http://www.wago.com/2020-213/000-039)











**Nr. articol: 2020-213/125-000**  
2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-213/125-000](http://www.wago.com/2020-213/125-000)

**Nr. articol: 2020-213/135-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-213/135-000](http://www.wago.com/2020-213/135-000)

Supus modificărilor.

	<b>Nr. articol: 2020-213/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-213/145-000">www.wago.com/2020-213/145-000</a>
	<b>Nr. articol: 2020-214</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-214">www.wago.com/2020-214</a>
	<b>Nr. articol: 2020-214/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-214/000-036">www.wago.com/2020-214/000-036</a>
	<b>Nr. articol: 2020-214/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-214/000-037">www.wago.com/2020-214/000-037</a>
	<b>Nr. articol: 2020-214/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-214/000-038">www.wago.com/2020-214/000-038</a>
	<b>Nr. articol: 2020-214/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-214/000-039">www.wago.com/2020-214/000-039</a>
	<b>Nr. articol: 2020-214/125-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-214/125-000">www.wago.com/2020-214/125-000</a>
	<b>Nr. articol: 2020-214/135-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-214/135-000">www.wago.com/2020-214/135-000</a>
	<b>Nr. articol: 2020-214/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-214/145-000">www.wago.com/2020-214/145-000</a>
	<b>Nr. articol: 2020-215</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-215">www.wago.com/2020-215</a>
	<b>Nr. articol: 2020-215/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-215/000-036">www.wago.com/2020-215/000-036</a>
	<b>Nr. articol: 2020-215/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-215/000-037">www.wago.com/2020-215/000-037</a>
	<b>Nr. articol: 2020-215/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-215/000-038">www.wago.com/2020-215/000-038</a>
	<b>Nr. articol: 2020-215/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-215/000-039">www.wago.com/2020-215/000-039</a>

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.





**Nr. articol: 2020-215/125-000**  
2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray [www.wago.com/2020-215/125-000](http://www.wago.com/2020-215/125-000)


**Nr. articol: 2020-215/135-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray [www.wago.com/2020-215/135-000](http://www.wago.com/2020-215/135-000)


**Nr. articol: 2020-215/145-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray [www.wago.com/2020-215/145-000](http://www.wago.com/2020-215/145-000)


#### General accessories


 **Nr. articol: 2020-161**  
Start module for 1-conductor female connector; with integrated end plate; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; gray [www.wago.com/2020-161](http://www.wago.com/2020-161)


 **Nr. articol: 2020-164**  
Start module for 1-conductor female connector; with integrated end plate; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; blue [www.wago.com/2020-164](http://www.wago.com/2020-164)


 **Nr. articol: 2020-167**  
Start module for 1-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; green-yellow [www.wago.com/2020-167](http://www.wago.com/2020-167)


 **Nr. articol: 2020-181**  
End module for 1-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; gray [www.wago.com/2020-181](http://www.wago.com/2020-181)

 **Nr. articol: 2020-184**  
End module for 1-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; blue [www.wago.com/2020-184](http://www.wago.com/2020-184)


 **Nr. articol: 2020-187**  
End module for 1-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; green-yellow [www.wago.com/2020-187](http://www.wago.com/2020-187)


 **Nr. articol: 2020-261**  
Start module for 2-conductor female connector; with integrated end plate; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; gray [www.wago.com/2020-261](http://www.wago.com/2020-261)

 **Nr. articol: 2020-264**  
Start module for 2-conductor female connector; with integrated end plate; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; blue [www.wago.com/2020-264](http://www.wago.com/2020-264)

 **Nr. articol: 2020-267**  
Start module for 2-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; green-yellow [www.wago.com/2020-267](http://www.wago.com/2020-267)

 **Nr. articol: 2020-281**  
End module for 2-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; gray [www.wago.com/2020-281](http://www.wago.com/2020-281)

 **Nr. articol: 2020-284**  
End module for 2-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; blue [www.wago.com/2020-284](http://www.wago.com/2020-284)

 **Nr. articol: 2020-287**  
End module for 2-conductor female connector; 1.5 mm<sup>2</sup>; 1-pole; 1,50 mm<sup>2</sup>; green-yellow [www.wago.com/2020-287](http://www.wago.com/2020-287)

#### tools

Supus modificărilor.



Nr. articol: 210-647

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft

[www.wago.com/210-647](http://www.wago.com/210-647)



Nr. articol: 210-648

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft; angled; short

[www.wago.com/210-648](http://www.wago.com/210-648)



Nr. articol: 210-719

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft

[www.wago.com/210-719](http://www.wago.com/210-719)

## Descărcări

### Documentation

#### Additional Information

Technical explanations	Apr 3, 2019	pdf 2,1 MB	Descărcare
------------------------	-------------	---------------	------------

### CAD/CAE-Data

#### CAD data

2D/3D Models 2020-1301	URL	Descărcare
------------------------	-----	------------

#### CAE data


EPLAN Data Portal 2020-1301	URL	Descărcare
-----------------------------	-----	------------

WSCAD Universe 2020-1301	URL	Descărcare
--------------------------	-----	------------


### Installation Notes

#### Installation


Supus modificărilor.



Snap individual carrier terminal blocks onto the carrier rail and slide together.




Open the assembly by laterally sliding a block via operating tool (3.5 x 0.5 mm blade).



Separate terminal block assembly and slide individual terminal blocks laterally using an operating tool.


#### Inserting a conductor



Push-in CAGE CLAMP® enables solid conductors and fine-stranded conductors with ferrules to be connected by simply pushing them into the unit.


#### Commoning

Supus modificărilor.



Commoning X-COM®S-SYSTEM Terminal Blocks using jumpers for TOPJOB® S Terminal Blocks. An end plate provides connection to TOPJOB® S Terminal Blocks. 2020 and 2022 Series Terminal Blocks are combinable. Jumper slots are on the same level for both series.


#### Testing



Test plug adapter (2009-174) for 4 mm test plugs or banana plugs – also suitable for X-COM®S-SYSTEM-MINI Terminal Blocks.


#### Coding

Supus modificărilor.




Insert coding pin into the corresponding slot and twist it off.

### Marking




Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)

### Safety



Carrier terminal blocks and female plugs are touch-proof.

### Familie de produse

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



**X-COM S-Mini**

Afișare globală produse din familie.

Supus modificărilor.

---

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.