

Fișă tehnică | Număr articol: 272-452

Power supply connector; 2-pole; 2,50 mm²; white


www.wago.com/272-452



RoHS Compliant

BOMcheck.net

Culoare:



Date

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III/2)	200 V
Rated surge voltage (III/2)	4 kV
Nominal voltage (II/2)	400 V
Rated surge voltage (II/2)	4 kV
Rated current	16 A
Legend (ratings)	(III / 2) ≙ Overvoltage category III / Pollution degree 2

Approvals per UL 1059

Approvals per	UL 1059
---------------	---------

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Connection data

Connection technology	PUSH WIRE®
Strip length	8 ... 9 mm / 0.31 ... 0.35 inch
Pole No.	2
Total number of connection points	4
Total number of potentials	2
Number of connection types	1

Geometrical Data

Width	23 mm / 0.906 inch
Height	15,3 mm / 0.602 inch
Depth	34 mm / 1.339 inch

Material Data


Color	white
Fire load	0,103 MJ
Weight	7 g

Commercial data

Product Group	8 (Misc. Chassis Mount Blocks)
Packaging type	bag
Country of origin	DE
GTIN	4044918431392
Customs tariff number	85369010000

Aprobări / certificate

Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	CSA DEKRA Certification B.V.	C22.2 No. 158	70048844

Counterpart

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Produse compatibile

ferrule



Nr. articol: 209-151

Pin terminals; insulated; suitable for 271 and 272 Series; green

www.wago.com/209-151



Nr. articol: 209-157

Pin terminals; insulated; suitable for 271 and 272 Series; blue

www.wago.com/209-157



Nr. articol: 209-164

Pin terminals; insulated; suitable for 271 and 272 Series; natural

www.wago.com/209-164

Strain relief plate



Nr. articol: 272-537

Strain relief housing; for 272 Series; for multicore cables; 2-pole; white

www.wago.com/272-537

assembling



Nr. articol: 271-702

Pins; for plate thickness 1 mm

www.wago.com/271-702



Nr. articol: 271-711

Pins; for plate thickness 1 mm

www.wago.com/271-711



Nr. articol: 271-712

Pins; for plate thickness 1.5 mm

www.wago.com/271-712

Descărcări

Documentation

Additional Information

Technical explanations

Apr 3, 2019

pdf
3,6 MB

Descărcare

CAD/CAE-Data

CAD data

2D/3D Models 272-452

URL

Descărcare

CAE data

EPLAN Data Portal 272-452

URL

Descărcare

WSCAD Universe 272-452

URL

Descărcare

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?

Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Installation Notes

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.