



Fișă tehnică | Număr articol: 2020-1207

1-conductor/1-pin ground carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; green-yellow



www.wago.com/2020-1207



RoHS Compliant

[BOMcheck.net](https://www.bomcheck.net)

Culoare:

Date

Electrical data

Ratings per IEC/EN 60664-1

Ratings per

IEC/EN 60947-7-2

Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross-section	1 mm ²

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Solid conductor	0.14 ... 1.5 mm ² / 24 ... 16 AWG
Solid conductor; push-in termination	0.5 ... 1.5 mm ² / 20 ... 16 AWG
Fine-stranded conductor	0.14 ... 1.5 mm ² / 24 ... 16 AWG
Fine-stranded conductor; with insulated ferrule	0.5 ... 0.75 mm ² / 20 ... 18 AWG
Fine-stranded conductor; with ferrule; push-in termination	0.5 ... 0.75 mm ² / 20 ... 18 AWG
Strip length	9 ... 11 mm / 0.35 ... 0.43 inch
Total number of connection points	1
Total number of potentials	1
Number of levels	1
Wiring type	Front-entry wiring
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.

Geometrical Data

Width	3.5 mm / 0.138 inch
Height from upper-edge of DIN-rail	32.5 mm / 1.28 inch
Depth	50.8 mm / 0.2 inch

Mechanical data

Design	horizontal
Mounting type	DIN-35 rail
Marking level	Center/side marking

Material Data

Color	green-yellow
Insulation material	Polyamide 66 (PA 66)
Fire load	0,083 MJ
Weight	5,7 g

Commercial data

Product Group	18 (X-COM-System)
Packaging type	BOX
Country of origin	CN
GTIN	4050821145400
Customs tariff number	85366990990




Aprobări / certificate

Supus modificărilor.




WAGO Kontakttechnik GmbH & Co. KG
 /Representative Office Romania
 Sos. Pipera-Tunari nr. 1/1
 building 1, 2nd floor | 077190 Voluntari, Ilfov
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.


Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7617
	CSA DEKRA Certification B.V.	C22.2 No. 158	2516073
	KEMA/KEUR DEKRA Certification B.V.	EN 60947	71- 100670

Ship Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	ABS American Bureau of Shipping	EN 60947	20- HG1941090- PDA
	BV Bureau Veritas S.A.	EN 60947	38586/A0 BV
	DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2

UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	UL UL International Germany GmbH	UL 1059	E45172

Counterpart









Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Produse compatibile

General accessories















	Nr. articol: 2020-161 Start module for 1-conductor female connector; with integrated end plate; 1.5 mm ² ; 1-pole; 1,50 mm ² ; gray	www.wago.com/2020-161
	Nr. articol: 2020-164 Start module for 1-conductor female connector; with integrated end plate; 1.5 mm ² ; 1-pole; 1,50 mm ² ; blue	www.wago.com/2020-164
	Nr. articol: 2020-167 Start module for 1-conductor female connector; 1.5 mm ² ; 1-pole; 1,50 mm ² ; green-yellow	www.wago.com/2020-167
	Nr. articol: 2020-181 End module for 1-conductor female connector; 1.5 mm ² ; 1-pole; 1,50 mm ² ; gray	www.wago.com/2020-181
	Nr. articol: 2020-184 End module for 1-conductor female connector; 1.5 mm ² ; 1-pole; 1,50 mm ² ; blue	www.wago.com/2020-184
	Nr. articol: 2020-187 End module for 1-conductor female connector; 1.5 mm ² ; 1-pole; 1,50 mm ² ; green-yellow	www.wago.com/2020-187
	Nr. articol: 2020-261 Start module for 2-conductor female connector; with integrated end plate; 1.5 mm ² ; 1-pole; 1,50 mm ² ; gray	www.wago.com/2020-261
	Nr. articol: 2020-264 Start module for 2-conductor female connector; with integrated end plate; 1.5 mm ² ; 1-pole; 1,50 mm ² ; blue	www.wago.com/2020-264
	Nr. articol: 2020-267 Start module for 2-conductor female connector; 1.5 mm ² ; 1-pole; 1,50 mm ² ; green-yellow	www.wago.com/2020-267
	Nr. articol: 2020-281 End module for 2-conductor female connector; 1.5 mm ² ; 1-pole; 1,50 mm ² ; gray	www.wago.com/2020-281
	Nr. articol: 2020-284 End module for 2-conductor female connector; 1.5 mm ² ; 1-pole; 1,50 mm ² ; blue	www.wago.com/2020-284
	Nr. articol: 2020-287 End module for 2-conductor female connector; 1.5 mm ² ; 1-pole; 1,50 mm ² ; green-yellow	www.wago.com/2020-287

Protective Warning Marker















Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com
















Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Nr. articol: 2000-115 Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow	www.wago.com/2000-115
Push-In type wire jumper		
	Nr. articol: 2009-402 Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 0.75 mm ² ; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray	www.wago.com/2009-402
	Nr. articol: 2009-404 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 0.75 mm ² ; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray	www.wago.com/2009-404
	Nr. articol: 2009-406 Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 0.75 mm ² ; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray	www.wago.com/2009-406
check		
	Nr. articol: 2009-174 Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray	www.wago.com/2009-174
	Nr. articol: 2009-182 Testing tap; for max. 2.5 mm ² ; tool-free connection for individual test wires 0.08 - 2.5 mm; gray	www.wago.com/2009-182
	Nr. articol: 859-500 Test pin; 1 mm Ø; with solder connection for test wire	www.wago.com/859-500
Jumper		
	Nr. articol: 2000-402 Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; light gray	www.wago.com/2000-402
	Nr. articol: 2000-402/000-005 Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; red	www.wago.com/2000-402/000-005
	Nr. articol: 2000-402/000-006 Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; blue	www.wago.com/2000-402/000-006
	Nr. articol: 2000-402/000-018 Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; yellow-green	www.wago.com/2000-402/000-018
	Nr. articol: 2000-403 Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; light gray	www.wago.com/2000-403
	Nr. articol: 2000-403/000-005 Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; red	www.wago.com/2000-403/000-005
	Nr. articol: 2000-403/000-006 Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; blue	www.wago.com/2000-403/000-006
















Supus modificărilor.

	Nr. articol: 2000-404 Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; light gray	www.wago.com/2000-404
	Nr. articol: 2000-404/000-005 Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; red	www.wago.com/2000-404/000-005
	Nr. articol: 2000-404/000-006 Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; blue	www.wago.com/2000-404/000-006
	Nr. articol: 2000-405 Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; light gray	www.wago.com/2000-405
	Nr. articol: 2000-405/000-005 Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; red	www.wago.com/2000-405/000-005
	Nr. articol: 2000-405/000-006 Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; blue	www.wago.com/2000-405/000-006
	Nr. articol: 2000-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	www.wago.com/2000-405/011-000
	Nr. articol: 2000-406 Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; light gray	www.wago.com/2000-406
	Nr. articol: 2000-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; red	www.wago.com/2000-406/000-005
	Nr. articol: 2000-406/000-006 Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; blue	www.wago.com/2000-406/000-006
	Nr. articol: 2000-406/020-000 Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray	www.wago.com/2000-406/020-000
	Nr. articol: 2000-407 Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; light gray	www.wago.com/2000-407
	Nr. articol: 2000-407/000-005 Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; red	www.wago.com/2000-407/000-005
	Nr. articol: 2000-407/000-006 Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; blue	www.wago.com/2000-407/000-006
















Supus modificărilor.

	Nr. articol: 2000-408 Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; light gray	www.wago.com/2000-408
	Nr. articol: 2000-408/000-005 Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; red	www.wago.com/2000-408/000-005
	Nr. articol: 2000-408/000-006 Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; blue	www.wago.com/2000-408/000-006
	Nr. articol: 2000-409 Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; light gray	www.wago.com/2000-409
	Nr. articol: 2000-409/000-005 Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; red	www.wago.com/2000-409/000-005
	Nr. articol: 2000-409/000-006 Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; blue	www.wago.com/2000-409/000-006
	Nr. articol: 2000-410 Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; light gray	www.wago.com/2000-410
	Nr. articol: 2000-410/000-005 Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; red	www.wago.com/2000-410/000-005
	Nr. articol: 2000-410/000-006 Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; blue	www.wago.com/2000-410/000-006
	Nr. articol: 2000-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; light gray	www.wago.com/2000-433
	Nr. articol: 2000-433/000-005 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; red	www.wago.com/2000-433/000-005
	Nr. articol: 2000-433/000-006 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; blue	www.wago.com/2000-433/000-006
	Nr. articol: 2000-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 14 A; light gray	www.wago.com/2000-434
	Nr. articol: 2000-435 Push-in type jumper bar; insulated; from 1 to 5; Nominal current 14 A; light gray	www.wago.com/2000-435
	Nr. articol: 2000-436 Push-in type jumper bar; insulated; from 1 to 6; Nominal current 14 A; light gray	www.wago.com/2000-436

Supus modificărilor.

	Nr. articol: 2000-437 Push-in type jumper bar; insulated; from 1 to 7; Nominal current 14 A; light gray	www.wago.com/2000-437
	Nr. articol: 2000-438 Push-in type jumper bar; insulated; from 1 to 8; Nominal current 14 A; light gray	www.wago.com/2000-438
	Nr. articol: 2000-439 Push-in type jumper bar; insulated; from 1 to 9; Nominal current 14 A; light gray	www.wago.com/2000-439
	Nr. articol: 2000-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 14 A; light gray	www.wago.com/2000-440
	Nr. articol: 210-103 Wire commoning chain; insulated; 50 connections; black	www.wago.com/210-103
	Nr. articol: 210-123 Wire commoning chain; insulated; 50 connections	www.wago.com/210-123
ferrule		
	Nr. articol: 216-241 Ferrule; Sleeve for 0.5 mm ² / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white	www.wago.com/216-241
	Nr. articol: 216-242 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	www.wago.com/216-242
	Nr. articol: 216-243 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	www.wago.com/216-243
Marking accessories		
	Nr. articol: 2009-110 Marking strips; on reel; not stretchable; plain; snap-on type; white	www.wago.com/2009-110
	Nr. articol: 2009-113 WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; white	www.wago.com/2009-113
	Nr. articol: 2009-113/000-002 WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; yellow	www.wago.com/2009-113/000-002
	Nr. articol: 2009-113/000-005 WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; red	www.wago.com/2009-113/000-005
	Nr. articol: 2009-113/000-006 WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; blue	www.wago.com/2009-113/000-006
	Nr. articol: 2009-113/000-007 WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; gray	www.wago.com/2009-113/000-007

Supus modificărilor.

	Nr. articol: 2009-113/000-012 WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; orange	www.wago.com/2009-113/000-012
	Nr. articol: 2009-113/000-017 WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; light green	www.wago.com/2009-113/000-017
	Nr. articol: 2009-113/000-023 WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; green	www.wago.com/2009-113/000-023
	Nr. articol: 2009-113/000-024 WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; violet	www.wago.com/2009-113/000-024
	Nr. articol: 793-3501 WMB marking card; as card; plain; snap-on type; white	www.wago.com/793-3501
Coding		
	Nr. articol: 2020-100 Carrier with 6 coding pins; for coding of female plugs; for carrier terminal blocks; orange	www.wago.com/2020-100
Carrier rail		
	Nr. articol: 210-112 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm	www.wago.com/210-112
	Nr. articol: 210-113 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715	www.wago.com/210-113
	Nr. articol: 210-114 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715	www.wago.com/210-114
	Nr. articol: 210-115 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm	www.wago.com/210-115
	Nr. articol: 210-118 Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	www.wago.com/210-118
	Nr. articol: 210-196 Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored	www.wago.com/210-196
	Nr. articol: 210-197 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	www.wago.com/210-197
	Nr. articol: 210-198 Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored	www.wago.com/210-198
tools		
	Nr. articol: 210-647 Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft	www.wago.com/210-647

Supus modificărilor.

**Nr. articol: 210-648**

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft; angled; short

www.wago.com/210-648**Nr. articol: 210-719**

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft

www.wago.com/210-719**End plate****Nr. articol: 2020-1291**










End and intermediate plate; 1 mm thick; gray

www.wago.com/2020-1291**Nr. articol: 2020-1292**












End and intermediate plate; 1 mm thick; orange

www.wago.com/2020-1292**Female plug****Nr. articol: 2020-102**1-conductor female plug; 1.5 mm²; 2-pole; 1,50 mm²; graywww.wago.com/2020-102**Nr. articol: 2020-102/122-000**1-conductor female plug; Locking lever; 1.5 mm²; 2-pole; 1,50 mm²; graywww.wago.com/2020-102/122-000**Nr. articol: 2020-102/132-000**1-conductor female plug; Strain relief plate; 1.5 mm²; 2-pole; 1,50 mm²; graywww.wago.com/2020-102/132-000**Nr. articol: 2020-102/142-000**1-conductor female plug; Strain relief plate; 1.5 mm²; 2-pole; 1,50 mm²; graywww.wago.com/2020-102/142-000**Nr. articol: 2020-103**1-conductor female plug; 1.5 mm²; 3-pole; 1,50 mm²; graywww.wago.com/2020-103**Nr. articol: 2020-103/000-036**1-conductor female plug; 1.5 mm²; 3-pole; 1,50 mm²; gray, green-yellowwww.wago.com/2020-103/000-036**Nr. articol: 2020-103/000-037**1-conductor female plug; 1.5 mm²; 3-pole; 1,50 mm²; green-yellow, graywww.wago.com/2020-103/000-037**Nr. articol: 2020-103/000-038**1-conductor female plug; 1.5 mm²; 3-pole; 1,50 mm²; gray, blue, green-yellowwww.wago.com/2020-103/000-038**Nr. articol: 2020-103/000-039**1-conductor female plug; 1.5 mm²; 3-pole; 1,50 mm²; green-yellow, blue, graywww.wago.com/2020-103/000-039**Nr. articol: 2020-103/122-000**1-conductor female plug; Locking lever; 1.5 mm²; 3-pole; 1,50 mm²; graywww.wago.com/2020-103/122-000









Supus modificărilor.

	Nr. articol: 2020-103/132-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 3-pole; 1,50 mm ² ; gray	www.wago.com/2020-103/132-000
	Nr. articol: 2020-103/142-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 3-pole; 1,50 mm ² ; gray	www.wago.com/2020-103/142-000
	Nr. articol: 2020-104 1-conductor female plug; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray	www.wago.com/2020-104
	Nr. articol: 2020-104/000-036 1-conductor female plug; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-104/000-036
	Nr. articol: 2020-104/000-037 1-conductor female plug; 1.5 mm ² ; 4-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-104/000-037
	Nr. articol: 2020-104/000-038 1-conductor female plug; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-104/000-038
	Nr. articol: 2020-104/000-039 1-conductor female plug; 1.5 mm ² ; 4-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-104/000-039
	Nr. articol: 2020-104/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray	www.wago.com/2020-104/124-000
	Nr. articol: 2020-104/133-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray	www.wago.com/2020-104/133-000
	Nr. articol: 2020-104/143-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray	www.wago.com/2020-104/143-000
	Nr. articol: 2020-105 1-conductor female plug; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray	www.wago.com/2020-105
	Nr. articol: 2020-105/000-036 1-conductor female plug; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-105/000-036
	Nr. articol: 2020-105/000-037 1-conductor female plug; 1.5 mm ² ; 5-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-105/000-037
	Nr. articol: 2020-105/000-038 1-conductor female plug; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-105/000-038











Supus modificărilor.

	Nr. articol: 2020-105/000-039 1-conductor female plug; 1.5 mm ² ; 5-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-105/000-039
	Nr. articol: 2020-105/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray	www.wago.com/2020-105/124-000
	Nr. articol: 2020-105/133-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray	www.wago.com/2020-105/133-000
	Nr. articol: 2020-105/143-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray	www.wago.com/2020-105/143-000
	Nr. articol: 2020-106 1-conductor female plug; 1.5 mm ² ; 6-pole; 1,50 mm ² ; gray	www.wago.com/2020-106
	Nr. articol: 2020-106/000-036 1-conductor female plug; 1.5 mm ² ; 6-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-106/000-036
	Nr. articol: 2020-106/000-037 1-conductor female plug; 1.5 mm ² ; 6-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-106/000-037
	Nr. articol: 2020-106/000-038 1-conductor female plug; 1.5 mm ² ; 6-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-106/000-038
	Nr. articol: 2020-106/000-039 1-conductor female plug; 1.5 mm ² ; 6-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-106/000-039
	Nr. articol: 2020-106/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 6-pole; 1,50 mm ² ; gray	www.wago.com/2020-106/124-000
	Nr. articol: 2020-106/133-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 6-pole; 1,50 mm ² ; gray	www.wago.com/2020-106/133-000
	Nr. articol: 2020-106/143-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 6-pole; 1,50 mm ² ; gray	www.wago.com/2020-106/143-000
	Nr. articol: 2020-107 1-conductor female plug; 1.5 mm ² ; 7-pole; 1,50 mm ² ; gray	www.wago.com/2020-107
	Nr. articol: 2020-107/000-036 1-conductor female plug; 1.5 mm ² ; 7-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-107/000-036









Supus modificărilor.

	Nr. articol: 2020-107/000-037 1-conductor female plug; 1.5 mm ² ; 7-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-107/000-037
	Nr. articol: 2020-107/000-038 1-conductor female plug; 1.5 mm ² ; 7-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-107/000-038
	Nr. articol: 2020-107/000-039 1-conductor female plug; 1.5 mm ² ; 7-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-107/000-039
	Nr. articol: 2020-107/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 7-pole; 1,50 mm ² ; gray	www.wago.com/2020-107/124-000
	Nr. articol: 2020-107/134-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 7-pole; 1,50 mm ² ; gray	www.wago.com/2020-107/134-000
	Nr. articol: 2020-107/144-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 7-pole; 1,50 mm ² ; gray	www.wago.com/2020-107/144-000
	Nr. articol: 2020-108 1-conductor female plug; 1.5 mm ² ; 8-pole; 1,50 mm ² ; gray	www.wago.com/2020-108
	Nr. articol: 2020-108/000-036 1-conductor female plug; 1.5 mm ² ; 8-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-108/000-036
	Nr. articol: 2020-108/000-037 1-conductor female plug; 1.5 mm ² ; 8-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-108/000-037
	Nr. articol: 2020-108/000-038 1-conductor female plug; 1.5 mm ² ; 8-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-108/000-038
	Nr. articol: 2020-108/000-039 1-conductor female plug; 1.5 mm ² ; 8-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-108/000-039
	Nr. articol: 2020-108/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 8-pole; 1,50 mm ² ; gray	www.wago.com/2020-108/124-000
	Nr. articol: 2020-108/134-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 8-pole; 1,50 mm ² ; gray	www.wago.com/2020-108/134-000

Supus modificărilor.

	Nr. articol: 2020-108/144-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 8-pole; 1,50 mm ² ; gray	www.wago.com/2020-108/144-000
	Nr. articol: 2020-109 1-conductor female plug; 1.5 mm ² ; 9-pole; 1,50 mm ² ; gray	www.wago.com/2020-109
	Nr. articol: 2020-109/000-036 1-conductor female plug; 1.5 mm ² ; 9-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-109/000-036
	Nr. articol: 2020-109/000-037 1-conductor female plug; 1.5 mm ² ; 9-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-109/000-037
	Nr. articol: 2020-109/000-038 1-conductor female plug; 1.5 mm ² ; 9-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-109/000-038
	Nr. articol: 2020-109/000-039 1-conductor female plug; 1.5 mm ² ; 9-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-109/000-039
	Nr. articol: 2020-109/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 9-pole; 1,50 mm ² ; gray	www.wago.com/2020-109/124-000
	Nr. articol: 2020-109/134-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 9-pole; 1,50 mm ² ; gray	www.wago.com/2020-109/134-000
	Nr. articol: 2020-109/144-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 9-pole; 1,50 mm ² ; gray	www.wago.com/2020-109/144-000
	Nr. articol: 2020-110 1-conductor female plug; 1.5 mm ² ; 10-pole; 1,50 mm ² ; gray	www.wago.com/2020-110
	Nr. articol: 2020-110/000-036 1-conductor female plug; 1.5 mm ² ; 10-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-110/000-036
	Nr. articol: 2020-110/000-037 1-conductor female plug; 1.5 mm ² ; 10-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-110/000-037
	Nr. articol: 2020-110/000-038 1-conductor female plug; 1.5 mm ² ; 10-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-110/000-038
	Nr. articol: 2020-110/000-039 1-conductor female plug; 1.5 mm ² ; 10-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-110/000-039










Supus modificărilor.

	Nr. articol: 2020-110/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 10-pole; 1,50 mm ² ; gray	www.wago.com/2020-110/125-000
	Nr. articol: 2020-110/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 10-pole; 1,50 mm ² ; gray	www.wago.com/2020-110/135-000
	Nr. articol: 2020-110/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 10-pole; 1,50 mm ² ; gray	www.wago.com/2020-110/145-000
	Nr. articol: 2020-111 1-conductor female plug; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray	www.wago.com/2020-111
	Nr. articol: 2020-111/000-036 1-conductor female plug; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-111/000-036
	Nr. articol: 2020-111/000-037 1-conductor female plug; 1.5 mm ² ; 11-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-111/000-037
	Nr. articol: 2020-111/000-038 1-conductor female plug; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-111/000-038
	Nr. articol: 2020-111/000-039 1-conductor female plug; 1.5 mm ² ; 11-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-111/000-039
	Nr. articol: 2020-111/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray	www.wago.com/2020-111/125-000
	Nr. articol: 2020-111/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray	www.wago.com/2020-111/135-000
	Nr. articol: 2020-111/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray	www.wago.com/2020-111/145-000
	Nr. articol: 2020-112 1-conductor female plug; 1.5 mm ² ; 12-pole; 1,50 mm ² ; gray	www.wago.com/2020-112
	Nr. articol: 2020-112/000-036 1-conductor female plug; 1.5 mm ² ; 12-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-112/000-036
	Nr. articol: 2020-112/000-037 1-conductor female plug; 1.5 mm ² ; 12-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-112/000-037








Supus modificărilor.

**Nr. articol: 2020-112/000-038**1-conductor female plug; 1.5 mm²; 12-pole; 1,50 mm²; gray, blue, green-yellowwww.wago.com/2020-112/000-038**Nr. articol: 2020-112/000-039**1-conductor female plug; 1.5 mm²; 12-pole; 1,50 mm²; green-yellow, blue, graywww.wago.com/2020-112/000-039**Nr. articol: 2020-112/125-000**1-conductor female plug; Locking lever; 1.5 mm²; 12-pole; 1,50 mm²; graywww.wago.com/2020-112/125-000**Nr. articol: 2020-112/135-000**1-conductor female plug; Strain relief plate; 1.5 mm²; 12-pole; 1,50 mm²; graywww.wago.com/2020-112/135-000**Nr. articol: 2020-112/145-000**1-conductor female plug; Strain relief plate; 1.5 mm²; 12-pole; 1,50 mm²; graywww.wago.com/2020-112/145-000**Nr. articol: 2020-113**1-conductor female plug; 1.5 mm²; 13-pole; 1,50 mm²; graywww.wago.com/2020-113**Nr. articol: 2020-113/000-036**1-conductor female plug; 1.5 mm²; 13-pole; 1,50 mm²; gray, green-yellowwww.wago.com/2020-113/000-036**Nr. articol: 2020-113/000-037**1-conductor female plug; 1.5 mm²; 13-pole; 1,50 mm²; green-yellow, graywww.wago.com/2020-113/000-037**Nr. articol: 2020-113/000-038**1-conductor female plug; 1.5 mm²; 13-pole; 1,50 mm²; gray, blue, green-yellowwww.wago.com/2020-113/000-038**Nr. articol: 2020-113/000-039**1-conductor female plug; 1.5 mm²; 13-pole; 1,50 mm²; green-yellow, blue, graywww.wago.com/2020-113/000-039**Nr. articol: 2020-113/125-000**1-conductor female plug; Locking lever; 1.5 mm²; 13-pole; 1,50 mm²; graywww.wago.com/2020-113/125-000**Nr. articol: 2020-113/135-000**1-conductor female plug; Strain relief plate; 1.5 mm²; 13-pole; 1,50 mm²; graywww.wago.com/2020-113/135-000**Nr. articol: 2020-113/145-000**1-conductor female plug; Strain relief plate; 1.5 mm²; 13-pole; 1,50 mm²; graywww.wago.com/2020-113/145-000**Nr. articol: 2020-114**1-conductor female plug; 1.5 mm²; 14-pole; 1,50 mm²; graywww.wago.com/2020-114











Supus modificărilor.

	Nr. articol: 2020-114/000-036 1-conductor female plug; 1.5 mm ² ; 14-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-114/000-036
	Nr. articol: 2020-114/000-037 1-conductor female plug; 1.5 mm ² ; 14-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-114/000-037
	Nr. articol: 2020-114/000-038 1-conductor female plug; 1.5 mm ² ; 14-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-114/000-038
	Nr. articol: 2020-114/000-039 1-conductor female plug; 1.5 mm ² ; 14-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-114/000-039
	Nr. articol: 2020-114/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 14-pole; 1,50 mm ² ; gray	www.wago.com/2020-114/125-000
	Nr. articol: 2020-114/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 14-pole; 1,50 mm ² ; gray	www.wago.com/2020-114/135-000
	Nr. articol: 2020-114/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 14-pole; 1,50 mm ² ; gray	www.wago.com/2020-114/145-000
	Nr. articol: 2020-115 1-conductor female plug; 1.5 mm ² ; 15-pole; 1,50 mm ² ; gray	www.wago.com/2020-115
	Nr. articol: 2020-115/000-036 1-conductor female plug; 1.5 mm ² ; 15-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-115/000-036
	Nr. articol: 2020-115/000-037 1-conductor female plug; 1.5 mm ² ; 15-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-115/000-037
	Nr. articol: 2020-115/000-038 1-conductor female plug; 1.5 mm ² ; 15-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-115/000-038
	Nr. articol: 2020-115/000-039 1-conductor female plug; 1.5 mm ² ; 15-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-115/000-039
	Nr. articol: 2020-115/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 15-pole; 1,50 mm ² ; gray	www.wago.com/2020-115/125-000
	Nr. articol: 2020-115/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 15-pole; 1,50 mm ² ; gray	www.wago.com/2020-115/135-000

Supus modificărilor.

	Nr. articol: 2020-115/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 15-pole; 1,50 mm ² ; gray	www.wago.com/2020-115/145-000
	Nr. articol: 2020-202 2-conductor female connector; 1.5 mm ² ; 2-pole; 1,50 mm ² ; gray	www.wago.com/2020-202
	Nr. articol: 2020-202/122-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 2-pole; 1,50 mm ² ; gray	www.wago.com/2020-202/122-000
	Nr. articol: 2020-202/132-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 2-pole; 1,50 mm ² ; gray	www.wago.com/2020-202/132-000
	Nr. articol: 2020-202/142-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 2-pole; 1,50 mm ² ; gray	www.wago.com/2020-202/142-000
	Nr. articol: 2020-203 2-conductor female connector; 1.5 mm ² ; 3-pole; 1,50 mm ² ; gray	www.wago.com/2020-203
	Nr. articol: 2020-203/000-036 2-conductor female connector; 1.5 mm ² ; 3-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-203/000-036
	Nr. articol: 2020-203/000-037 2-conductor female connector; 1.5 mm ² ; 3-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-203/000-037
	Nr. articol: 2020-203/000-038 2-conductor female connector; 1.5 mm ² ; 3-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-203/000-038
	Nr. articol: 2020-203/000-039 2-conductor female connector; 1.5 mm ² ; 3-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-203/000-039
	Nr. articol: 2020-203/122-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 3-pole; 1,50 mm ² ; gray	www.wago.com/2020-203/122-000
	Nr. articol: 2020-203/132-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 3-pole; 1,50 mm ² ; gray	www.wago.com/2020-203/132-000
	Nr. articol: 2020-203/142-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 3-pole; 1,50 mm ² ; gray	www.wago.com/2020-203/142-000
	Nr. articol: 2020-204 2-conductor female connector; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray	www.wago.com/2020-204

Supus modificărilor.

	Nr. articol: 2020-204/000-036 2-conductor female connector; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-204/000-036
	Nr. articol: 2020-204/000-037 2-conductor female connector; 1.5 mm ² ; 4-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-204/000-037
	Nr. articol: 2020-204/000-038 2-conductor female connector; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-204/000-038
	Nr. articol: 2020-204/000-039 2-conductor female connector; 1.5 mm ² ; 4-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-204/000-039
	Nr. articol: 2020-204/124-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray	www.wago.com/2020-204/124-000
	Nr. articol: 2020-204/133-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray	www.wago.com/2020-204/133-000
	Nr. articol: 2020-204/143-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 4-pole; 1,50 mm ² ; gray	www.wago.com/2020-204/143-000
	Nr. articol: 2020-205 2-conductor female connector; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray	www.wago.com/2020-205
	Nr. articol: 2020-205/000-036 2-conductor female connector; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-205/000-036
	Nr. articol: 2020-205/000-037 2-conductor female connector; 1.5 mm ² ; 5-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-205/000-037
	Nr. articol: 2020-205/000-038 2-conductor female connector; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-205/000-038
	Nr. articol: 2020-205/000-039 2-conductor female connector; 1.5 mm ² ; 5-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-205/000-039
	Nr. articol: 2020-205/124-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray	www.wago.com/2020-205/124-000
	Nr. articol: 2020-205/133-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 5-pole; 1,50 mm ² ; gray	www.wago.com/2020-205/133-000

Supus modificărilor.

**Nr. articol: 2020-205/143-000**2-conductor female connector; Strain relief plate; 1.5 mm²; 5-pole; 1,50 mm²; graywww.wago.com/2020-205/143-000**Nr. articol: 2020-206**2-conductor female connector; 1.5 mm²; 6-pole; 1,50 mm²; graywww.wago.com/2020-206**Nr. articol: 2020-206/000-036**2-conductor female connector; 1.5 mm²; 6-pole; 1,50 mm²; gray, green-yellowwww.wago.com/2020-206/000-036**Nr. articol: 2020-206/000-037**2-conductor female connector; 1.5 mm²; 6-pole; 1,50 mm²; green-yellow, graywww.wago.com/2020-206/000-037**Nr. articol: 2020-206/000-038**2-conductor female connector; 1.5 mm²; 6-pole; 1,50 mm²; gray, blue, green-yellowwww.wago.com/2020-206/000-038**Nr. articol: 2020-206/000-039**2-conductor female connector; 1.5 mm²; 6-pole; 1,50 mm²; green-yellow, blue, graywww.wago.com/2020-206/000-039**Nr. articol: 2020-206/124-000**2-conductor female connector; Locking lever; 1.5 mm²; 6-pole; 1,50 mm²; graywww.wago.com/2020-206/124-000**Nr. articol: 2020-206/133-000**2-conductor female connector; Strain relief plate; 1.5 mm²; 6-pole; 1,50 mm²; graywww.wago.com/2020-206/133-000**Nr. articol: 2020-206/143-000**2-conductor female connector; Strain relief plate; 1.5 mm²; 6-pole; 1,50 mm²; graywww.wago.com/2020-206/143-000**Nr. articol: 2020-207**2-conductor female connector; 1.5 mm²; 7-pole; 1,50 mm²; graywww.wago.com/2020-207**Nr. articol: 2020-207/000-036**2-conductor female connector; 1.5 mm²; 7-pole; 1,50 mm²; gray, green-yellowwww.wago.com/2020-207/000-036**Nr. articol: 2020-207/000-037**2-conductor female connector; 1.5 mm²; 7-pole; 1,50 mm²; green-yellow, graywww.wago.com/2020-207/000-037**Nr. articol: 2020-207/000-038**2-conductor female connector; 1.5 mm²; 7-pole; 1,50 mm²; gray, blue, green-yellowwww.wago.com/2020-207/000-038

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
 /Representative Office Romania
 Sos. Pipera-Tunari nr. 1/1
 building 1, 2nd floor | 077190 Voluntari, Ilfov
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Nr. articol: 2020-207/000-039
2-conductor female connector; 1.5 mm²; 7-pole; 1,50 mm²; green-yellow, blue, gray

www.wago.com/2020-207/000-039

Nr. articol: 2020-207/124-000
2-conductor female connector; Locking lever; 1.5 mm²; 7-pole; 1,50 mm²; gray

www.wago.com/2020-207/124-000

Nr. articol: 2020-207/134-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 7-pole; 1,50 mm²; gray

www.wago.com/2020-207/134-000

Nr. articol: 2020-207/144-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 7-pole; 1,50 mm²; gray

www.wago.com/2020-207/144-000



Nr. articol: 2020-208
2-conductor female connector; 1.5 mm²; 8-pole; 1,50 mm²; gray

www.wago.com/2020-208



Nr. articol: 2020-208/000-036
2-conductor female connector; 1.5 mm²; 8-pole; 1,50 mm²; gray, green-yellow

www.wago.com/2020-208/000-036



Nr. articol: 2020-208/000-037
2-conductor female connector; 1.5 mm²; 8-pole; 1,50 mm²; green-yellow, gray

www.wago.com/2020-208/000-037



Nr. articol: 2020-208/000-038
2-conductor female connector; 1.5 mm²; 8-pole; 1,50 mm²; gray, blue, green-yellow

www.wago.com/2020-208/000-038



Nr. articol: 2020-208/000-039
2-conductor female connector; 1.5 mm²; 8-pole; 1,50 mm²; green-yellow, blue, gray

www.wago.com/2020-208/000-039

Nr. articol: 2020-208/124-000
2-conductor female connector; Locking lever; 1.5 mm²; 8-pole; 1,50 mm²; gray

www.wago.com/2020-208/124-000

Nr. articol: 2020-208/134-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 8-pole; 1,50 mm²; gray

www.wago.com/2020-208/134-000

Nr. articol: 2020-208/144-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 8-pole; 1,50 mm²; gray

www.wago.com/2020-208/144-000



Nr. articol: 2020-209
2-conductor female connector; 1.5 mm²; 9-pole; 1,50 mm²; gray

www.wago.com/2020-209



Nr. articol: 2020-209/000-036
2-conductor female connector; 1.5 mm²; 9-pole; 1,50 mm²; gray, green-yellow

www.wago.com/2020-209/000-036

Supus modificărilor.



Nr. articol: 2020-209/000-037
2-conductor female connector; 1.5 mm²; 9-pole; 1,50 mm²; green-yellow, gray

www.wago.com/2020-209/000-037



Nr. articol: 2020-209/000-038
2-conductor female connector; 1.5 mm²; 9-pole; 1,50 mm²; gray, blue, green-yellow

www.wago.com/2020-209/000-038



Nr. articol: 2020-209/000-039
2-conductor female connector; 1.5 mm²; 9-pole; 1,50 mm²; green-yellow, blue, gray

www.wago.com/2020-209/000-039

Nr. articol: 2020-209/124-000
2-conductor female connector; Locking lever; 1.5 mm²; 9-pole; 1,50 mm²; gray

www.wago.com/2020-209/124-000

Nr. articol: 2020-209/134-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 9-pole; 1,50 mm²; gray

www.wago.com/2020-209/134-000

Nr. articol: 2020-209/144-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 9-pole; 1,50 mm²; gray

www.wago.com/2020-209/144-000



Nr. articol: 2020-210
2-conductor female connector; 1.5 mm²; 10-pole; 1,50 mm²; gray

www.wago.com/2020-210



Nr. articol: 2020-210/000-036
2-conductor female connector; 1.5 mm²; 10-pole; 1,50 mm²; gray, green-yellow

www.wago.com/2020-210/000-036



Nr. articol: 2020-210/000-037
2-conductor female connector; 1.5 mm²; 10-pole; 1,50 mm²; green-yellow, gray

www.wago.com/2020-210/000-037



Nr. articol: 2020-210/000-038
2-conductor female connector; 1.5 mm²; 10-pole; 1,50 mm²; gray, blue, green-yellow

www.wago.com/2020-210/000-038



Nr. articol: 2020-210/000-039
2-conductor female connector; 1.5 mm²; 10-pole; 1,50 mm²; green-yellow, blue, gray

www.wago.com/2020-210/000-039

Nr. articol: 2020-210/125-000
2-conductor female connector; Locking lever; 1.5 mm²; 10-pole; 1,50 mm²; gray

www.wago.com/2020-210/125-000











Nr. articol: 2020-210/135-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 10-pole; 1,50 mm²; gray

www.wago.com/2020-210/135-000










Nr. articol: 2020-210/145-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 10-pole; 1,50 mm²; gray

www.wago.com/2020-210/145-000

Supus modificărilor.

	Nr. articol: 2020-211 2-conductor female connector; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray	www.wago.com/2020-211
	Nr. articol: 2020-211/000-036 2-conductor female connector; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-211/000-036
	Nr. articol: 2020-211/000-037 2-conductor female connector; 1.5 mm ² ; 11-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-211/000-037
	Nr. articol: 2020-211/000-038 2-conductor female connector; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-211/000-038
	Nr. articol: 2020-211/000-039 2-conductor female connector; 1.5 mm ² ; 11-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-211/000-039
	Nr. articol: 2020-211/125-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray	www.wago.com/2020-211/125-000
	Nr. articol: 2020-211/135-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray	www.wago.com/2020-211/135-000
	Nr. articol: 2020-211/145-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 11-pole; 1,50 mm ² ; gray	www.wago.com/2020-211/145-000
	Nr. articol: 2020-212 2-conductor female connector; 1.5 mm ² ; 12-pole; 1,50 mm ² ; gray	www.wago.com/2020-212
	Nr. articol: 2020-212/000-036 2-conductor female connector; 1.5 mm ² ; 12-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-212/000-036
	Nr. articol: 2020-212/000-037 2-conductor female connector; 1.5 mm ² ; 12-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-212/000-037
	Nr. articol: 2020-212/000-038 2-conductor female connector; 1.5 mm ² ; 12-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-212/000-038
	Nr. articol: 2020-212/000-039 2-conductor female connector; 1.5 mm ² ; 12-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-212/000-039
	Nr. articol: 2020-212/125-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 12-pole; 1,50 mm ² ; gray	www.wago.com/2020-212/125-000

Supus modificărilor.

	Nr. articol: 2020-212/135-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 12-pole; 1,50 mm ² ; gray	www.wago.com/2020-212/135-000
	Nr. articol: 2020-212/145-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 12-pole; 1,50 mm ² ; gray	www.wago.com/2020-212/145-000
	Nr. articol: 2020-213 2-conductor female connector; 1.5 mm ² ; 13-pole; 1,50 mm ² ; gray	www.wago.com/2020-213
	Nr. articol: 2020-213/000-036 2-conductor female connector; 1.5 mm ² ; 13-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-213/000-036
	Nr. articol: 2020-213/000-037 2-conductor female connector; 1.5 mm ² ; 13-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-213/000-037
	Nr. articol: 2020-213/000-038 2-conductor female connector; 1.5 mm ² ; 13-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-213/000-038
	Nr. articol: 2020-213/000-039 2-conductor female connector; 1.5 mm ² ; 13-pole; 1,50 mm ² ; green-yellow, blue, gray	www.wago.com/2020-213/000-039
	Nr. articol: 2020-213/125-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 13-pole; 1,50 mm ² ; gray	www.wago.com/2020-213/125-000
	Nr. articol: 2020-213/135-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 13-pole; 1,50 mm ² ; gray	www.wago.com/2020-213/135-000
	Nr. articol: 2020-213/145-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 13-pole; 1,50 mm ² ; gray	www.wago.com/2020-213/145-000
	Nr. articol: 2020-214 2-conductor female connector; 1.5 mm ² ; 14-pole; 1,50 mm ² ; gray	www.wago.com/2020-214
	Nr. articol: 2020-214/000-036 2-conductor female connector; 1.5 mm ² ; 14-pole; 1,50 mm ² ; gray, green-yellow	www.wago.com/2020-214/000-036
	Nr. articol: 2020-214/000-037 2-conductor female connector; 1.5 mm ² ; 14-pole; 1,50 mm ² ; green-yellow, gray	www.wago.com/2020-214/000-037
	Nr. articol: 2020-214/000-038 2-conductor female connector; 1.5 mm ² ; 14-pole; 1,50 mm ² ; gray, blue, green-yellow	www.wago.com/2020-214/000-038

Supus modificărilor.

**Nr. articol: 2020-214/000-039**2-conductor female connector; 1.5 mm²; 14-pole; 1,50 mm²; green-yellow, blue, graywww.wago.com/2020-214/000-039**Nr. articol: 2020-214/125-000**2-conductor female connector; Locking lever; 1.5 mm²; 14-pole; 1,50 mm²; graywww.wago.com/2020-214/125-000**Nr. articol: 2020-214/135-000**2-conductor female connector; Strain relief plate; 1.5 mm²; 14-pole; 1,50 mm²; graywww.wago.com/2020-214/135-000**Nr. articol: 2020-214/145-000**2-conductor female connector; Strain relief plate; 1.5 mm²; 14-pole; 1,50 mm²; graywww.wago.com/2020-214/145-000**Nr. articol: 2020-215**2-conductor female connector; 1.5 mm²; 15-pole; 1,50 mm²; graywww.wago.com/2020-215**Nr. articol: 2020-215/000-036**2-conductor female connector; 1.5 mm²; 15-pole; 1,50 mm²; gray, green-yellowwww.wago.com/2020-215/000-036**Nr. articol: 2020-215/000-037**2-conductor female connector; 1.5 mm²; 15-pole; 1,50 mm²; green-yellow, graywww.wago.com/2020-215/000-037**Nr. articol: 2020-215/000-038**2-conductor female connector; 1.5 mm²; 15-pole; 1,50 mm²; gray, blue, green-yellowwww.wago.com/2020-215/000-038**Nr. articol: 2020-215/000-039**2-conductor female connector; 1.5 mm²; 15-pole; 1,50 mm²; green-yellow, blue, graywww.wago.com/2020-215/000-039**Nr. articol: 2020-215/125-000**2-conductor female connector; Locking lever; 1.5 mm²; 15-pole; 1,50 mm²; graywww.wago.com/2020-215/125-000**Nr. articol: 2020-215/135-000**2-conductor female connector; Strain relief plate; 1.5 mm²; 15-pole; 1,50 mm²; graywww.wago.com/2020-215/135-000**Nr. articol: 2020-215/145-000**2-conductor female connector; Strain relief plate; 1.5 mm²; 15-pole; 1,50 mm²; graywww.wago.com/2020-215/145-000

Descărcări

Documentation

Additional Information

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
 /Representative Office Romania
 Sos. Pipera-Tunari nr. 1/1
 building 1, 2nd floor | 077190 Voluntari, Ilfov
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Technical explanations

Apr 3, 2019

pdf
2,1 MB

Descărcare

CAD/CAE-Data

CAD data

2D/3D Models 2020-1207

URL

Descărcare

CAE data

EPLAN Data Portal 2020-1207

URL

Descărcare


WSCAD Universe 2020-1207

URL


Descărcare

Installation Notes


Installation



Snap individual carrier terminal blocks onto the carrier rail and slide together.




Open the assembly by laterally sliding a block via operating tool (3.5 x 0.5 mm blade).



Separate terminal block assembly and slide individual terminal blocks laterally using an operating tool.


Inserting a conductor

Supus modificărilor.



Push-in CAGE CLAMP® enables solid conductors and fine-stranded conductors with ferrules to be connected by simply pushing them into the unit.


Commoning



Commoning X-COM®S-SYSTEM Terminal Blocks using jumpers for TOPJOB® S Terminal Blocks. An end plate provides connection to TOPJOB® S Terminal Blocks. 2020 and 2022 Series Terminal Blocks are combinable. Jumper slots are on the same level for both series.


Testing

Supus modificărilor.




Test plug adapter (2009-174) for 4 mm test plugs or banana plugs – also suitable for X-COM®S-SYSTEM-MINI Terminal Blocks.

Coding



Insert coding pin into the corresponding slot and twist it off.


Supus modificărilor.




1-conductor female plug

Carrier terminal blocks can be commoned via 2000 Series Push-In Type Jumper Bars and tested via 859-500 Test Pin.

Marking




Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)

Safety

Supus modificărilor.



Carrier terminal blocks and female plugs are touch-proof.

Familie de produse

X-COM S-Mini

Afișare globală produse din familie.

Supus modificărilor.