


## Fișă tehnică | Număr articol: 2022-2207

2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow



[www.wago.com/2022-2207](http://www.wago.com/2022-2207)



RoHS  Compliant

BOMcheck.net

Culoare:

### Date

### Electrical data

### Ratings per IEC/EN 60664-1

Ratings per

IEC/EN 60947-7-2

### Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross-section	2.5 mm <sup>2</sup>
Solid conductor	0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Solid conductor; push-in termination	0.75 ... 4 mm <sup>2</sup> / 18 ... 12 AWG
Fine-stranded conductor	0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG
Fine-stranded conductor; with insulated ferrule	1 ... 2.5 mm <sup>2</sup> / 18 ... 12 AWG
Fine-stranded conductor; with ferrule; push-in termination	1 ... 2.5 mm <sup>2</sup> / 18 ... 12 AWG
Strip length	10 ... 12 mm / 0.39 ... 0.47 inch
Total number of connection points	2
Total number of potentials	1
Number of levels	2
Wiring type	Front-entry wiring
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.

### Geometrical Data

Width	5.2 mm / 0.205 inch
Height from upper-edge of DIN-rail	51.3 mm / 2.02 inch
Depth	80.1 mm / 3.154 inch

### Mechanical data

Design	horizontal
Mounting type	DIN-35 rail
Potential marking	PE
Marking level	Side marking

### Material Data

Color	green-yellow
Insulation material	Polyamide 66 (PA 66)
Fire load	0,251 MJ
Weight	14,9 g

### Commercial data

Product Group	18 (X-COM-System)
Packaging type	BOX
Country of origin	CN
GTIN	4055143265799
Customs tariff number	85366990990




### Aprobări / certificate

Supus modificărilor.





WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.


## Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>CCA</b> DEKRA Certification B.V.	EN 60947	NTR NL 7628
	<b>CSA</b> DEKRA Certification B.V.	C22.2 No. 158	2437422
	<b>KEMA/KEUR</b> DEKRA Certification B.V.	EN 61984	71- 101201

## Ship Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>ABS</b> American Bureau of Shipping	EN 60947	20- HG1941090- PDA
	<b>BV</b> Bureau Veritas S.A.	EN 60947	38586/A0 BV
	<b>DNV GL</b> Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
	<b>LR</b> Lloyds Register	EN 60947	91/20112 (E9)

## UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>UR</b> Underwriters Laboratories Inc.	UL 1059	E45172

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Counterpart

## Produse compatibile

## Protective Warning Marker

**Nr. articol: 2002-115**

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

[www.wago.com/2002-115](http://www.wago.com/2002-115)

## General accessories

**Nr. articol: 2022-161**

Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; gray

[www.wago.com/2022-161](http://www.wago.com/2022-161)**Nr. articol: 2022-162**

Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; orange

[www.wago.com/2022-162](http://www.wago.com/2022-162)**Nr. articol: 2022-164**

Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; blue

[www.wago.com/2022-164](http://www.wago.com/2022-164)**Nr. articol: 2022-167**

Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; green-yellow

[www.wago.com/2022-167](http://www.wago.com/2022-167)**Nr. articol: 2022-171**

Center module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; gray

[www.wago.com/2022-171](http://www.wago.com/2022-171)**Nr. articol: 2022-172**

Center module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; orange

[www.wago.com/2022-172](http://www.wago.com/2022-172)**Nr. articol: 2022-174**

Center module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; blue

[www.wago.com/2022-174](http://www.wago.com/2022-174)**Nr. articol: 2022-177**

















Center module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; green-yellow

[www.wago.com/2022-177](http://www.wago.com/2022-177)**Nr. articol: 2022-181**

End module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; gray

[www.wago.com/2022-181](http://www.wago.com/2022-181)

Supus modificărilor.

	<b>Nr. articol: 2022-182</b> End module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-182">www.wago.com/2022-182</a>
	<b>Nr. articol: 2022-184</b> End module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-184">www.wago.com/2022-184</a>
	<b>Nr. articol: 2022-187</b> End module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-187">www.wago.com/2022-187</a>
<b>Carrier rail</b>		
	<b>Nr. articol: 210-112</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm	<a href="http://www.wago.com/210-112">www.wago.com/210-112</a>
	<b>Nr. articol: 210-113</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715	<a href="http://www.wago.com/210-113">www.wago.com/210-113</a>
	<b>Nr. articol: 210-114</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715	<a href="http://www.wago.com/210-114">www.wago.com/210-114</a>
	<b>Nr. articol: 210-115</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm	<a href="http://www.wago.com/210-115">www.wago.com/210-115</a>
	<b>Nr. articol: 210-118</b> Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	<a href="http://www.wago.com/210-118">www.wago.com/210-118</a>
	<b>Nr. articol: 210-196</b> Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored	<a href="http://www.wago.com/210-196">www.wago.com/210-196</a>
	<b>Nr. articol: 210-197</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	<a href="http://www.wago.com/210-197">www.wago.com/210-197</a>
	<b>Nr. articol: 210-198</b> Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored	<a href="http://www.wago.com/210-198">www.wago.com/210-198</a>
	<b>Nr. articol: 210-504</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715	<a href="http://www.wago.com/210-504">www.wago.com/210-504</a>
	<b>Nr. articol: 210-505</b> Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715	<a href="http://www.wago.com/210-505">www.wago.com/210-505</a>
	<b>Nr. articol: 210-506</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715	<a href="http://www.wago.com/210-506">www.wago.com/210-506</a>
	<b>Nr. articol: 210-508</b> Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715	<a href="http://www.wago.com/210-508">www.wago.com/210-508</a>
<b>End plate</b>		
	<b>Nr. articol: 2022-2291</b> End and intermediate plate; 1 mm thick; gray	<a href="http://www.wago.com/2022-2291">www.wago.com/2022-2291</a>

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



**Nr. articol: 2022-2292**  
End and intermediate plate; 1 mm thick; orange

[www.wago.com/2022-2292](http://www.wago.com/2022-2292)

#### check



**Nr. articol: 2009-174**  
Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray

[www.wago.com/2009-174](http://www.wago.com/2009-174)



**Nr. articol: 2009-182**  
Testing tap; for max. 2.5 mm<sup>2</sup>; tool-free connection for individual test wires 0.08 - 2.5 mm; gray

[www.wago.com/2009-182](http://www.wago.com/2009-182)

#### ferrule



**Nr. articol: 216-241**  
Ferrule; Sleeve for 0.5 mm<sup>2</sup> / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white

[www.wago.com/216-241](http://www.wago.com/216-241)



**Nr. articol: 216-242**  
Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray

[www.wago.com/216-242](http://www.wago.com/216-242)



**Nr. articol: 216-243**  
Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red

[www.wago.com/216-243](http://www.wago.com/216-243)



**Nr. articol: 216-244**  
Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black

[www.wago.com/216-244](http://www.wago.com/216-244)



**Nr. articol: 216-246**  
Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

[www.wago.com/216-246](http://www.wago.com/216-246)



**Nr. articol: 216-262**  
Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray

[www.wago.com/216-262](http://www.wago.com/216-262)



**Nr. articol: 216-263**  
Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red

[www.wago.com/216-263](http://www.wago.com/216-263)



**Nr. articol: 216-264**  
Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black

[www.wago.com/216-264](http://www.wago.com/216-264)



**Nr. articol: 216-266**  
Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

[www.wago.com/216-266](http://www.wago.com/216-266)



**Nr. articol: 216-284**  
Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black

[www.wago.com/216-284](http://www.wago.com/216-284)



**Nr. articol: 216-286**  
Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

[www.wago.com/216-286](http://www.wago.com/216-286)

#### Push-In type wire jumper



**Nr. articol: 2009-412**  
Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

[www.wago.com/2009-412](http://www.wago.com/2009-412)

Supus modificărilor.

**Nr. articol: 2009-414**Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black[www.wago.com/2009-414](http://www.wago.com/2009-414)**Nr. articol: 2009-416**Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black[www.wago.com/2009-416](http://www.wago.com/2009-416)**Jumper****Nr. articol: 2002-400**

Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A; light gray

[www.wago.com/2002-400](http://www.wago.com/2002-400)**Nr. articol: 2002-402**

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; light gray

[www.wago.com/2002-402](http://www.wago.com/2002-402)**Nr. articol: 2002-402/000-005**

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; red

[www.wago.com/2002-402/000-005](http://www.wago.com/2002-402/000-005)**Nr. articol: 2002-402/000-006**

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; blue

[www.wago.com/2002-402/000-006](http://www.wago.com/2002-402/000-006)**Nr. articol: 2002-403**

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; light gray

[www.wago.com/2002-403](http://www.wago.com/2002-403)**Nr. articol: 2002-403/000-005**

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; red

[www.wago.com/2002-403/000-005](http://www.wago.com/2002-403/000-005)**Nr. articol: 2002-403/000-006**

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; blue

[www.wago.com/2002-403/000-006](http://www.wago.com/2002-403/000-006)**Nr. articol: 2002-404**

Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; light gray

[www.wago.com/2002-404](http://www.wago.com/2002-404)**Nr. articol: 2002-404/000-005**

Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; red

[www.wago.com/2002-404/000-005](http://www.wago.com/2002-404/000-005)**Nr. articol: 2002-404/000-006**

Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; blue

[www.wago.com/2002-404/000-006](http://www.wago.com/2002-404/000-006)**Nr. articol: 2002-405**

Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; light gray

[www.wago.com/2002-405](http://www.wago.com/2002-405)**Nr. articol: 2002-405/000-005**















Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; red

[www.wago.com/2002-405/000-005](http://www.wago.com/2002-405/000-005)**Nr. articol: 2002-405/000-006**

Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; blue

















[www.wago.com/2002-405/000-006](http://www.wago.com/2002-405/000-006)

Supus modificărilor.

	<b>Nr. articol:</b> 2002-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	<a href="http://www.wago.com/2002-405/011-000">www.wago.com/2002-405/011-000</a>
	<b>Nr. articol:</b> 2002-406 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-406">www.wago.com/2002-406</a>
	<b>Nr. articol:</b> 2002-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-406/000-005">www.wago.com/2002-406/000-005</a>
	<b>Nr. articol:</b> 2002-406/000-006 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-406/000-006">www.wago.com/2002-406/000-006</a>
	<b>Nr. articol:</b> 2002-406/020-000 Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray	<a href="http://www.wago.com/2002-406/020-000">www.wago.com/2002-406/020-000</a>
	<b>Nr. articol:</b> 2002-407 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-407">www.wago.com/2002-407</a>
	<b>Nr. articol:</b> 2002-407/000-005 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-407/000-005">www.wago.com/2002-407/000-005</a>
	<b>Nr. articol:</b> 2002-407/000-006 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-407/000-006">www.wago.com/2002-407/000-006</a>
	<b>Nr. articol:</b> 2002-408 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-408">www.wago.com/2002-408</a>
	<b>Nr. articol:</b> 2002-408/000-005 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-408/000-005">www.wago.com/2002-408/000-005</a>
	<b>Nr. articol:</b> 2002-408/000-006 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-408/000-006">www.wago.com/2002-408/000-006</a>
	<b>Nr. articol:</b> 2002-409 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-409">www.wago.com/2002-409</a>
	<b>Nr. articol:</b> 2002-409/000-005 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-409/000-005">www.wago.com/2002-409/000-005</a>
	<b>Nr. articol:</b> 2002-409/000-006 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-409/000-006">www.wago.com/2002-409/000-006</a>

Supus modificărilor.



	<b>Nr. articol: 2002-410</b> Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-410">www.wago.com/2002-410</a>
	<b>Nr. articol: 2002-410/000-005</b> Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-410/000-005">www.wago.com/2002-410/000-005</a>
	<b>Nr. articol: 2002-410/000-006</b> Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-410/000-006">www.wago.com/2002-410/000-006</a>
	<b>Nr. articol: 2002-423</b> Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-423">www.wago.com/2002-423</a>
	<b>Nr. articol: 2002-423/000-005</b> Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; red	<a href="http://www.wago.com/2002-423/000-005">www.wago.com/2002-423/000-005</a>
	<b>Nr. articol: 2002-423/000-006</b> Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-423/000-006">www.wago.com/2002-423/000-006</a>
	<b>Nr. articol: 2002-433</b> Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-433">www.wago.com/2002-433</a>
	<b>Nr. articol: 2002-434</b> Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-434">www.wago.com/2002-434</a>
	<b>Nr. articol: 2002-435</b> Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-435">www.wago.com/2002-435</a>
	<b>Nr. articol: 2002-436</b> Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-436">www.wago.com/2002-436</a>
	<b>Nr. articol: 2002-437</b> Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-437">www.wago.com/2002-437</a>
	<b>Nr. articol: 2002-438</b> Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-438">www.wago.com/2002-438</a>
	<b>Nr. articol: 2002-439</b> Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-439">www.wago.com/2002-439</a>
	<b>Nr. articol: 2002-440</b> Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-440">www.wago.com/2002-440</a>
	<b>Nr. articol: 2002-472</b> Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-472">www.wago.com/2002-472</a>
	<b>Nr. articol: 2002-473</b> Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-473">www.wago.com/2002-473</a>

**Nr. articol: 2002-473/011-000**

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2022-473/011-000](http://www.wago.com/2022-473/011-000)



**Nr. articol: 2022-474**

Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2022-474](http://www.wago.com/2022-474)



**Nr. articol: 2022-475**

Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2022-475](http://www.wago.com/2022-475)

**Nr. articol: 2022-475/011-000**

Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2022-475/011-000](http://www.wago.com/2022-475/011-000)



**Nr. articol: 2022-476**

Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2022-476](http://www.wago.com/2022-476)



**Nr. articol: 2022-477**

Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2022-477](http://www.wago.com/2022-477)



**Nr. articol: 2022-477/011-000**

Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2022-477/011-000](http://www.wago.com/2022-477/011-000)



**Nr. articol: 2022-478**

Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2022-478](http://www.wago.com/2022-478)



**Nr. articol: 2022-479**

Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2022-479](http://www.wago.com/2022-479)

**Nr. articol: 2022-479/011-000**

Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2022-479/011-000](http://www.wago.com/2022-479/011-000)



**Nr. articol: 2022-480**

Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2022-480](http://www.wago.com/2022-480)



**Nr. articol: 2022-481**

Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2022-481](http://www.wago.com/2022-481)

**Nr. articol: 2022-481/011-000**

Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2022-481/011-000](http://www.wago.com/2022-481/011-000)



**Nr. articol: 2022-482**

Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2022-482](http://www.wago.com/2022-482)



**Nr. articol: 2022-492**











Double-deck vertical jumper; insulated; light gray

[www.wago.com/2022-492](http://www.wago.com/2022-492)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com







Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	<b>Nr. articol: 2002-492/000-012</b> Double-deck vertical jumper; insulated; orange	<a href="http://www.wago.com/2002-492/000-012">www.wago.com/2002-492/000-012</a>
	<b>Nr. articol: 210-103</b> Wire commoning chain; insulated; 50 connections; black	<a href="http://www.wago.com/210-103">www.wago.com/210-103</a>
	<b>Nr. articol: 210-123</b> Wire commoning chain; insulated; 50 connections	<a href="http://www.wago.com/210-123">www.wago.com/210-123</a>
<b>tools</b>		
	<b>Nr. articol: 210-720</b> Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft	<a href="http://www.wago.com/210-720">www.wago.com/210-720</a>
<b>Insulation stop</b>		
	<b>Nr. articol: 2002-171</b> Insulation stop; 0.25 - 0.5 mm <sup>2</sup> ; 5 pieces/strip; light gray	<a href="http://www.wago.com/2002-171">www.wago.com/2002-171</a>
	<b>Nr. articol: 2002-172</b> Insulation stop; 0.75 - 1 mm <sup>2</sup> ; 5 pieces/strip; dark gray	<a href="http://www.wago.com/2002-172">www.wago.com/2002-172</a>
<b>Female plug</b>		
	<b>Nr. articol: 2022-101</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-101">www.wago.com/2022-101</a>
	<b>Nr. articol: 2022-101/000-006</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-101/000-006">www.wago.com/2022-101/000-006</a>
	<b>Nr. articol: 2022-101/000-012</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-101/000-012">www.wago.com/2022-101/000-012</a>
	<b>Nr. articol: 2022-101/000-016</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-101/000-016">www.wago.com/2022-101/000-016</a>
	<b>Nr. articol: 2022-101/122-000</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-101/122-000">www.wago.com/2022-101/122-000</a>
	<b>Nr. articol: 2022-101/122-006</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-101/122-006">www.wago.com/2022-101/122-006</a>
	<b>Nr. articol: 2022-101/122-016</b> 1-conductor female plug; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-101/122-016">www.wago.com/2022-101/122-016</a>
	<b>Nr. articol: 2022-101/132-000</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-101/132-000">www.wago.com/2022-101/132-000</a>












Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com












Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	<b>Nr. articol: 2022-101/132-006</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-101/132-006">www.wago.com/2022-101/132-006</a>
	<b>Nr. articol: 2022-101/132-016</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-101/132-016">www.wago.com/2022-101/132-016</a>
	<b>Nr. articol: 2022-101/142-000</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-101/142-000">www.wago.com/2022-101/142-000</a>
	<b>Nr. articol: 2022-101/142-006</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-101/142-006">www.wago.com/2022-101/142-006</a>
	<b>Nr. articol: 2022-101/142-016</b> 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-101/142-016">www.wago.com/2022-101/142-016</a>
	<b>Nr. articol: 2022-102</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102">www.wago.com/2022-102</a>
	<b>Nr. articol: 2022-102/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-102/000-006">www.wago.com/2022-102/000-006</a>
	<b>Nr. articol: 2022-102/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-102/000-016">www.wago.com/2022-102/000-016</a>
	<b>Nr. articol: 2022-102/122-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102/122-000">www.wago.com/2022-102/122-000</a>
	<b>Nr. articol: 2022-102/132-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102/132-000">www.wago.com/2022-102/132-000</a>
	<b>Nr. articol: 2022-102/142-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102/142-000">www.wago.com/2022-102/142-000</a>
	<b>Nr. articol: 2022-103</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103">www.wago.com/2022-103</a>
	<b>Nr. articol: 2022-103/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-103/000-006">www.wago.com/2022-103/000-006</a>
	<b>Nr. articol: 2022-103/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-103/000-016">www.wago.com/2022-103/000-016</a>











Supus modificărilor.

	<b>Nr. articol: 2022-103/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-103/000-036">www.wago.com/2022-103/000-036</a>
	<b>Nr. articol: 2022-103/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-103/000-037">www.wago.com/2022-103/000-037</a>
	<b>Nr. articol: 2022-103/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-103/000-038">www.wago.com/2022-103/000-038</a>
	<b>Nr. articol: 2022-103/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-103/000-039">www.wago.com/2022-103/000-039</a>
	<b>Nr. articol: 2022-103/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103/123-000">www.wago.com/2022-103/123-000</a>
	<b>Nr. articol: 2022-103/133-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103/133-000">www.wago.com/2022-103/133-000</a>
	<b>Nr. articol: 2022-103/143-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103/143-000">www.wago.com/2022-103/143-000</a>
	<b>Nr. articol: 2022-104</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-104">www.wago.com/2022-104</a>
	<b>Nr. articol: 2022-104/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-104/000-006">www.wago.com/2022-104/000-006</a>
	<b>Nr. articol: 2022-104/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-104/000-016">www.wago.com/2022-104/000-016</a>
	<b>Nr. articol: 2022-104/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-104/000-036">www.wago.com/2022-104/000-036</a>
	<b>Nr. articol: 2022-104/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-104/000-037">www.wago.com/2022-104/000-037</a>
	<b>Nr. articol: 2022-104/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-104/000-038">www.wago.com/2022-104/000-038</a>
	<b>Nr. articol: 2022-104/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-104/000-039">www.wago.com/2022-104/000-039</a>

Supus modificărilor.

	<b>Nr. articol: 2022-104/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-104/123-000">www.wago.com/2022-104/123-000</a>
	<b>Nr. articol: 2022-104/133-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-104/133-000">www.wago.com/2022-104/133-000</a>
	<b>Nr. articol: 2022-104/143-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-104/143-000">www.wago.com/2022-104/143-000</a>
	<b>Nr. articol: 2022-105</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105">www.wago.com/2022-105</a>
	<b>Nr. articol: 2022-105/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-105/000-006">www.wago.com/2022-105/000-006</a>
	<b>Nr. articol: 2022-105/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-105/000-016">www.wago.com/2022-105/000-016</a>
	<b>Nr. articol: 2022-105/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-105/000-036">www.wago.com/2022-105/000-036</a>
	<b>Nr. articol: 2022-105/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-105/000-037">www.wago.com/2022-105/000-037</a>
	<b>Nr. articol: 2022-105/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-105/000-038">www.wago.com/2022-105/000-038</a>
	<b>Nr. articol: 2022-105/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-105/000-039">www.wago.com/2022-105/000-039</a>
	<b>Nr. articol: 2022-105/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105/123-000">www.wago.com/2022-105/123-000</a>
	<b>Nr. articol: 2022-105/134-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105/134-000">www.wago.com/2022-105/134-000</a>
	<b>Nr. articol: 2022-105/144-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105/144-000">www.wago.com/2022-105/144-000</a>
	<b>Nr. articol: 2022-106</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-106">www.wago.com/2022-106</a>

Supus modificărilor.

	<b>Nr. articol:</b> 2022-106/000-006 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-106/000-006">www.wago.com/2022-106/000-006</a>
	<b>Nr. articol:</b> 2022-106/000-016 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-106/000-016">www.wago.com/2022-106/000-016</a>
	<b>Nr. articol:</b> 2022-106/000-036 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-106/000-036">www.wago.com/2022-106/000-036</a>
	<b>Nr. articol:</b> 2022-106/000-037 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-106/000-037">www.wago.com/2022-106/000-037</a>
	<b>Nr. articol:</b> 2022-106/000-038 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-106/000-038">www.wago.com/2022-106/000-038</a>
	<b>Nr. articol:</b> 2022-106/000-039 1-conductor female plug; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-106/000-039">www.wago.com/2022-106/000-039</a>
	<b>Nr. articol:</b> 2022-106/123-000 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-106/123-000">www.wago.com/2022-106/123-000</a>
	<b>Nr. articol:</b> 2022-106/134-000 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-106/134-000">www.wago.com/2022-106/134-000</a>
	<b>Nr. articol:</b> 2022-106/144-000 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-106/144-000">www.wago.com/2022-106/144-000</a>
	<b>Nr. articol:</b> 2022-107 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-107">www.wago.com/2022-107</a>
	<b>Nr. articol:</b> 2022-107/000-006 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-107/000-006">www.wago.com/2022-107/000-006</a>
	<b>Nr. articol:</b> 2022-107/000-016 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-107/000-016">www.wago.com/2022-107/000-016</a>
	<b>Nr. articol:</b> 2022-107/000-036 1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-107/000-036">www.wago.com/2022-107/000-036</a>

Supus modificărilor.



**Nr. articol:** 2022-107/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-107/000-037](http://www.wago.com/2022-107/000-037)



**Nr. articol:** 2022-107/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-107/000-038](http://www.wago.com/2022-107/000-038)



**Nr. articol:** 2022-107/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-107/000-039](http://www.wago.com/2022-107/000-039)

**Nr. articol:** 2022-107/123-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-107/123-000](http://www.wago.com/2022-107/123-000)

**Nr. articol:** 2022-107/135-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-107/135-000](http://www.wago.com/2022-107/135-000)

**Nr. articol:** 2022-107/145-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-107/145-000](http://www.wago.com/2022-107/145-000)



**Nr. articol:** 2022-108

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-108](http://www.wago.com/2022-108)



**Nr. articol:** 2022-108/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-108/000-006](http://www.wago.com/2022-108/000-006)



**Nr. articol:** 2022-108/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-108/000-016](http://www.wago.com/2022-108/000-016)



**Nr. articol:** 2022-108/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-108/000-036](http://www.wago.com/2022-108/000-036)



**Nr. articol:** 2022-108/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-108/000-037](http://www.wago.com/2022-108/000-037)



**Nr. articol:** 2022-108/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-108/000-038](http://www.wago.com/2022-108/000-038)



**Nr. articol:** 2022-108/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray









[www.wago.com/2022-108/000-039](http://www.wago.com/2022-108/000-039)

Supus modificărilor.











WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



	<b>Nr. articol: 2022-108/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 8-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-108/123-000">www.wago.com/2022-108/123-000</a>
	<b>Nr. articol: 2022-108/135-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 8-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-108/135-000">www.wago.com/2022-108/135-000</a>
	<b>Nr. articol: 2022-108/145-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 8-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-108/145-000">www.wago.com/2022-108/145-000</a>
	<b>Nr. articol: 2022-109</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-109">www.wago.com/2022-109</a>
	<b>Nr. articol: 2022-109/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-109/000-006">www.wago.com/2022-109/000-006</a>
	<b>Nr. articol: 2022-109/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-109/000-016">www.wago.com/2022-109/000-016</a>
	<b>Nr. articol: 2022-109/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-109/000-036">www.wago.com/2022-109/000-036</a>
	<b>Nr. articol: 2022-109/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-109/000-037">www.wago.com/2022-109/000-037</a>
	<b>Nr. articol: 2022-109/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-109/000-038">www.wago.com/2022-109/000-038</a>
	<b>Nr. articol: 2022-109/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-109/000-039">www.wago.com/2022-109/000-039</a>
	<b>Nr. articol: 2022-109/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-109/123-000">www.wago.com/2022-109/123-000</a>
	<b>Nr. articol: 2022-109/135-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-109/135-000">www.wago.com/2022-109/135-000</a>
	<b>Nr. articol: 2022-109/145-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-109/145-000">www.wago.com/2022-109/145-000</a>
	<b>Nr. articol: 2022-110</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-110">www.wago.com/2022-110</a>

Supus modificărilor.

	<b>Nr. articol:</b> 2022-110/000-006 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-110/000-006">www.wago.com/2022-110/000-006</a>
	<b>Nr. articol:</b> 2022-110/000-016 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-110/000-016">www.wago.com/2022-110/000-016</a>
	<b>Nr. articol:</b> 2022-110/000-036 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-110/000-036">www.wago.com/2022-110/000-036</a>
	<b>Nr. articol:</b> 2022-110/000-037 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-110/000-037">www.wago.com/2022-110/000-037</a>
	<b>Nr. articol:</b> 2022-110/000-038 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-110/000-038">www.wago.com/2022-110/000-038</a>
	<b>Nr. articol:</b> 2022-110/000-039 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-110/000-039">www.wago.com/2022-110/000-039</a>
	<b>Nr. articol:</b> 2022-110/123-000 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-110/123-000">www.wago.com/2022-110/123-000</a>
	<b>Nr. articol:</b> 2022-110/135-000 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-110/135-000">www.wago.com/2022-110/135-000</a>
	<b>Nr. articol:</b> 2022-110/145-000 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-110/145-000">www.wago.com/2022-110/145-000</a>
	<b>Nr. articol:</b> 2022-111 1-conductor female plug; 2.5 mm <sup>2</sup> ; 11-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-111">www.wago.com/2022-111</a>
	<b>Nr. articol:</b> 2022-111/000-006 1-conductor female plug; 2.5 mm <sup>2</sup> ; 11-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-111/000-006">www.wago.com/2022-111/000-006</a>
	<b>Nr. articol:</b> 2022-111/000-016 1-conductor female plug; 2.5 mm <sup>2</sup> ; 11-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-111/000-016">www.wago.com/2022-111/000-016</a>
	<b>Nr. articol:</b> 2022-111/000-036 1-conductor female plug; 2.5 mm <sup>2</sup> ; 11-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-111/000-036">www.wago.com/2022-111/000-036</a>

Supus modificărilor.



**Nr. articol:** 2022-111/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-111/000-037](http://www.wago.com/2022-111/000-037)



**Nr. articol:** 2022-111/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-111/000-038](http://www.wago.com/2022-111/000-038)



**Nr. articol:** 2022-111/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-111/000-039](http://www.wago.com/2022-111/000-039)

**Nr. articol:** 2022-111/126-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-111/126-000](http://www.wago.com/2022-111/126-000)

**Nr. articol:** 2022-111/136-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-111/136-000](http://www.wago.com/2022-111/136-000)

**Nr. articol:** 2022-111/146-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-111/146-000](http://www.wago.com/2022-111/146-000)



**Nr. articol:** 2022-112

1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-112](http://www.wago.com/2022-112)



**Nr. articol:** 2022-112/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-112/000-006](http://www.wago.com/2022-112/000-006)



**Nr. articol:** 2022-112/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-112/000-016](http://www.wago.com/2022-112/000-016)



**Nr. articol:** 2022-112/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-112/000-036](http://www.wago.com/2022-112/000-036)



**Nr. articol:** 2022-112/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-112/000-037](http://www.wago.com/2022-112/000-037)



**Nr. articol:** 2022-112/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-112/000-038](http://www.wago.com/2022-112/000-038)











**Nr. articol:** 2022-112/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-112/000-039](http://www.wago.com/2022-112/000-039)

Supus modificărilor.

	<b>Nr. articol: 2022-112/126-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-112/126-000">www.wago.com/2022-112/126-000</a>
	<b>Nr. articol: 2022-112/136-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-112/136-000">www.wago.com/2022-112/136-000</a>
	<b>Nr. articol: 2022-112/146-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 12-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-112/146-000">www.wago.com/2022-112/146-000</a>
	<b>Nr. articol: 2022-113</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-113">www.wago.com/2022-113</a>
	<b>Nr. articol: 2022-113/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-113/000-006">www.wago.com/2022-113/000-006</a>
	<b>Nr. articol: 2022-113/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-113/000-016">www.wago.com/2022-113/000-016</a>
	<b>Nr. articol: 2022-113/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-113/000-036">www.wago.com/2022-113/000-036</a>
	<b>Nr. articol: 2022-113/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-113/000-037">www.wago.com/2022-113/000-037</a>
	<b>Nr. articol: 2022-113/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-113/000-038">www.wago.com/2022-113/000-038</a>
	<b>Nr. articol: 2022-113/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-113/000-039">www.wago.com/2022-113/000-039</a>
	<b>Nr. articol: 2022-113/126-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-113/126-000">www.wago.com/2022-113/126-000</a>
	<b>Nr. articol: 2022-113/136-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-113/136-000">www.wago.com/2022-113/136-000</a>
	<b>Nr. articol: 2022-113/146-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 13-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-113/146-000">www.wago.com/2022-113/146-000</a>
	<b>Nr. articol: 2022-114</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-114">www.wago.com/2022-114</a>

Supus modificărilor.



**Nr. articol:** 2022-114/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-114/000-006](http://www.wago.com/2022-114/000-006)



**Nr. articol:** 2022-114/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-114/000-016](http://www.wago.com/2022-114/000-016)



**Nr. articol:** 2022-114/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-114/000-036](http://www.wago.com/2022-114/000-036)



**Nr. articol:** 2022-114/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-114/000-037](http://www.wago.com/2022-114/000-037)



**Nr. articol:** 2022-114/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-114/000-038](http://www.wago.com/2022-114/000-038)



**Nr. articol:** 2022-114/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-114/000-039](http://www.wago.com/2022-114/000-039)

**Nr. articol:** 2022-114/126-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114/126-000](http://www.wago.com/2022-114/126-000)

**Nr. articol:** 2022-114/136-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114/136-000](http://www.wago.com/2022-114/136-000)

**Nr. articol:** 2022-114/146-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114/146-000](http://www.wago.com/2022-114/146-000)



**Nr. articol:** 2022-115

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-115](http://www.wago.com/2022-115)



**Nr. articol:** 2022-115/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-115/000-006](http://www.wago.com/2022-115/000-006)



**Nr. articol:** 2022-115/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-115/000-016](http://www.wago.com/2022-115/000-016)



**Nr. articol:** 2022-115/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-115/000-036](http://www.wago.com/2022-115/000-036)

Supus modificărilor.

**Nr. articol:** 2022-115/000-0371-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2022-115/000-037](http://www.wago.com/2022-115/000-037)**Nr. articol:** 2022-115/000-0381-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2022-115/000-038](http://www.wago.com/2022-115/000-038)**Nr. articol:** 2022-115/000-0391-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2022-115/000-039](http://www.wago.com/2022-115/000-039)**Nr. articol:** 2022-115/127-0001-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-115/127-000](http://www.wago.com/2022-115/127-000)**Nr. articol:** 2022-115/137-0001-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-115/137-000](http://www.wago.com/2022-115/137-000)**Nr. articol:** 2022-115/147-0001-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-115/147-000](http://www.wago.com/2022-115/147-000)**Marking accessories****Nr. articol:** 2002-121

Adaptor

[www.wago.com/2002-121](http://www.wago.com/2002-121)**Nr. articol:** 2002-161

Adaptor

[www.wago.com/2002-161](http://www.wago.com/2002-161)**Nr. articol:** 2009-110

Marking strips; on reel; not stretchable; plain; snap-on type; white

[www.wago.com/2009-110](http://www.wago.com/2009-110)**Nr. articol:** 2009-115

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

[www.wago.com/2009-115](http://www.wago.com/2009-115)**Nr. articol:** 2009-115/000-002

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

[www.wago.com/2009-115/000-002](http://www.wago.com/2009-115/000-002)**Nr. articol:** 2009-115/000-006

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue

[www.wago.com/2009-115/000-006](http://www.wago.com/2009-115/000-006)**Nr. articol:** 2009-115/000-007















WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray

[www.wago.com/2009-115/000-007](http://www.wago.com/2009-115/000-007)**Nr. articol:** 2009-115/000-012

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange

[www.wago.com/2009-115/000-012](http://www.wago.com/2009-115/000-012)

Supus modificărilor.

	<b>Nr. articol:</b> 2009-115/000-017 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green	<a href="http://www.wago.com/2009-115/000-017">www.wago.com/2009-115/000-017</a>
	<b>Nr. articol:</b> 2009-115/000-023 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	<a href="http://www.wago.com/2009-115/000-023">www.wago.com/2009-115/000-023</a>
	<b>Nr. articol:</b> 2009-115/000-024 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	<a href="http://www.wago.com/2009-115/000-024">www.wago.com/2009-115/000-024</a>
	<b>Nr. articol:</b> 2009-145 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	<a href="http://www.wago.com/2009-145">www.wago.com/2009-145</a>
	<b>Nr. articol:</b> 2009-145/000-002 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	<a href="http://www.wago.com/2009-145/000-002">www.wago.com/2009-145/000-002</a>
	<b>Nr. articol:</b> 2009-145/000-005 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red	<a href="http://www.wago.com/2009-145/000-005">www.wago.com/2009-145/000-005</a>
	<b>Nr. articol:</b> 2009-145/000-006 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue	<a href="http://www.wago.com/2009-145/000-006">www.wago.com/2009-145/000-006</a>
	<b>Nr. articol:</b> 2009-145/000-007 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray	<a href="http://www.wago.com/2009-145/000-007">www.wago.com/2009-145/000-007</a>
	<b>Nr. articol:</b> 2009-145/000-012 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange	<a href="http://www.wago.com/2009-145/000-012">www.wago.com/2009-145/000-012</a>
	<b>Nr. articol:</b> 2009-145/000-023 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	<a href="http://www.wago.com/2009-145/000-023">www.wago.com/2009-145/000-023</a>
	<b>Nr. articol:</b> 2009-145/000-024 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	<a href="http://www.wago.com/2009-145/000-024">www.wago.com/2009-145/000-024</a>
	<b>Nr. articol:</b> 2009-191 Group marker carrier	<a href="http://www.wago.com/2009-191">www.wago.com/2009-191</a>
	<b>Nr. articol:</b> 2009-192 Group marker carrier	<a href="http://www.wago.com/2009-192">www.wago.com/2009-192</a>
	<b>Nr. articol:</b> 2009-193 Group marker carrier	<a href="http://www.wago.com/2009-193">www.wago.com/2009-193</a>

Supus modificărilor.



**Nr. articol: 2009-198**  
Adaptor

[www.wago.com/2009-198](http://www.wago.com/2009-198)



**Nr. articol: 248-501**  
Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card

[www.wago.com/248-501](http://www.wago.com/248-501)



**Nr. articol: 248-501/000-002**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow

[www.wago.com/248-501/000-002](http://www.wago.com/248-501/000-002)



**Nr. articol: 248-501/000-005**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red

[www.wago.com/248-501/000-005](http://www.wago.com/248-501/000-005)



**Nr. articol: 248-501/000-006**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue

[www.wago.com/248-501/000-006](http://www.wago.com/248-501/000-006)



**Nr. articol: 248-501/000-007**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray

[www.wago.com/248-501/000-007](http://www.wago.com/248-501/000-007)



**Nr. articol: 248-501/000-012**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange

[www.wago.com/248-501/000-012](http://www.wago.com/248-501/000-012)



**Nr. articol: 248-501/000-017**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green

[www.wago.com/248-501/000-017](http://www.wago.com/248-501/000-017)



**Nr. articol: 248-501/000-023**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green

[www.wago.com/248-501/000-023](http://www.wago.com/248-501/000-023)



**Nr. articol: 248-501/000-024**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet

[www.wago.com/248-501/000-024](http://www.wago.com/248-501/000-024)



**Nr. articol: 793-501**  
WMB marking card; as card; not stretchable; plain; snap-on type; white

[www.wago.com/793-501](http://www.wago.com/793-501)



**Nr. articol: 793-501/000-002**  
WMB marking card; as card; not stretchable; plain; snap-on type; yellow

[www.wago.com/793-501/000-002](http://www.wago.com/793-501/000-002)



**Nr. articol: 793-501/000-005**  
WMB marking card; as card; not stretchable; plain; snap-on type; red

[www.wago.com/793-501/000-005](http://www.wago.com/793-501/000-005)



**Nr. articol: 793-501/000-006**  
WMB marking card; as card; not stretchable; plain; snap-on type; blue

[www.wago.com/793-501/000-006](http://www.wago.com/793-501/000-006)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.





**Nr. articol: 793-501/000-007**  
WMB marking card; as card; not stretchable; plain; snap-on type; gray

[www.wago.com/793-501/000-007](http://www.wago.com/793-501/000-007)



**Nr. articol: 793-501/000-012**  
WMB marking card; as card; not stretchable; plain; snap-on type; orange

[www.wago.com/793-501/000-012](http://www.wago.com/793-501/000-012)



**Nr. articol: 793-501/000-017**  
WMB marking card; as card; not stretchable; plain; snap-on type; light green

[www.wago.com/793-501/000-017](http://www.wago.com/793-501/000-017)



**Nr. articol: 793-501/000-023**  
WMB marking card; as card; not stretchable; plain; snap-on type; green

[www.wago.com/793-501/000-023](http://www.wago.com/793-501/000-023)



**Nr. articol: 793-501/000-024**  
WMB marking card; as card; not stretchable; plain; snap-on type; violet

[www.wago.com/793-501/000-024](http://www.wago.com/793-501/000-024)



**Nr. articol: 793-5501**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

[www.wago.com/793-5501](http://www.wago.com/793-5501)



**Nr. articol: 793-5501/000-002**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

[www.wago.com/793-5501/000-002](http://www.wago.com/793-5501/000-002)



**Nr. articol: 793-5501/000-005**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red

[www.wago.com/793-5501/000-005](http://www.wago.com/793-5501/000-005)



**Nr. articol: 793-5501/000-006**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue

[www.wago.com/793-5501/000-006](http://www.wago.com/793-5501/000-006)



**Nr. articol: 793-5501/000-007**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray

[www.wago.com/793-5501/000-007](http://www.wago.com/793-5501/000-007)



**Nr. articol: 793-5501/000-012**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange

[www.wago.com/793-5501/000-012](http://www.wago.com/793-5501/000-012)



**Nr. articol: 793-5501/000-017**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green

[www.wago.com/793-5501/000-017](http://www.wago.com/793-5501/000-017)



**Nr. articol: 793-5501/000-023**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green

[www.wago.com/793-5501/000-023](http://www.wago.com/793-5501/000-023)



**Nr. articol: 793-5501/000-024**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-

[www.wago.com/793-5501/000-024](http://www.wago.com/793-5501/000-024)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

on type; violet

**Coding**



**Nr. articol: 2022-100**

Carrier with 6 coding pins; for coding of female plugs; orange

[www.wago.com/2022-100](http://www.wago.com/2022-100)

**Descărcări  
Documentation**

**Additional Information**

Technical explanations

Apr 3, 2019

pdf  
2,1 MB

Descărcare

**CAD/CAE-Data**

**CAD data**

2D/3D Models 2022-2207

URL

Descărcare

**CAE data**

EPLAN Data Portal 2022-2207

URL

Descărcare


WSCAD Universe 2022-2207

URL

Descărcare

**Installation Notes**


**Coding**



Insert coding pin into the corresponding slot and twist it off.




Coding a female plug: remove coding finger using a suitable tool.



Insert coded female connector into X-COM®S-SYSTEM terminal block assembly.


Supus modificărilor.




1-conductor female plug

Double-deck carrier terminal blocks can be commoned via 2002 Series Push-In Type Jumper Bars and tested via 859-500 Test Pin.

#### Marking



Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)

#### Familie de produse

##### X-COM S

Afișare globală produse din familie.

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.