


## Fișă tehnică | Număr articol: 2022-1304

2-conductor/1-pin carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5;  
2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-1304](http://www.wago.com/2022-1304)



### Date

#### Electrical data

#### Ratings per IEC/EN 60664-1

Ratings per	IEC/EN 60947-7-1
Nominal voltage (III/3)	690 V
Rated surge voltage (III/3)	6 kV
Rated current	20 A
Legend (ratings)	(III / 3) ≙ Overvoltage category III / Pollution degree 3

#### Connection data

Connection technology	Push-in CAGE CLAMP®
Number of connection points (connection type)	2
Actuation type	Open Tool Slot

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



	Push-in
Connectable conductor materials	Copper
Nominal cross-section	2.5 mm <sup>2</sup>
Solid conductor	0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG
Solid conductor; push-in termination	0.75 ... 4 mm <sup>2</sup> / 18 ... 12 AWG
Fine-stranded conductor	0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG
Fine-stranded conductor; with insulated ferrule	1 ... 2.5 mm <sup>2</sup> / 18 ... 12 AWG
Fine-stranded conductor; with ferrule; push-in termination	1 ... 2.5 mm <sup>2</sup> / 18 ... 12 AWG
Strip length	10 ... 12 mm / 0.39 ... 0.47 inch
Number of connection points	1
Total number of connection points	2
Total number of potentials	1
Number of levels	1
Wiring type	Front-entry wiring
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.

### Geometrical Data

Width	5.2 mm / 0.205 inch
Height from upper-edge of DIN-rail	32.5 mm / 1.28 inch
Depth	59.2 mm / 2.331 inch

### Mechanical data

Design	horizontal
Mounting type	DIN-35 rail
Marking level	Center/side marking

### Material Data

Color	blue
Insulation material	Polyamide 66 (PA 66)
Fire load	0,136 MJ
Weight	6,3 g

### Commercial data

Product Group	18 (X-COM-System)
Packaging type	BOX
Country of origin	CN

Supus modificărilor.



WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.





GTIN	4050821145134
Customs tariff number	85366990990

## Aprobări / certificate


### Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>CCA</b> DEKRA Certification B.V.	EN 60947	NTR NL 7628
	<b>CSA</b> DEKRA Certification B.V.	C22.2 No. 158	2437422

### Ship Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>ABS</b> American Bureau of Shipping	EN 60947	20- HG1941090- PDA
	<b>BV</b> Bureau Veritas S.A.	EN 60947	38586/A0 BV
	<b>DNV GL</b> Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
	<b>LR</b> Lloyds Register	EN 60947	91/20112 (E9)

### UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>UR</b> Underwriters Laboratories Inc.	UL 1059	E45172

Supus modificărilor.











WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Counterpart

## Produse compatibile
















## General accessories

	<b>Nr. articol: 2022-161</b> Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; gray	<a href="http://www.wago.com/2022-161">www.wago.com/2022-161</a>
	<b>Nr. articol: 2022-162</b> Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; orange	<a href="http://www.wago.com/2022-162">www.wago.com/2022-162</a>
	<b>Nr. articol: 2022-164</b> Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; blue	<a href="http://www.wago.com/2022-164">www.wago.com/2022-164</a>
	<b>Nr. articol: 2022-167</b> Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole; 2,50 mm²; green-yellow	<a href="http://www.wago.com/2022-167">www.wago.com/2022-167</a>
	<b>Nr. articol: 2022-171</b> Center module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; gray	<a href="http://www.wago.com/2022-171">www.wago.com/2022-171</a>
	<b>Nr. articol: 2022-172</b> Center module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; orange	<a href="http://www.wago.com/2022-172">www.wago.com/2022-172</a>
	<b>Nr. articol: 2022-174</b> Center module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; blue	<a href="http://www.wago.com/2022-174">www.wago.com/2022-174</a>
	<b>Nr. articol: 2022-177</b> Center module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; green-yellow	<a href="http://www.wago.com/2022-177">www.wago.com/2022-177</a>
	<b>Nr. articol: 2022-181</b> End module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; gray	<a href="http://www.wago.com/2022-181">www.wago.com/2022-181</a>
	<b>Nr. articol: 2022-182</b> End module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; orange	<a href="http://www.wago.com/2022-182">www.wago.com/2022-182</a>















Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

















	<b>Nr. articol: 2022-184</b> End module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-184">www.wago.com/2022-184</a>
	<b>Nr. articol: 2022-187</b> End module for 1-conductor female connector; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-187">www.wago.com/2022-187</a>
<b>Jumper</b>		
	<b>Nr. articol: 2002-400</b> Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-400">www.wago.com/2002-400</a>
	<b>Nr. articol: 2002-402</b> Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-402">www.wago.com/2002-402</a>
	<b>Nr. articol: 2002-402/000-005</b> Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-402/000-005">www.wago.com/2002-402/000-005</a>
	<b>Nr. articol: 2002-402/000-006</b> Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-402/000-006">www.wago.com/2002-402/000-006</a>
	<b>Nr. articol: 2002-403</b> Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-403">www.wago.com/2002-403</a>
	<b>Nr. articol: 2002-403/000-005</b> Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-403/000-005">www.wago.com/2002-403/000-005</a>
	<b>Nr. articol: 2002-403/000-006</b> Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-403/000-006">www.wago.com/2002-403/000-006</a>
	<b>Nr. articol: 2002-404</b> Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-404">www.wago.com/2002-404</a>
	<b>Nr. articol: 2002-404/000-005</b> Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-404/000-005">www.wago.com/2002-404/000-005</a>
	<b>Nr. articol: 2002-404/000-006</b> Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-404/000-006">www.wago.com/2002-404/000-006</a>
	<b>Nr. articol: 2002-405</b> Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-405">www.wago.com/2002-405</a>
	<b>Nr. articol: 2002-405/000-005</b> Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-405/000-005">www.wago.com/2002-405/000-005</a>
	<b>Nr. articol: 2002-405/000-006</b> Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-405/000-006">www.wago.com/2002-405/000-006</a>

Supus modificărilor.

	<b>Nr. articol:</b> 2002-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	<a href="http://www.wago.com/2002-405/011-000">www.wago.com/2002-405/011-000</a>
	<b>Nr. articol:</b> 2002-406 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-406">www.wago.com/2002-406</a>
	<b>Nr. articol:</b> 2002-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-406/000-005">www.wago.com/2002-406/000-005</a>
	<b>Nr. articol:</b> 2002-406/000-006 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-406/000-006">www.wago.com/2002-406/000-006</a>
	<b>Nr. articol:</b> 2002-406/020-000 Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray	<a href="http://www.wago.com/2002-406/020-000">www.wago.com/2002-406/020-000</a>
	<b>Nr. articol:</b> 2002-407 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-407">www.wago.com/2002-407</a>
	<b>Nr. articol:</b> 2002-407/000-005 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-407/000-005">www.wago.com/2002-407/000-005</a>
	<b>Nr. articol:</b> 2002-407/000-006 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-407/000-006">www.wago.com/2002-407/000-006</a>
	<b>Nr. articol:</b> 2002-408 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-408">www.wago.com/2002-408</a>
	<b>Nr. articol:</b> 2002-408/000-005 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-408/000-005">www.wago.com/2002-408/000-005</a>
	<b>Nr. articol:</b> 2002-408/000-006 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-408/000-006">www.wago.com/2002-408/000-006</a>
	<b>Nr. articol:</b> 2002-409 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-409">www.wago.com/2002-409</a>
	<b>Nr. articol:</b> 2002-409/000-005 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-409/000-005">www.wago.com/2002-409/000-005</a>
	<b>Nr. articol:</b> 2002-409/000-006 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-409/000-006">www.wago.com/2002-409/000-006</a>

**Nr. articol:** 2002-410

Supus modificărilor.

	Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-410">www.wago.com/2002-410</a>
	<b>Nr. articol: 2002-410/000-005</b> Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; red	<a href="http://www.wago.com/2002-410/000-005">www.wago.com/2002-410/000-005</a>
	<b>Nr. articol: 2002-410/000-006</b> Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-410/000-006">www.wago.com/2002-410/000-006</a>
	<b>Nr. articol: 2002-423</b> Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-423">www.wago.com/2002-423</a>
	<b>Nr. articol: 2002-423/000-005</b> Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; red	<a href="http://www.wago.com/2002-423/000-005">www.wago.com/2002-423/000-005</a>
	<b>Nr. articol: 2002-423/000-006</b> Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; blue	<a href="http://www.wago.com/2002-423/000-006">www.wago.com/2002-423/000-006</a>
	<b>Nr. articol: 2002-433</b> Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-433">www.wago.com/2002-433</a>
	<b>Nr. articol: 2002-434</b> Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-434">www.wago.com/2002-434</a>
	<b>Nr. articol: 2002-435</b> Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-435">www.wago.com/2002-435</a>
	<b>Nr. articol: 2002-436</b> Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-436">www.wago.com/2002-436</a>
	<b>Nr. articol: 2002-437</b> Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-437">www.wago.com/2002-437</a>
	<b>Nr. articol: 2002-438</b> Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-438">www.wago.com/2002-438</a>
	<b>Nr. articol: 2002-439</b> Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-439">www.wago.com/2002-439</a>
	<b>Nr. articol: 2002-440</b> Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A; light gray	<a href="http://www.wago.com/2002-440">www.wago.com/2002-440</a>
	<b>Nr. articol: 2002-472</b> Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-472">www.wago.com/2002-472</a>
	<b>Nr. articol: 2002-473</b> Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	<a href="http://www.wago.com/2002-473">www.wago.com/2002-473</a>

**Nr. articol: 2002-473/011-000**

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2022-473/011-000](http://www.wago.com/2022-473/011-000)

**Nr. articol: 2002-474**

Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2002-474](http://www.wago.com/2002-474)

**Nr. articol: 2002-475**

Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2002-475](http://www.wago.com/2002-475)

**Nr. articol: 2002-475/011-000**

Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2002-475/011-000](http://www.wago.com/2002-475/011-000)

**Nr. articol: 2002-476**

Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2002-476](http://www.wago.com/2002-476)

**Nr. articol: 2002-477**

Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2002-477](http://www.wago.com/2002-477)

**Nr. articol: 2002-477/011-000**

Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2002-477/011-000](http://www.wago.com/2002-477/011-000)

**Nr. articol: 2002-478**

Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2002-478](http://www.wago.com/2002-478)

**Nr. articol: 2002-479**

Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2002-479](http://www.wago.com/2002-479)

**Nr. articol: 2002-479/011-000**

Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2002-479/011-000](http://www.wago.com/2002-479/011-000)

**Nr. articol: 2002-480**

Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2002-480](http://www.wago.com/2002-480)

**Nr. articol: 2002-481**

Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2002-481](http://www.wago.com/2002-481)

**Nr. articol: 2002-481/011-000**

Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

[www.wago.com/2002-481/011-000](http://www.wago.com/2002-481/011-000)

**Nr. articol: 2002-482**

Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

[www.wago.com/2002-482](http://www.wago.com/2002-482)

**Nr. articol: 210-103**

Wire commoning chain; insulated; 50 connections; black


[www.wago.com/210-103](http://www.wago.com/210-103)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.




















**Nr. articol: 210-123**

Wire commoning chain; insulated; 50 connections

[www.wago.com/210-123](http://www.wago.com/210-123)**Insulation stop****Nr. articol: 2002-171**Insulation stop; 0.25 - 0.5 mm<sup>2</sup>; 5 pieces/strip; light gray[www.wago.com/2002-171](http://www.wago.com/2002-171)**Nr. articol: 2002-172**Insulation stop; 0.75 - 1 mm<sup>2</sup>; 5 pieces/strip; dark gray[www.wago.com/2002-172](http://www.wago.com/2002-172)**ferrule****Nr. articol: 216-241**Ferrule; Sleeve for 0.5 mm<sup>2</sup> / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white[www.wago.com/216-241](http://www.wago.com/216-241)**Nr. articol: 216-242**Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray[www.wago.com/216-242](http://www.wago.com/216-242)**Nr. articol: 216-243**Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red[www.wago.com/216-243](http://www.wago.com/216-243)**Nr. articol: 216-244**Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black[www.wago.com/216-244](http://www.wago.com/216-244)**Nr. articol: 216-246**Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue[www.wago.com/216-246](http://www.wago.com/216-246)**Nr. articol: 216-262**Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray[www.wago.com/216-262](http://www.wago.com/216-262)**Nr. articol: 216-263**Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red[www.wago.com/216-263](http://www.wago.com/216-263)**Nr. articol: 216-264**Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black[www.wago.com/216-264](http://www.wago.com/216-264)**Nr. articol: 216-266**Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue[www.wago.com/216-266](http://www.wago.com/216-266)**Nr. articol: 216-284**Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black[www.wago.com/216-284](http://www.wago.com/216-284)**Nr. articol: 216-286**Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue[www.wago.com/216-286](http://www.wago.com/216-286)**check****Nr. articol: 2002-511**Modular TOPJOB®S connector; modular; for jumper contact slot; 1-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2002-511](http://www.wago.com/2002-511)

Supus modificărilor.

	<b>Nr. articol: 2002-549</b> Spacer module; modular; e.g., for bridging commoned terminal blocks; gray	<a href="http://www.wago.com/2002-549">www.wago.com/2002-549</a>
	<b>Nr. articol: 2002-552</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-552">www.wago.com/2002-552</a>
	<b>Nr. articol: 2002-553</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-553">www.wago.com/2002-553</a>
	<b>Nr. articol: 2002-554</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-554">www.wago.com/2002-554</a>
	<b>Nr. articol: 2002-555</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-555">www.wago.com/2002-555</a>
	<b>Nr. articol: 2002-556</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-556">www.wago.com/2002-556</a>
	<b>Nr. articol: 2002-557</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 7-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-557">www.wago.com/2002-557</a>
	<b>Nr. articol: 2002-558</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 8-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-558">www.wago.com/2002-558</a>
	<b>Nr. articol: 2002-559</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 9-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-559">www.wago.com/2002-559</a>
	<b>Nr. articol: 2002-560</b> Modular TOPJOB®S connector; modular; for jumper contact slot; 10-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-560">www.wago.com/2002-560</a>
	<b>Nr. articol: 2009-174</b> Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray	<a href="http://www.wago.com/2009-174">www.wago.com/2009-174</a>
	<b>Nr. articol: 2009-182</b> Testing tap; for max. 2.5 mm <sup>2</sup> ; tool-free connection for individual test wires 0.08 - 2.5 mm; gray	<a href="http://www.wago.com/2009-182">www.wago.com/2009-182</a>
	<b>Nr. articol: 859-500</b> Test pin; 1 mm Ø; with solder connection for test wire	<a href="http://www.wago.com/859-500">www.wago.com/859-500</a>
<b>End plate</b>		
	<b>Nr. articol: 2022-1391</b> End and intermediate plate; 1 mm thick; gray	<a href="http://www.wago.com/2022-1391">www.wago.com/2022-1391</a>
	<b>Nr. articol: 2022-1392</b> End and intermediate plate; 1 mm thick; orange	<a href="http://www.wago.com/2022-1392">www.wago.com/2022-1392</a>
<b>tools</b>		
	<b>Nr. articol: 210-720</b> Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft	<a href="http://www.wago.com/210-720">www.wago.com/210-720</a>
<b>Female plug</b>		
	<b>Nr. articol: 2022-101</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 1-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-101">www.wago.com/2022-101</a>

Supus modificărilor.



**Nr. articol:** 2022-101/000-006  
1-conductor female plug; 1-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-101/000-006](http://www.wago.com/2022-101/000-006)



**Nr. articol:** 2022-101/000-012  
1-conductor female plug; 1-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-101/000-012](http://www.wago.com/2022-101/000-012)



**Nr. articol:** 2022-101/000-016  
1-conductor female plug; 1-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-101/000-016](http://www.wago.com/2022-101/000-016)

**Nr. articol:** 2022-101/122-000  
1-conductor female plug; 1-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-101/122-000](http://www.wago.com/2022-101/122-000)

**Nr. articol:** 2022-101/122-006  
1-conductor female plug; 1-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-101/122-006](http://www.wago.com/2022-101/122-006)

**Nr. articol:** 2022-101/122-016  
1-conductor female plug; 1-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-101/122-016](http://www.wago.com/2022-101/122-016)

**Nr. articol:** 2022-101/132-000  
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-101/132-000](http://www.wago.com/2022-101/132-000)

**Nr. articol:** 2022-101/132-006  
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-101/132-006](http://www.wago.com/2022-101/132-006)

**Nr. articol:** 2022-101/132-016  
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-101/132-016](http://www.wago.com/2022-101/132-016)

**Nr. articol:** 2022-101/142-000  
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-101/142-000](http://www.wago.com/2022-101/142-000)

**Nr. articol:** 2022-101/142-006  
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-101/142-006](http://www.wago.com/2022-101/142-006)

**Nr. articol:** 2022-101/142-016  
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-101/142-016](http://www.wago.com/2022-101/142-016)



**Nr. articol:** 2022-102  
1-conductor female plug; 2.5 mm<sup>2</sup>; 2-pole; 2,50 mm<sup>2</sup>; gray











[www.wago.com/2022-102](http://www.wago.com/2022-102)











**Nr. articol:** 2022-102/000-006  
1-conductor female plug; 2.5 mm<sup>2</sup>; 2-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-102/000-006](http://www.wago.com/2022-102/000-006)














Supus modificărilor.

	<b>Nr. articol: 2022-102/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-102/000-012">www.wago.com/2022-102/000-012</a>
	<b>Nr. articol: 2022-102/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-102/000-016">www.wago.com/2022-102/000-016</a>
	<b>Nr. articol: 2022-102/122-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102/122-000">www.wago.com/2022-102/122-000</a>
	<b>Nr. articol: 2022-102/132-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102/132-000">www.wago.com/2022-102/132-000</a>
	<b>Nr. articol: 2022-102/142-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 2-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-102/142-000">www.wago.com/2022-102/142-000</a>
	<b>Nr. articol: 2022-103</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103">www.wago.com/2022-103</a>
	<b>Nr. articol: 2022-103/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-103/000-006">www.wago.com/2022-103/000-006</a>
	<b>Nr. articol: 2022-103/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-103/000-012">www.wago.com/2022-103/000-012</a>
	<b>Nr. articol: 2022-103/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-103/000-016">www.wago.com/2022-103/000-016</a>
	<b>Nr. articol: 2022-103/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-103/000-036">www.wago.com/2022-103/000-036</a>
	<b>Nr. articol: 2022-103/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-103/000-037">www.wago.com/2022-103/000-037</a>
	<b>Nr. articol: 2022-103/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-103/000-038">www.wago.com/2022-103/000-038</a>
	<b>Nr. articol: 2022-103/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-103/000-039">www.wago.com/2022-103/000-039</a>

Supus modificărilor.

	<b>Nr. articol: 2022-103/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103/123-000">www.wago.com/2022-103/123-000</a>
	<b>Nr. articol: 2022-103/133-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103/133-000">www.wago.com/2022-103/133-000</a>
	<b>Nr. articol: 2022-103/143-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 3-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-103/143-000">www.wago.com/2022-103/143-000</a>
	<b>Nr. articol: 2022-104</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-104">www.wago.com/2022-104</a>
	<b>Nr. articol: 2022-104/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-104/000-006">www.wago.com/2022-104/000-006</a>
	<b>Nr. articol: 2022-104/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-104/000-012">www.wago.com/2022-104/000-012</a>
	<b>Nr. articol: 2022-104/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-104/000-016">www.wago.com/2022-104/000-016</a>
	<b>Nr. articol: 2022-104/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-104/000-036">www.wago.com/2022-104/000-036</a>
	<b>Nr. articol: 2022-104/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-104/000-037">www.wago.com/2022-104/000-037</a>
	<b>Nr. articol: 2022-104/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-104/000-038">www.wago.com/2022-104/000-038</a>
	<b>Nr. articol: 2022-104/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-104/000-039">www.wago.com/2022-104/000-039</a>
	<b>Nr. articol: 2022-104/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-104/123-000">www.wago.com/2022-104/123-000</a>
	<b>Nr. articol: 2022-104/133-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-104/133-000">www.wago.com/2022-104/133-000</a>

Supus modificărilor.

	<b>Nr. articol: 2022-104/143-000</b> 1-conductor female plug; Strain relief plate; 2,5 mm <sup>2</sup> ; 4-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-104/143-000">www.wago.com/2022-104/143-000</a>
	<b>Nr. articol: 2022-105</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105">www.wago.com/2022-105</a>
	<b>Nr. articol: 2022-105/000-006</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-105/000-006">www.wago.com/2022-105/000-006</a>
	<b>Nr. articol: 2022-105/000-012</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-105/000-012">www.wago.com/2022-105/000-012</a>
	<b>Nr. articol: 2022-105/000-016</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-105/000-016">www.wago.com/2022-105/000-016</a>
	<b>Nr. articol: 2022-105/000-036</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-105/000-036">www.wago.com/2022-105/000-036</a>
	<b>Nr. articol: 2022-105/000-037</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-105/000-037">www.wago.com/2022-105/000-037</a>
	<b>Nr. articol: 2022-105/000-038</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-105/000-038">www.wago.com/2022-105/000-038</a>
	<b>Nr. articol: 2022-105/000-039</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-105/000-039">www.wago.com/2022-105/000-039</a>
	<b>Nr. articol: 2022-105/123-000</b> 1-conductor female plug; Locking lever; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105/123-000">www.wago.com/2022-105/123-000</a>
	<b>Nr. articol: 2022-105/134-000</b> 1-conductor female plug; Strain relief plate; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105/134-000">www.wago.com/2022-105/134-000</a>
	<b>Nr. articol: 2022-105/144-000</b> 1-conductor female plug; Strain relief plate; 2,5 mm <sup>2</sup> ; 5-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-105/144-000">www.wago.com/2022-105/144-000</a>
	<b>Nr. articol: 2022-106</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-106">www.wago.com/2022-106</a>
	<b>Nr. articol: 2022-106/000-006</b> 1-conductor female plug; 2,5 mm <sup>2</sup> ; 6-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-106/000-006">www.wago.com/2022-106/000-006</a>

Supus modificărilor.



**Nr. articol:** 2022-106/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-106/000-012](http://www.wago.com/2022-106/000-012)



**Nr. articol:** 2022-106/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-106/000-016](http://www.wago.com/2022-106/000-016)



**Nr. articol:** 2022-106/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-106/000-036](http://www.wago.com/2022-106/000-036)



**Nr. articol:** 2022-106/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-106/000-037](http://www.wago.com/2022-106/000-037)



**Nr. articol:** 2022-106/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-106/000-038](http://www.wago.com/2022-106/000-038)



**Nr. articol:** 2022-106/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-106/000-039](http://www.wago.com/2022-106/000-039)

**Nr. articol:** 2022-106/123-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 6-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-106/123-000](http://www.wago.com/2022-106/123-000)

**Nr. articol:** 2022-106/134-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 6-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-106/134-000](http://www.wago.com/2022-106/134-000)

**Nr. articol:** 2022-106/144-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 6-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-106/144-000](http://www.wago.com/2022-106/144-000)



**Nr. articol:** 2022-107

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-107](http://www.wago.com/2022-107)



**Nr. articol:** 2022-107/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-107/000-006](http://www.wago.com/2022-107/000-006)



**Nr. articol:** 2022-107/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-107/000-012](http://www.wago.com/2022-107/000-012)



**Nr. articol:** 2022-107/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-107/000-016](http://www.wago.com/2022-107/000-016)

Supus modificărilor.



**Nr. articol:** 2022-107/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-107/000-036](http://www.wago.com/2022-107/000-036)



**Nr. articol:** 2022-107/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-107/000-037](http://www.wago.com/2022-107/000-037)



**Nr. articol:** 2022-107/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-107/000-038](http://www.wago.com/2022-107/000-038)



**Nr. articol:** 2022-107/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-107/000-039](http://www.wago.com/2022-107/000-039)

**Nr. articol:** 2022-107/123-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-107/123-000](http://www.wago.com/2022-107/123-000)

**Nr. articol:** 2022-107/135-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-107/135-000](http://www.wago.com/2022-107/135-000)

**Nr. articol:** 2022-107/145-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 7-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-107/145-000](http://www.wago.com/2022-107/145-000)



**Nr. articol:** 2022-108

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-108](http://www.wago.com/2022-108)



**Nr. articol:** 2022-108/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-108/000-006](http://www.wago.com/2022-108/000-006)



**Nr. articol:** 2022-108/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-108/000-012](http://www.wago.com/2022-108/000-012)



**Nr. articol:** 2022-108/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-108/000-016](http://www.wago.com/2022-108/000-016)



**Nr. articol:** 2022-108/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-108/000-036](http://www.wago.com/2022-108/000-036)



**Nr. articol:** 2022-108/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-108/000-037](http://www.wago.com/2022-108/000-037)

Supus modificărilor.





**Nr. articol:** 2022-108/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-108/000-038](http://www.wago.com/2022-108/000-038)



**Nr. articol:** 2022-108/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-108/000-039](http://www.wago.com/2022-108/000-039)

**Nr. articol:** 2022-108/123-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-108/123-000](http://www.wago.com/2022-108/123-000)

**Nr. articol:** 2022-108/135-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-108/135-000](http://www.wago.com/2022-108/135-000)

**Nr. articol:** 2022-108/145-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 8-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-108/145-000](http://www.wago.com/2022-108/145-000)



**Nr. articol:** 2022-109

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-109](http://www.wago.com/2022-109)



**Nr. articol:** 2022-109/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-109/000-006](http://www.wago.com/2022-109/000-006)



**Nr. articol:** 2022-109/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-109/000-012](http://www.wago.com/2022-109/000-012)



**Nr. articol:** 2022-109/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-109/000-016](http://www.wago.com/2022-109/000-016)



**Nr. articol:** 2022-109/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-109/000-036](http://www.wago.com/2022-109/000-036)



**Nr. articol:** 2022-109/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-109/000-037](http://www.wago.com/2022-109/000-037)



**Nr. articol:** 2022-109/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-109/000-038](http://www.wago.com/2022-109/000-038)











**Nr. articol:** 2022-109/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 9-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-109/000-039](http://www.wago.com/2022-109/000-039)

Supus modificărilor.

	<b>Nr. articol: 2022-109/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-109/123-000">www.wago.com/2022-109/123-000</a>
	<b>Nr. articol: 2022-109/135-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-109/135-000">www.wago.com/2022-109/135-000</a>
	<b>Nr. articol: 2022-109/145-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 9-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-109/145-000">www.wago.com/2022-109/145-000</a>
	<b>Nr. articol: 2022-110</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-110">www.wago.com/2022-110</a>
	<b>Nr. articol: 2022-110/000-006</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-110/000-006">www.wago.com/2022-110/000-006</a>
	<b>Nr. articol: 2022-110/000-012</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2022-110/000-012">www.wago.com/2022-110/000-012</a>
	<b>Nr. articol: 2022-110/000-016</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-110/000-016">www.wago.com/2022-110/000-016</a>
	<b>Nr. articol: 2022-110/000-036</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2022-110/000-036">www.wago.com/2022-110/000-036</a>
	<b>Nr. articol: 2022-110/000-037</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2022-110/000-037">www.wago.com/2022-110/000-037</a>
	<b>Nr. articol: 2022-110/000-038</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2022-110/000-038">www.wago.com/2022-110/000-038</a>
	<b>Nr. articol: 2022-110/000-039</b> 1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2022-110/000-039">www.wago.com/2022-110/000-039</a>
	<b>Nr. articol: 2022-110/123-000</b> 1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-110/123-000">www.wago.com/2022-110/123-000</a>
	<b>Nr. articol: 2022-110/135-000</b> 1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 10-pole; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-110/135-000">www.wago.com/2022-110/135-000</a>

Supus modificărilor.

**Nr. articol:** 2022-110/145-0001-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 10-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-110/145-000](http://www.wago.com/2022-110/145-000)**Nr. articol:** 2022-1111-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-111](http://www.wago.com/2022-111)**Nr. articol:** 2022-111/000-0061-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; blue[www.wago.com/2022-111/000-006](http://www.wago.com/2022-111/000-006)**Nr. articol:** 2022-111/000-0121-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; orange[www.wago.com/2022-111/000-012](http://www.wago.com/2022-111/000-012)**Nr. articol:** 2022-111/000-0161-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; green-yellow[www.wago.com/2022-111/000-016](http://www.wago.com/2022-111/000-016)**Nr. articol:** 2022-111/000-0361-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2022-111/000-036](http://www.wago.com/2022-111/000-036)**Nr. articol:** 2022-111/000-0371-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2022-111/000-037](http://www.wago.com/2022-111/000-037)**Nr. articol:** 2022-111/000-0381-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2022-111/000-038](http://www.wago.com/2022-111/000-038)**Nr. articol:** 2022-111/000-0391-conductor female plug; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2022-111/000-039](http://www.wago.com/2022-111/000-039)**Nr. articol:** 2022-111/126-0001-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-111/126-000](http://www.wago.com/2022-111/126-000)**Nr. articol:** 2022-111/136-0001-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-111/136-000](http://www.wago.com/2022-111/136-000)**Nr. articol:** 2022-111/146-0001-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 11-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-111/146-000](http://www.wago.com/2022-111/146-000)**Nr. articol:** 2022-1121-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-112](http://www.wago.com/2022-112)**Nr. articol:** 2022-112/000-0061-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; blue[www.wago.com/2022-112/000-006](http://www.wago.com/2022-112/000-006)

Supus modificărilor.



**Nr. articol: 2022-112/000-012**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-112/000-012](http://www.wago.com/2022-112/000-012)



**Nr. articol: 2022-112/000-016**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-112/000-016](http://www.wago.com/2022-112/000-016)



**Nr. articol: 2022-112/000-036**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-112/000-036](http://www.wago.com/2022-112/000-036)



**Nr. articol: 2022-112/000-037**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-112/000-037](http://www.wago.com/2022-112/000-037)



**Nr. articol: 2022-112/000-038**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-112/000-038](http://www.wago.com/2022-112/000-038)



**Nr. articol: 2022-112/000-039**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-112/000-039](http://www.wago.com/2022-112/000-039)

**Nr. articol: 2022-112/126-000**  
1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-112/126-000](http://www.wago.com/2022-112/126-000)

**Nr. articol: 2022-112/136-000**  
1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-112/136-000](http://www.wago.com/2022-112/136-000)

**Nr. articol: 2022-112/146-000**  
1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 12-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-112/146-000](http://www.wago.com/2022-112/146-000)



**Nr. articol: 2022-113**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-113](http://www.wago.com/2022-113)



**Nr. articol: 2022-113/000-006**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-113/000-006](http://www.wago.com/2022-113/000-006)



**Nr. articol: 2022-113/000-012**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-113/000-012](http://www.wago.com/2022-113/000-012)



**Nr. articol: 2022-113/000-016**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-113/000-016](http://www.wago.com/2022-113/000-016)

Supus modificărilor.



**Nr. articol:** 2022-113/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-113/000-036](http://www.wago.com/2022-113/000-036)



**Nr. articol:** 2022-113/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-113/000-037](http://www.wago.com/2022-113/000-037)



**Nr. articol:** 2022-113/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-113/000-038](http://www.wago.com/2022-113/000-038)



**Nr. articol:** 2022-113/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-113/000-039](http://www.wago.com/2022-113/000-039)

**Nr. articol:** 2022-113/126-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-113/126-000](http://www.wago.com/2022-113/126-000)

**Nr. articol:** 2022-113/136-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-113/136-000](http://www.wago.com/2022-113/136-000)

**Nr. articol:** 2022-113/146-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 13-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-113/146-000](http://www.wago.com/2022-113/146-000)



**Nr. articol:** 2022-114

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114](http://www.wago.com/2022-114)



**Nr. articol:** 2022-114/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-114/000-006](http://www.wago.com/2022-114/000-006)



**Nr. articol:** 2022-114/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-114/000-012](http://www.wago.com/2022-114/000-012)



**Nr. articol:** 2022-114/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-114/000-016](http://www.wago.com/2022-114/000-016)



**Nr. articol:** 2022-114/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-114/000-036](http://www.wago.com/2022-114/000-036)



**Nr. articol:** 2022-114/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-114/000-037](http://www.wago.com/2022-114/000-037)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



**Nr. articol:** 2022-114/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-114/000-038](http://www.wago.com/2022-114/000-038)



**Nr. articol:** 2022-114/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-114/000-039](http://www.wago.com/2022-114/000-039)

**Nr. articol:** 2022-114/126-000

1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114/126-000](http://www.wago.com/2022-114/126-000)

**Nr. articol:** 2022-114/136-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114/136-000](http://www.wago.com/2022-114/136-000)

**Nr. articol:** 2022-114/146-000

1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 14-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-114/146-000](http://www.wago.com/2022-114/146-000)



**Nr. articol:** 2022-115

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2022-115](http://www.wago.com/2022-115)



**Nr. articol:** 2022-115/000-006

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2022-115/000-006](http://www.wago.com/2022-115/000-006)



**Nr. articol:** 2022-115/000-012

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; orange

[www.wago.com/2022-115/000-012](http://www.wago.com/2022-115/000-012)



**Nr. articol:** 2022-115/000-016

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-115/000-016](http://www.wago.com/2022-115/000-016)



**Nr. articol:** 2022-115/000-036

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2022-115/000-036](http://www.wago.com/2022-115/000-036)



**Nr. articol:** 2022-115/000-037

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2022-115/000-037](http://www.wago.com/2022-115/000-037)



**Nr. articol:** 2022-115/000-038

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2022-115/000-038](http://www.wago.com/2022-115/000-038)



**Nr. articol:** 2022-115/000-039

1-conductor female plug; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2022-115/000-039](http://www.wago.com/2022-115/000-039)

Supus modificărilor.

**Nr. articol: 2022-115/127-000**1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-115/127-000](http://www.wago.com/2022-115/127-000)**Nr. articol: 2022-115/137-000**1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-115/137-000](http://www.wago.com/2022-115/137-000)**Nr. articol: 2022-115/147-000**1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 15-pole; 2,50 mm<sup>2</sup>; gray[www.wago.com/2022-115/147-000](http://www.wago.com/2022-115/147-000)**Push-In type wire jumper****Nr. articol: 2009-412**Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black[www.wago.com/2009-412](http://www.wago.com/2009-412)**Nr. articol: 2009-414**Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black[www.wago.com/2009-414](http://www.wago.com/2009-414)**Nr. articol: 2009-414/000-005**Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; red[www.wago.com/2009-414/000-005](http://www.wago.com/2009-414/000-005)**Nr. articol: 2009-414/000-006**Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; blue[www.wago.com/2009-414/000-006](http://www.wago.com/2009-414/000-006)**Nr. articol: 2009-416**Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black[www.wago.com/2009-416](http://www.wago.com/2009-416)**Protective Warning Marker****Nr. articol: 2002-115**

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

[www.wago.com/2002-115](http://www.wago.com/2002-115)**Marking accessories****Nr. articol: 2002-161**

Adaptor

[www.wago.com/2002-161](http://www.wago.com/2002-161)**Nr. articol: 2009-110**

Marking strips; on reel; not stretchable; plain; snap-on type; white

[www.wago.com/2009-110](http://www.wago.com/2009-110)**Nr. articol: 2009-115**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

[www.wago.com/2009-115](http://www.wago.com/2009-115)**Nr. articol: 2009-115/000-002**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

[www.wago.com/2009-115/000-002](http://www.wago.com/2009-115/000-002)**Nr. articol: 2009-115/000-005**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red

[www.wago.com/2009-115/000-005](http://www.wago.com/2009-115/000-005)

Supus modificărilor.

**Nr. articol:** 2009-115/000-006

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue

[www.wago.com/2009-115/000-006](http://www.wago.com/2009-115/000-006)**Nr. articol:** 2009-115/000-007

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray

[www.wago.com/2009-115/000-007](http://www.wago.com/2009-115/000-007)**Nr. articol:** 2009-115/000-012

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange

[www.wago.com/2009-115/000-012](http://www.wago.com/2009-115/000-012)**Nr. articol:** 2009-115/000-017

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green

[www.wago.com/2009-115/000-017](http://www.wago.com/2009-115/000-017)**Nr. articol:** 2009-115/000-023

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green

[www.wago.com/2009-115/000-023](http://www.wago.com/2009-115/000-023)**Nr. articol:** 2009-115/000-024

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet

[www.wago.com/2009-115/000-024](http://www.wago.com/2009-115/000-024)**Nr. articol:** 2009-145

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

[www.wago.com/2009-145](http://www.wago.com/2009-145)**Nr. articol:** 2009-145/000-002

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

[www.wago.com/2009-145/000-002](http://www.wago.com/2009-145/000-002)**Nr. articol:** 2009-145/000-005

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red

[www.wago.com/2009-145/000-005](http://www.wago.com/2009-145/000-005)**Nr. articol:** 2009-145/000-006

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue

[www.wago.com/2009-145/000-006](http://www.wago.com/2009-145/000-006)**Nr. articol:** 2009-145/000-007

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray

[www.wago.com/2009-145/000-007](http://www.wago.com/2009-145/000-007)**Nr. articol:** 2009-145/000-012

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange

[www.wago.com/2009-145/000-012](http://www.wago.com/2009-145/000-012)**Nr. articol:** 2009-145/000-023

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green
















[www.wago.com/2009-145/000-023](http://www.wago.com/2009-145/000-023)**Nr. articol:** 2009-145/000-024

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



	Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	<a href="http://www.wago.com/2009-145/000-024">www.wago.com/2009-145/000-024</a>
	<b>Nr. articol: 2009-191</b> Group marker carrier	<a href="http://www.wago.com/2009-191">www.wago.com/2009-191</a>
	<b>Nr. articol: 2009-192</b> Group marker carrier	<a href="http://www.wago.com/2009-192">www.wago.com/2009-192</a>
	<b>Nr. articol: 2009-193</b> Group marker carrier	<a href="http://www.wago.com/2009-193">www.wago.com/2009-193</a>
	<b>Nr. articol: 2009-198</b> Adaptor	<a href="http://www.wago.com/2009-198">www.wago.com/2009-198</a>
	<b>Nr. articol: 248-501</b> Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card	<a href="http://www.wago.com/248-501">www.wago.com/248-501</a>
	<b>Nr. articol: 248-501/000-002</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow	<a href="http://www.wago.com/248-501/000-002">www.wago.com/248-501/000-002</a>
	<b>Nr. articol: 248-501/000-005</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red	<a href="http://www.wago.com/248-501/000-005">www.wago.com/248-501/000-005</a>
	<b>Nr. articol: 248-501/000-006</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue	<a href="http://www.wago.com/248-501/000-006">www.wago.com/248-501/000-006</a>
	<b>Nr. articol: 248-501/000-007</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray	<a href="http://www.wago.com/248-501/000-007">www.wago.com/248-501/000-007</a>
	<b>Nr. articol: 248-501/000-012</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange	<a href="http://www.wago.com/248-501/000-012">www.wago.com/248-501/000-012</a>
	<b>Nr. articol: 248-501/000-017</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green	<a href="http://www.wago.com/248-501/000-017">www.wago.com/248-501/000-017</a>
	<b>Nr. articol: 248-501/000-023</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green	<a href="http://www.wago.com/248-501/000-023">www.wago.com/248-501/000-023</a>
	<b>Nr. articol: 248-501/000-024</b> Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet	<a href="http://www.wago.com/248-501/000-024">www.wago.com/248-501/000-024</a>
	<b>Nr. articol: 793-501</b> WMB marking card; as card; not stretchable; plain; snap-on type; white	<a href="http://www.wago.com/793-501">www.wago.com/793-501</a>

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



**Nr. articol: 793-501/000-002**  
WMB marking card; as card; not stretchable; plain; snap-on type; yellow

[www.wago.com/793-501/000-002](http://www.wago.com/793-501/000-002)



**Nr. articol: 793-501/000-005**  
WMB marking card; as card; not stretchable; plain; snap-on type; red

[www.wago.com/793-501/000-005](http://www.wago.com/793-501/000-005)



**Nr. articol: 793-501/000-006**  
WMB marking card; as card; not stretchable; plain; snap-on type; blue

[www.wago.com/793-501/000-006](http://www.wago.com/793-501/000-006)



**Nr. articol: 793-501/000-007**  
WMB marking card; as card; not stretchable; plain; snap-on type; gray

[www.wago.com/793-501/000-007](http://www.wago.com/793-501/000-007)



**Nr. articol: 793-501/000-012**  
WMB marking card; as card; not stretchable; plain; snap-on type; orange

[www.wago.com/793-501/000-012](http://www.wago.com/793-501/000-012)



**Nr. articol: 793-501/000-017**  
WMB marking card; as card; not stretchable; plain; snap-on type; light green

[www.wago.com/793-501/000-017](http://www.wago.com/793-501/000-017)



**Nr. articol: 793-501/000-023**  
WMB marking card; as card; not stretchable; plain; snap-on type; green

[www.wago.com/793-501/000-023](http://www.wago.com/793-501/000-023)



**Nr. articol: 793-501/000-024**  
WMB marking card; as card; not stretchable; plain; snap-on type; violet

[www.wago.com/793-501/000-024](http://www.wago.com/793-501/000-024)



**Nr. articol: 793-5501**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

[www.wago.com/793-5501](http://www.wago.com/793-5501)



**Nr. articol: 793-5501/000-002**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

[www.wago.com/793-5501/000-002](http://www.wago.com/793-5501/000-002)



**Nr. articol: 793-5501/000-005**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red

[www.wago.com/793-5501/000-005](http://www.wago.com/793-5501/000-005)



**Nr. articol: 793-5501/000-006**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue

[www.wago.com/793-5501/000-006](http://www.wago.com/793-5501/000-006)



**Nr. articol: 793-5501/000-007**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray

[www.wago.com/793-5501/000-007](http://www.wago.com/793-5501/000-007)

**Nr. articol: 793-5501/000-012**

Supus modificărilor.



WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange

[www.wago.com/793-5501/000-012](http://www.wago.com/793-5501/000-012)



**Nr. articol: 793-5501/000-014**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; brown

[www.wago.com/793-5501/000-014](http://www.wago.com/793-5501/000-014)



**Nr. articol: 793-5501/000-017**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green

[www.wago.com/793-5501/000-017](http://www.wago.com/793-5501/000-017)



**Nr. articol: 793-5501/000-023**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green

[www.wago.com/793-5501/000-023](http://www.wago.com/793-5501/000-023)



**Nr. articol: 793-5501/000-024**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet

[www.wago.com/793-5501/000-024](http://www.wago.com/793-5501/000-024)

#### Carrier rail



**Nr. articol: 210-112**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

[www.wago.com/210-112](http://www.wago.com/210-112)



**Nr. articol: 210-113**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

[www.wago.com/210-113](http://www.wago.com/210-113)



**Nr. articol: 210-114**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

[www.wago.com/210-114](http://www.wago.com/210-114)



**Nr. articol: 210-115**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

[www.wago.com/210-115](http://www.wago.com/210-115)



**Nr. articol: 210-118**

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

[www.wago.com/210-118](http://www.wago.com/210-118)



**Nr. articol: 210-196**

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored

[www.wago.com/210-196](http://www.wago.com/210-196)



**Nr. articol: 210-197**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

[www.wago.com/210-197](http://www.wago.com/210-197)



**Nr. articol: 210-198**

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored

[www.wago.com/210-198](http://www.wago.com/210-198)

#### Coding



**Nr. articol: 2022-100**

Carrier with 6 coding pins; for coding of female plugs; orange

[www.wago.com/2022-100](http://www.wago.com/2022-100)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Descărcări Documentation

### Additional Information

Technical explanations

Apr 3, 2019

pdf  
2,1 MB

Descărcare

## CAD/CAE-Data

### CAD data

2D/3D Models 2022-1304

URL

Descărcare

### CAE data

EPLAN Data Portal 2022-1304

URL

Descărcare


WSCAD Universe 2022-1304

URL


Descărcare

## Installation Notes


### Installation



Snap individual carrier terminal blocks onto the carrier rail and slide together.




Open the assembly by laterally sliding a block via operating tool (3.5 x 0.5 mm blade).



Separate terminal block assembly and slide individual terminal blocks laterally using an operating tool.


### Inserting a conductor

Supus modificărilor.



Push-in CAGE CLAMP® enables solid conductors and fine-stranded conductors with ferrules to be connected by simply pushing them into the unit.


### Commoning



Commoning X-COM®S-SYSTEM Terminal Blocks using jumpers for TOPJOB® S Terminal Blocks. An end plate provides connection to TOPJOB® S Terminal Blocks. 2020 and 2022 Series Terminal Blocks are combinable. Jumper slots are on the same level for both series.


### Testing

Supus modificărilor.




Test plug adapter (2009-174) for 4 mm test plugs or banana plugs – also suitable for X-COM®S-SYSTEM-MINI Terminal Blocks.

### Coding




Insert coding pin into the corresponding slot and twist it off.

### Marking




Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)

### Safety

Supus modificărilor.



Carrier terminal blocks and female plugs are touch-proof.

## Familie de produse

### **X-COM S**

Afișare globală produse din familie.

Supus modificărilor.