



Fișă tehnică | Număr articol: 209-148

Multi mounting adapter; for male and female connectors with snap-in mounting feet

www.wago.com/209-148



RoHS Compliant [BOMcheck.net](https://www.bomcheck.net)

Date

Electrical data

Ratings per IEC/EN 60664-1

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

Approvals per UL 1059

Approvals per

UL 1059

Connection data

Number of connection types

1

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Geometrical Data

Width	25 mm / 0.984 inch
Height	60 mm / 2.362 inch
Depth	88 mm / 3.465 inch

Mechanical data

Mounting type	Snap-in mounting foot
Mounting type	DIN-35 rail
Suitable	for male and female connectors with snap-in mounting feet

Material Data

Fire load	0,458 MJ
Weight	18,2 g

Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	PL
GTIN	4017332968829
Customs tariff number	39269097900

Counterpart

Produse compatibile

Female plug



Nr. articol: 231-102/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 2-pole; 2,50 mm²; gray

www.wago.com/231-102/008-000



Nr. articol: 231-103/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 3-pole; 2,50 mm²; gray

www.wago.com/231-103/008-000

Nr. articol: 231-104/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 4-pole; 2,50 mm²; gray

www.wago.com/231-104/008-000

Supus modificărilor.

**Nr. articol:** 231-105/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 5-pole; 2,50 mm²; graywww.wago.com/231-105/008-000**Nr. articol:** 231-106/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 6-pole; 2,50 mm²; graywww.wago.com/231-106/008-000**Nr. articol:** 231-107/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 7-pole; 2,50 mm²; graywww.wago.com/231-107/008-000**Nr. articol:** 231-108/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 8-pole; 2,50 mm²; graywww.wago.com/231-108/008-000**Nr. articol:** 231-109/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 9-pole; 2,50 mm²; graywww.wago.com/231-109/008-000**Nr. articol:** 231-110/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 10-pole; 2,50 mm²; graywww.wago.com/231-110/008-000**Nr. articol:** 231-111/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 11-pole; 2,50 mm²; graywww.wago.com/231-111/008-000**Nr. articol:** 231-112/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 12-pole; 2,50 mm²; graywww.wago.com/231-112/008-000**Nr. articol:** 231-113/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 13-pole; 2,50 mm²; graywww.wago.com/231-113/008-000**Nr. articol:** 231-114/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 14-pole; 2,50 mm²; graywww.wago.com/231-114/008-000**Nr. articol:** 231-115/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 15-pole; 2,50 mm²; graywww.wago.com/231-115/008-000**Nr. articol:** 231-116/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 16-pole; 2,50 mm²; graywww.wago.com/231-116/008-000**Nr. articol:** 231-117/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 17-pole; 2,50 mm²; graywww.wago.com/231-117/008-000

Supus modificărilor.

**Nr. articol:** 231-118/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 18-pole; 2,50 mm²; graywww.wago.com/231-118/008-000**Nr. articol:** 231-119/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 19-pole; 2,50 mm²; graywww.wago.com/231-119/008-000**Nr. articol:** 231-120/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 20-pole; 2,50 mm²; graywww.wago.com/231-120/008-000**Nr. articol:** 231-121/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 21-pole; 2,50 mm²; graywww.wago.com/231-121/008-000**Nr. articol:** 231-122/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 22-pole; 2,50 mm²; graywww.wago.com/231-122/008-000**Nr. articol:** 231-123/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 23-pole; 2,50 mm²; graywww.wago.com/231-123/008-000**Nr. articol:** 231-124/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5 mm; 24-pole; 2,50 mm²; graywww.wago.com/231-124/008-000**Nr. articol:** 231-202/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 2-pole; 2,50 mm²; graywww.wago.com/231-202/008-000**Nr. articol:** 231-203/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 3-pole; 2,50 mm²; graywww.wago.com/231-203/008-000**Nr. articol:** 231-204/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 4-pole; 2,50 mm²; graywww.wago.com/231-204/008-000**Nr. articol:** 231-205/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 5-pole; 2,50 mm²; graywww.wago.com/231-205/008-000**Nr. articol:** 231-206/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 6-pole; 2,50 mm²; graywww.wago.com/231-206/008-000**Nr. articol:** 231-207/008-0001-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 7-pole; 2,50 mm²; graywww.wago.com/231-207/008-000

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
 /Representative Office Romania
 Sos. Pipera-Tunari nr. 1/1
 building 1, 2nd floor | 077190 Voluntari, Ilfov
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Nr. articol: 231-208/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 8-pole; 2,50 mm²; gray

www.wago.com/231-208

/008-000



Nr. articol: 231-209/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 9-pole; 2,50 mm²; gray

www.wago.com/231-209

/008-000



Nr. articol: 231-210/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 10-pole; 2,50 mm²; gray

www.wago.com/231-210

/008-000



Nr. articol: 231-211/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 11-pole; 2,50 mm²; gray

www.wago.com/231-211

/008-000



Nr. articol: 231-212/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 12-pole; 2,50 mm²; gray

www.wago.com/231-212

/008-000



Nr. articol: 231-213/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 13-pole; 2,50 mm²; gray

www.wago.com/231-213

/008-000



Nr. articol: 231-216/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.5 mm; 16-pole; 2,50 mm²; gray

www.wago.com/231-216

/008-000



Nr. articol: 231-302/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 2-pole; 2,50 mm²; orange

www.wago.com/231-302

/008-000



Nr. articol: 231-303/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 3-pole; 2,50 mm²; orange

www.wago.com/231-303

/008-000



Nr. articol: 231-304/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 4-pole; 2,50 mm²; orange

www.wago.com/231-304

/008-000



Nr. articol: 231-305/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 5-pole; 2,50 mm²; orange

www.wago.com/231-305

/008-000



Nr. articol: 231-306/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 6-pole; 2,50 mm²; orange

www.wago.com/231-306

/008-000



Nr. articol: 231-307/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 7-pole; 2,50 mm²; orange

www.wago.com/231-307

/008-000

Nr. articol: 231-308/008-000

Supus modificărilor.



1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 8-pole; 2,50 mm²; orange

www.wago.com/231-308/008-000



Nr. articol: 231-309/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 9-pole; 2,50 mm²; orange

www.wago.com/231-309/008-000



Nr. articol: 231-310/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 10-pole; 2,50 mm²; orange

www.wago.com/231-310/008-000



Nr. articol: 231-311/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 11-pole; 2,50 mm²; orange

www.wago.com/231-311/008-000



Nr. articol: 231-312/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 12-pole; 2,50 mm²; orange

www.wago.com/231-312/008-000



Nr. articol: 231-313/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 13-pole; 2,50 mm²; orange

www.wago.com/231-313/008-000



Nr. articol: 231-314/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 14-pole; 2,50 mm²; orange

www.wago.com/231-314/008-000



Nr. articol: 231-315/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 15-pole; 2,50 mm²; orange

www.wago.com/231-315/008-000



Nr. articol: 231-316/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 16-pole; 2,50 mm²; orange

www.wago.com/231-316/008-000



Nr. articol: 231-317/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 17-pole; 2,50 mm²; orange

www.wago.com/231-317/008-000



Nr. articol: 231-318/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 18-pole; 2,50 mm²; orange

www.wago.com/231-318/008-000



Nr. articol: 231-319/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 19-pole; 2,50 mm²; orange

www.wago.com/231-319/008-000



Nr. articol: 231-320/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 20-pole; 2,50 mm²; orange

www.wago.com/231-320/008-000

Nr. articol: 231-321/008-000

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 21-pole; 2,50 mm²; orange

www.wago.com/231-321/008-000



Nr. articol: 231-322/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 22-pole; 2,50 mm²; orange

www.wago.com/231-322/008-000



Nr. articol: 231-323/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 23-pole; 2,50 mm²; orange

www.wago.com/231-323/008-000



Nr. articol: 231-324/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 24-pole; 2,50 mm²; orange

www.wago.com/231-324/008-000



Nr. articol: 231-702/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.62 mm; 2-pole; 2,50 mm²; orange

www.wago.com/231-702/008-000



Nr. articol: 231-703/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.62 mm; 3-pole; 2,50 mm²; orange

www.wago.com/231-703/008-000



Nr. articol: 231-704/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.62 mm; 4-pole; 2,50 mm²; orange

www.wago.com/231-704/008-000



Nr. articol: 231-705/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.62 mm; 5-pole; 2,50 mm²; orange

www.wago.com/231-705/008-000



Nr. articol: 231-706/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.62 mm; 6-pole; 2,50 mm²; orange

www.wago.com/231-706/008-000



Nr. articol: 231-707/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.62 mm; 7-pole; 2,50 mm²; orange

www.wago.com/231-707/008-000



Nr. articol: 231-708/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.62 mm; 8-pole; 2,50 mm²; orange

www.wago.com/231-708/008-000



Nr. articol: 231-709/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.62 mm; 9-pole; 2,50 mm²; orange

www.wago.com/231-709/008-000
















Nr. articol: 231-710/008-000

1-conductor female plug; Snap-in mounting feet; 2.5 mm²; Pin spacing 7.62 mm; 10-pole; 2,50 mm²; orange














www.wago.com/231-710/008-000

Nr. articol: 231-711/008-000

Supus modificărilor.

	1-conductor female plug; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.62 mm; 11-pole; 2,50 mm ² ; orange	www.wago.com/231-711/008-000
	Nr. articol: 231-712/008-000 1-conductor female plug; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.62 mm; 12-pole; 2,50 mm ² ; orange	www.wago.com/231-712/008-000
	Nr. articol: 721-102/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 2-pole; 2,50 mm ² ; light gray	www.wago.com/721-102/008-000
	Nr. articol: 721-103/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 3-pole; 2,50 mm ² ; light gray	www.wago.com/721-103/008-000
	Nr. articol: 721-104/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 4-pole; 2,50 mm ² ; light gray	www.wago.com/721-104/008-000
	Nr. articol: 721-105/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 5-pole; 2,50 mm ² ; light gray	www.wago.com/721-105/008-000
	Nr. articol: 721-106/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 6-pole; 2,50 mm ² ; light gray	www.wago.com/721-106/008-000
	Nr. articol: 721-107/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 7-pole; 2,50 mm ² ; light gray	www.wago.com/721-107/008-000
	Nr. articol: 721-108/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 8-pole; 2,50 mm ² ; light gray	www.wago.com/721-108/008-000
	Nr. articol: 721-109/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 9-pole; 2,50 mm ² ; light gray	www.wago.com/721-109/008-000
	Nr. articol: 721-110/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 10-pole; 2,50 mm ² ; light gray	www.wago.com/721-110/008-000
	Nr. articol: 721-112/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 12-pole; 2,50 mm ² ; light gray	www.wago.com/721-112/008-000
	Nr. articol: 721-114/008-000 1-conductor female plug; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 14-pole; 2,50 mm ² ; light gray	www.wago.com/721-114/008-000
	Nr. articol: 721-116/008-000	

Supus modificărilor.

	1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 16-pole; 2,50 mm ² ; light gray	www.wago.com/721-116/008-000
	Nr. articol: 721-120/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 20-pole; 2,50 mm ² ; light gray	www.wago.com/721-120/008-000
	Nr. articol: 721-202/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 2-pole; 2,50 mm ² ; light gray	www.wago.com/721-202/008-000
	Nr. articol: 721-203/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 3-pole; 2,50 mm ² ; light gray	www.wago.com/721-203/008-000
	Nr. articol: 721-204/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 4-pole; 2,50 mm ² ; light gray	www.wago.com/721-204/008-000
	Nr. articol: 721-205/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 5-pole; 2,50 mm ² ; light gray	www.wago.com/721-205/008-000
	Nr. articol: 721-206/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 6-pole; 2,50 mm ² ; light gray	www.wago.com/721-206/008-000
	Nr. articol: 721-207/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 7-pole; 2,50 mm ² ; light gray	www.wago.com/721-207/008-000
	Nr. articol: 721-208/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 8-pole; 2,50 mm ² ; light gray	www.wago.com/721-208/008-000
	Nr. articol: 721-209/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 9-pole; 2,50 mm ² ; light gray	www.wago.com/721-209/008-000
	Nr. articol: 721-210/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 10-pole; 2,50 mm ² ; light gray	www.wago.com/721-210/008-000
	Nr. articol: 721-211/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 11-pole; 2,50 mm ² ; light gray	www.wago.com/721-211/008-000
	Nr. articol: 721-212/008-000 1-conductor female plug; 100% protected against mismating; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 12-pole; 2,50 mm ² ; light gray	www.wago.com/721-212/008-000

Nr. articol: 721-302/008-000

Supus modificărilor.



1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 2-pole; 2,50 mm²; light gray

www.wago.com/721-302/008-000



Nr. articol: 721-303/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 3-pole; 2,50 mm²; light gray

www.wago.com/721-303/008-000



Nr. articol: 721-304/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 4-pole; 2,50 mm²; light gray

www.wago.com/721-304/008-000



Nr. articol: 721-305/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 5-pole; 2,50 mm²; light gray

www.wago.com/721-305/008-000



Nr. articol: 721-306/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 6-pole; 2,50 mm²; light gray

www.wago.com/721-306/008-000



Nr. articol: 721-307/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 7-pole; 2,50 mm²; light gray

www.wago.com/721-307/008-000



Nr. articol: 721-308/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 8-pole; 2,50 mm²; light gray

www.wago.com/721-308/008-000



Nr. articol: 721-309/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 9-pole; 2,50 mm²; light gray

www.wago.com/721-309/008-000



Nr. articol: 721-310/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 10-pole; 2,50 mm²; light gray

www.wago.com/721-310/008-000



Nr. articol: 721-312/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 12-pole; 2,50 mm²; light gray

www.wago.com/721-312/008-000



Nr. articol: 721-314/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 14-pole; 2,50 mm²; light gray

www.wago.com/721-314/008-000



Nr. articol: 721-316/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 16-pole; 2,50 mm²; light gray

www.wago.com/721-316/008-000



Nr. articol: 721-320/008-000

1-conductor female plug; angled; 100% protected against mismatching; Snap-in mounting feet; 2.5 mm²;
Pin spacing 5 mm; 20-pole; 2,50 mm²; light gray














www.wago.com/721-320/008-000

Nr. articol: 731-502/008-000

Supus modificărilor.














WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 2-pole; 2,50 mm ² ; gray	www.wago.com/731-502/008-000
	Nr. articol: 731-504/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 4-pole; 2,50 mm ² ; gray	www.wago.com/731-504/008-000
	Nr. articol: 731-505/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 5-pole; 2,50 mm ² ; gray	www.wago.com/731-505/008-000
	Nr. articol: 731-506/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 6-pole; 2,50 mm ² ; gray	www.wago.com/731-506/008-000
	Nr. articol: 731-507/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 7-pole; 2,50 mm ² ; gray	www.wago.com/731-507/008-000
	Nr. articol: 731-508/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 8-pole; 2,50 mm ² ; gray	www.wago.com/731-508/008-000
	Nr. articol: 731-510/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 10-pole; 2,50 mm ² ; gray	www.wago.com/731-510/008-000
	Nr. articol: 731-512/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 12-pole; 2,50 mm ² ; gray	www.wago.com/731-512/008-000
	Nr. articol: 731-513/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 13-pole; 2,50 mm ² ; gray	www.wago.com/731-513/008-000
	Nr. articol: 731-517/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 17-pole; 2,50 mm ² ; gray	www.wago.com/731-517/008-000
	Nr. articol: 731-518/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 18-pole; 2,50 mm ² ; gray	www.wago.com/731-518/008-000
	Nr. articol: 731-519/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 19-pole; 2,50 mm ² ; gray	www.wago.com/731-519/008-000
	Nr. articol: 731-520/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 20-pole; 2,50 mm ² ; gray	www.wago.com/731-520/008-000

Nr. articol: 731-532/008-000

Supus modificărilor.














	1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 2-pole; 2,50 mm ² ; gray	www.wago.com/731-532/008-000
	Nr. articol: 731-533/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 3-pole; 2,50 mm ² ; gray	www.wago.com/731-533/008-000
	Nr. articol: 731-534/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 4-pole; 2,50 mm ² ; gray	www.wago.com/731-534/008-000
	Nr. articol: 731-535/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 5-pole; 2,50 mm ² ; gray	www.wago.com/731-535/008-000
	Nr. articol: 731-536/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 6-pole; 2,50 mm ² ; gray	www.wago.com/731-536/008-000
	Nr. articol: 731-537/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 7-pole; 2,50 mm ² ; gray	www.wago.com/731-537/008-000
	Nr. articol: 731-538/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 8-pole; 2,50 mm ² ; gray	www.wago.com/731-538/008-000
	Nr. articol: 731-539/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 9-pole; 2,50 mm ² ; gray	www.wago.com/731-539/008-000
	Nr. articol: 731-540/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 10-pole; 2,50 mm ² ; gray	www.wago.com/731-540/008-000
	Nr. articol: 731-541/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 11-pole; 2,50 mm ² ; gray	www.wago.com/731-541/008-000
	Nr. articol: 731-542/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 12-pole; 2,50 mm ² ; gray	www.wago.com/731-542/008-000
	Nr. articol: 731-543/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 13-pole; 2,50 mm ² ; gray	www.wago.com/731-543/008-000
	Nr. articol: 731-546/008-000 1-conductor female plug; angled; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 7.5 mm; 16-pole; 2,50 mm ² ; gray	www.wago.com/731-546/008-000

General accessories

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
 /Representative Office Romania
 Sos. Pipera-Tunari nr. 1/1
 building 1, 2nd floor | 077190 Voluntari, Ilfov
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.














	Nr. articol: 231-602/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 2-pole; 2,50 mm ² ; gray	www.wago.com/231-602/018-000
	Nr. articol: 231-603/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 3-pole; 2,50 mm ² ; gray	www.wago.com/231-603/018-000
	Nr. articol: 231-604/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 4-pole; 2,50 mm ² ; gray	www.wago.com/231-604/018-000
	Nr. articol: 231-605/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 5-pole; 2,50 mm ² ; gray	www.wago.com/231-605/018-000
	Nr. articol: 231-606/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 6-pole; 2,50 mm ² ; gray	www.wago.com/231-606/018-000
	Nr. articol: 231-607/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 7-pole; 2,50 mm ² ; gray	www.wago.com/231-607/018-000
	Nr. articol: 231-608/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 8-pole; 2,50 mm ² ; gray	www.wago.com/231-608/018-000
	Nr. articol: 231-609/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 9-pole; 2,50 mm ² ; gray	www.wago.com/231-609/018-000
	Nr. articol: 231-610/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 10-pole; 2,50 mm ² ; gray	www.wago.com/231-610/018-000
	Nr. articol: 231-611/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 11-pole; 2,50 mm ² ; gray	www.wago.com/231-611/018-000
	Nr. articol: 231-612/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 12-pole; 2,50 mm ² ; gray	www.wago.com/231-612/018-000
	Nr. articol: 231-613/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 13-pole; 2,50 mm ² ; gray	www.wago.com/231-613/018-000
	Nr. articol: 231-614/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 14-pole; 2,50 mm ² ; gray	www.wago.com/231-614/018-000

Nr. articol: 231-615/018-000

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 15-pole; 2,50 mm ² ; gray	www.wago.com/231-615/018-000
	Nr. articol: 231-616/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 16-pole; 2,50 mm ² ; gray	www.wago.com/231-616/018-000
	Nr. articol: 231-617/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5 mm; 17-pole; 2,50 mm ² ; gray	www.wago.com/231-617/018-000
	Nr. articol: 231-632/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 2-pole; 2,50 mm ² ; orange	www.wago.com/231-632/018-000
	Nr. articol: 231-633/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 3-pole; 2,50 mm ² ; orange	www.wago.com/231-633/018-000
	Nr. articol: 231-634/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 4-pole; 2,50 mm ² ; orange	www.wago.com/231-634/018-000
	Nr. articol: 231-635/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 5-pole; 2,50 mm ² ; orange	www.wago.com/231-635/018-000
	Nr. articol: 231-636/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 6-pole; 2,50 mm ² ; orange	www.wago.com/231-636/018-000
	Nr. articol: 231-637/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 7-pole; 2,50 mm ² ; orange	www.wago.com/231-637/018-000
	Nr. articol: 231-638/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 8-pole; 2,50 mm ² ; orange	www.wago.com/231-638/018-000
	Nr. articol: 231-639/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 9-pole; 2,50 mm ² ; orange	www.wago.com/231-639/018-000
	Nr. articol: 231-640/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 10-pole; 2,50 mm ² ; orange	www.wago.com/231-640/018-000
	Nr. articol: 231-641/018-000 1-conductor male connector; Snap-in mounting feet; 2.5 mm ² ; Pin spacing 5.08 mm; 11-pole; 2,50 mm ² ; orange	www.wago.com/231-641/018-000
	Nr. articol: 231-642/018-000	

Supus modificărilor.



1-conductor male connector; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 12-pole; 2,50 mm²; orange

www.wago.com/231-642/018-000



Nr. articol: 231-643/018-000

1-conductor male connector; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 13-pole; 2,50 mm²; orange

www.wago.com/231-643/018-000



Nr. articol: 231-644/018-000

1-conductor male connector; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 14-pole; 2,50 mm²; orange

www.wago.com/231-644/018-000



Nr. articol: 231-645/018-000

1-conductor male connector; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 15-pole; 2,50 mm²; orange

www.wago.com/231-645/018-000



Nr. articol: 231-646/018-000

1-conductor male connector; Snap-in mounting feet; 2.5 mm²; Pin spacing 5.08 mm; 16-pole; 2,50 mm²; orange

www.wago.com/231-646/018-000

shield connection



Nr. articol: 790-108

Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm

www.wago.com/790-108

Descărcări

Documentation

Additional Information

Technical explanations	Apr 3, 2019	pdf 3,6 MB	Descărcare
------------------------	-------------	---------------	------------

CAD/CAE-Data

CAD data

2D/3D Models 209-148	URL	Descărcare
----------------------	-----	------------

CAE data

EPLAN Data Portal 209-148	URL	Descărcare
---------------------------	-----	------------

WSCAD Universe 209-148	URL	Descărcare
------------------------	-----	------------


Installation Notes

Application

Supus modificărilor.


WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



The pluggable male or female connector can also be fitted with a strain relief plate.

Installation



Both male and female connectors remain pluggable when they are mounted on the multi mounting adapter via its oblong holes or open grooves (A/B).

Supus modificărilor.