

## Fișă tehnică | Număr articol: 211-861

Conductor markers for thread-on mounting; for Smart Printer; 5 x 10.5 mm;  
white



[www.wago.com/211-861](http://www.wago.com/211-861)



### Date

#### Technical Data

Suitable	for wire cross-section 0.75 ... 1.5 mm <sup>2</sup>
Marking	plain
Marking	plain
Pre-assembly	1000 pcs/reel
Properties	for conductor cross-sections 0.75 ... 1.5 mm <sup>2</sup>
Marking device	Smart Printer (Thermal Transfer Printer)

#### Geometrical Data

Depth	0,22 mm
Marking surface	5 x 23 mm

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Mechanical data

Mounting type	Sliding
Smear resistance	smudge-proof in conjunction with 258-5005 Ink Ribbon

## Material Data

Color	white
Material	Polyester
UV resistance	per EN 60068-2-5:2010 Procedure B
Halogen-free	Yes
Weight	250 g

## Environmental Requirements

Surrounding air temperature (operation)	-40 ... 150 °C
Relative humidity	40 ... 50 %

## Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4050821688655
Customs tariff number	39269097900

## Counterpart

## Produse compatibile

### Marking accessories



Nr. articol: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi

[www.wago.com/258-5000](http://www.wago.com/258-5000)

## Descărcări


### Documentation

#### Additional Information

211-861, Information on handling print material	V004.08.2017	pdf 1,6 MB	Descărcare
---	--------------	---------------	------------

Supus modificărilor.

## Installation Notes



Conductor marker for thread-on mounting

Supus modificărilor.