

Fișă tehnică | Număr articol: 790-114

Carrier with grounding foot; parallel to carrier rail; 45 mm long; Cu 10 mm x 3 mm; suitable for 790 Series shield clamping saddles and 791 Series shield clamps



www.wago.com/790-114



RoHS 
Compliant

[BOMcheck.net](https://www.bomcheck.net)

Item No.	Dimensions in mm					
	A	B	C	D	E	F
790-108	51	15	8	16	55	42
790-116	53	15	16	16	57	45
790-124	78	15	24	16	83	58
790-140	97	15	40	16	100	73

Date

Technical Data

Main product function

Shield termination

Material Data

Weight

25,5 g

Commercial data

Product Group

2 (Terminal Block Accessories)

Packaging type

BOX

Country of origin

DE

GTIN

4045454352912

Customs tariff number

85369095990

Supus modificărilor.









WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Counterpart

Produse compatibile

shield connection

	Nr. articol: 790-108 Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm	www.wago.com/790-108
	Nr. articol: 790-116 Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm	www.wago.com/790-116
	Nr. articol: 790-124 Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm	www.wago.com/790-124
	Nr. articol: 790-140 Shield clamping saddle; diameter of compatible conductor	www.wago.com/790-140
	Nr. articol: 791-107 Shield clamp; diameter of compatible conductor; 1.5 mm to 6.5 mm; H max. 40 mm; 10 mm wide	www.wago.com/791-107
	Nr. articol: 791-111 Shield clamp; diameter of compatible conductor; 5 mm to 11 mm; H max. 47 mm; 17 mm wide	www.wago.com/791-111
	Nr. articol: 791-117 Shield clamp; diameter of compatible conductor; 10 mm to 17 mm; H max. 63 mm; 23 mm wide	www.wago.com/791-117
	Nr. articol: 791-124 Shield clamp; diameter of compatible conductor; 16 mm to 24 mm; H max. 78 mm; 30 mm wide	www.wago.com/791-124

Descărcări

CAD/CAE-Data

CAD data

2D/3D Models 790-114	URL	Descărcare
----------------------	---------------------	----------------------------

CAE data


WSCAD Universe 790-114	URL	Descărcare
------------------------	---------------------	----------------------------

Installation Notes

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Carrier with grounding foot* (790-114),
45 mm long, busbar parallel to the rail

* for all sizes of shield clamping saddles

Supus modificărilor.